

Traffic Film Remover

Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

Revision date: 01/10/2015 Date of issue: 01/10/2015

Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product Name : Traffic Film Remover
Product code : KE61

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Heavy duty cleaner for floor scrubbing operations. For professional use only.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

1.4. Emergency telephone number

Emergency number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1B H314

Eye Dam. 1 H318

Met. Corr. 1 H290

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Danger

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

H290 - May be corrosive to metals.

Precautionary statements (CLP) :

- P201 - Obtain special instructions before use.
- P202 - Do not handle until all safety precautions have been read and understood.
- P260 - Do not breathe vapours, mist, or spray.
- P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
- P280 - Wear protective gloves, protective clothing, and eye protection.
- P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 - If exposed or concerned: Get medical advice/attention.
- P310 - Immediately call a POISON CENTER or doctor.
- P363 - Wash contaminated clothing before reuse.

Traffic Film Remover

Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

P405 - Store locked up.
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

EUH-statements : N/A

2.3. Other hazards

Other hazards not contributing to the classification : Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

Results of PBT and vPvB assessment : This substance/mixture does not meet the PBT or vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	(CAS No) 7732-18-5 (EC no) 231-791-2	82,5	Not classified
Tetrasodium, ethylenediaminetetraacetate	(CAS No) 64-02-8 (EC no) 200-573-9	5,0	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Met. Corr. 1, H290
1-propanaminium, 3-amino-N-(carboxymethyl)-N, N-dimethyl-N-(C8-18 and C18 unsatd. acyl) derivs., hydroxides, inner salts	(EC no) 263-058-8	5,0	Eye Dam. 1 H318 Aquatic Tox. Chronic 3 H412
Sodium hydroxide	(CAS No) 1310-73-2 (EC no) 215-185-5 (EC index no) 011-002-00-6	7,5	Met. Corr. 1, H290 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Sodium hydroxide	(CAS No) 1310-73-2 (EC no) 215-185-5 (EC index no) 011-002-00-6	(0,5 =< C < 2) Eye Irrit. 2, H319 (0,5 =< C < 2) Skin Irrit. 2, H315 (2 =< C < 5) Skin Corr. 1B, H314 (C >= 5) Skin Corr. 1A, H314

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Corrosive to eyes, respiratory system and skin.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes serious burns. Contact may cause immediate severe irritation progressing quickly to chemical burns.

Symptoms/injuries after eye contact : Causes serious eye damage.

Traffic Film Remover

Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

Symptoms/injuries after ingestion : Ingestion is likely to be harmful or have adverse effects.

4.3. Indication of any immediate medical attention and special treatment needed

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media : Do not use a heavy water stream. A heavy water stream may spread burning liquid.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not considered flammable but may burn at high temperatures.
Explosion hazard : Product is not explosive.
Reactivity : May be corrosive to metals. Thermal decomposition generates corrosive vapours. May react with acids to release CO₂ gas and heat. May react with ammonia salt to form ammonia gas. May form carbon monoxide in contact with reducing sugars. Contact with metals may evolve flammable hydrogen gas.

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.
Firefighting instructions : Use water spray or fog for cooling exposed containers.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all contact with skin, eyes, or clothing. Avoid breathing vapour, mist, or spray.

6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protection equipment (PPE).
Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.

6.4. Reference to other sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : May be corrosive to metals.
Precautions for safe handling : Do not breathe vapours, mist, spray. Use only outdoors or in a well-ventilated area.
Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.
Storage conditions : Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Keep container closed when not in use. Store locked up.
Incompatible products : Strong acids. Strong bases. Strong oxidizers. Aluminum. Tin. Lead. Zinc.
Special rules on packaging : Store in original container or corrosive resistant and/or lined container.

Traffic Film Remover

Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

7.3. Specific end use(s)

Heavy duty cleaner for floor scrubbing operations. For professional use only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

This product and its constituents do not have any established DNEL or PNEC values.

Sodium hydroxide (1310-73-2)		
Austria	MAK (mg/m ³)	2 mg/m ³ (inhalable fraction)
Austria	MAK Short time value (mg/m ³)	4 mg/m ³ (inhalable fraction)
Bulgaria	OEL TWA (mg/m ³)	2,0 mg/m ³ (alkaline aerosols)
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	2 mg/m ³
France	VME (mg/m ³)	2 mg/m ³
Greece	OEL TWA (mg/m ³)	2 mg/m ³
Greece	OEL STEL (mg/m ³)	2 mg/m ³
USA ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³
Latvia	OEL TWA (mg/m ³)	0,5 mg/m ³
Spain	VLA-EC (mg/m ³)	2 mg/m ³
Switzerland	VLE (mg/m ³)	2 mg/m ³ (inhalable dust)
Switzerland	VME (mg/m ³)	2 mg/m ³ (inhalable dust)
United Kingdom	WEL STEL (mg/m ³)	2 mg/m ³
Czech Republic	Expoziční limity (PEL) (mg/m ³)	1 mg/m ³
Denmark	Grænseværdie (ceiling) (mg/m ³)	2 mg/m ³
Estonia	OEL TWA (mg/m ³)	1 mg/m ³
Estonia	OEL Ceiling (mg/m ³)	2 mg/m ³
Finland	HTP-arvo (15 min)	2 mg/m ³
Hungary	AK-érték	2 mg/m ³
Hungary	CK-érték	2 mg/m ³
Ireland	OEL (15 min ref) (mg/m ³)	2 mg/m ³
Lithuania	NRV (mg/m ³)	2 mg/m ³
Norway	Gjennomsnittsverdier (Takverdi) (mg/m ³)	2 mg/m ³
Poland	NDS (mg/m ³)	0,5 mg/m ³
Poland	NDSCh (mg/m ³)	1 mg/m ³
Slovakia	NPHV (priemerná) (mg/m ³)	2 mg/m ³
Slovenia	OEL TWA (mg/m ³)	2 mg/m ³ (inhalable fraction)
Slovenia	OEL STEL (mg/m ³)	2 mg/m ³ (inhalable fraction)
Sweden	nivågränsvärde (NVG) (mg/m ³)	1 mg/m ³ (inhalable dust)
Sweden	takgränsvärde (TGV) (mg/m ³)	2 mg/m ³ (inhalable dust)
Portugal	OEL - Ceilings (mg/m ³)	2 mg/m ³

8.2. Exposure controls

Appropriate engineering controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal protective equipment

: Protective goggles. Face shield. Corrosionproof clothing. Gloves. Insufficient ventilation: wear respiratory protection.



Traffic Film Remover

Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

Materials for protective clothing	: Corrosionproof clothing.
Hand protection	: Wear chemically resistant protective gloves.
Eye protection	: Chemical goggles or face shield.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Use an approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.
Environmental exposure controls	: Do not allow the product to be released into the environment.
Consumer exposure controls	: Do not eat, drink or smoke during use.
Other information	: When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Colourless low viscosity liquid
Odour	: None
Odour threshold	: No data available
pH	: > 13.0
Evaporation rate	: No data available
Melting point	: 0 °C (32 °F)
Freezing point	: No data available
Boiling point	: 100 °C (212 °F)
Flash point	: Non-flammable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.04 (Water=1)
Solubility	: Water: Complete
Partition coefficient: n-octanol/water	: No data available
Viscosity	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals. Thermal decomposition generates corrosive vapours. May react with acids to release CO₂ gas and heat. May react with ammonia salt to form ammonia gas. May form carbon monoxide in contact with reducing sugars. Contact with metals may evolve flammable hydrogen gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, open flames, sources of ignition and incompatible materials.

10.5. Incompatible materials

strong acids. Strong bases. Strong oxidizers. Metals.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂). Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Traffic Film Remover

Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

Sodium hydroxide (1310-73-2)	
LD50 dermal rabbit	1350 mg/kg
ATE CLP (dermal)	1.350,00 mg/kg bodyweight
Tetrasodium, ethylenediaminetetraacetate (64-02-8)	
LD50 oral rat	2000mg/kg
LC50 inhalation rat (mg/l)	>1000 – 5000mg/m ³ 6h
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: N/A
Carcinogenicity	: N/A
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/Injuries After Inhalation	: May cause respiratory irritation.
Symptoms/Injuries After Skin Contact	: Causes serious burns. Contact may cause immediate severe irritation progressing quickly to chemical burns.
Symptoms/Injuries After Eye Contact	: Causes serious eye damage.
Symptoms/Injuries After Ingestion	: Ingestion is likely to be harmful or have adverse effects.
Chronic Symptoms	: N/A

SECTION 12: Ecological information

12.1. Toxicity

Sodium hydroxide (1310-73-2)	
LC50 fish 1	45,4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	40 mg/l

12.2. Persistence and degradability

Traffic Film Remover	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Traffic Film Remover	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available.

12.6. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information






In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1824	1824	1824	1824	1824

Traffic Film Remover

Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

ADR	IMDG	IATA	ADN	RID
14.2. UN proper shipping name				
SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION	Sodium hydroxide solution	SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

This product is classified according to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008.

Contains no substances with Annex XVII restrictions

Contains REACH Annex XIV substances:

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Revision date : 01/10/2015

Data sources : According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Aquatic Tox. Chronic 3	Chronic Aquatic Toxicity, Category 3
H290	May be corrosive to metals
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation.
H318	Causes serious eye damage
H319	Causes serious eye irritation
H412	Harmful to aquatic life with long-lasting effects

Traffic Film Remover

Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.