

Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008 Revision date: 22/10/2015 Date of issue: 22/10/2015

Version: 1.1

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1. Product identifier	
Product form	: Mixture
Product Name	: Lemon Super Wash Up
Product code	: KE113
Synonyms	: General Purpose Washing Up Liquid
1.2. Relevant identified uses of th	e substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Use of the substance/mixture	: Biodegradable neutral detergent for washing crockery. For professional use only.
1.2.2. Uses advised against	
No additional information available	

1.3. Details of the supplier of the safety data sheet

### 1.4. Emergency telephone number

Emergency number

### **SECTION 2: Hazards identification**

2.1. Classification of the substance Classification according to Regulation (EC Skin Irrit. 2 Eye Dam. 1 Full text of H-statements: see section 16	
<ul> <li>Adverse physicochemical, human health</li> <li>No additional information available</li> <li>2.2. Label elements</li> <li>Labelling according to Regulation (EC) No</li> <li>Hazard pictograms (CLP)</li> </ul>	
Signal word (CLP)	GHS05 : Danger
Hazard statements (CLP)	: H315 - Causes skin irritation
Precautionary statements (CLP)	<ul> <li>H318 - Causes serious eye damage</li> <li>P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.</li> <li>P280 - Wear protective gloves, protective clothing, and eye protection.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 - Immediately call a POISON CENTER or doctor.</li> <li>P332+P313 - If skin irritation occurs: Get medical advice/attention.</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse.</li> </ul>
EUH-statements	: EUH208 - Contains Citral(5392-40-5). May produce an allergic reaction
<b>2.3.</b> Other hazards Other hazards not contributing to the	: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.
classification	
Results of PBT and vPvB assessment	<ul> <li>This substance/mixture does not meet the PBT or vPvB criteria of REACH regulation, annex XIII</li> </ul>

Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	(CAS No) 7732-18-5 (EC no) 231-791-2	88,56	Not classified
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives	(CAS No) 85536-14-7 (EC no) 287-494-3		
Poly(oxy-1,2-ethanediyl), .alphasulfo- .omegahydroxy-, C12-14-alkyl ethers, sodium salts	(CAS No) 68891-38-3 (EC no) 500-234-8	4,64	Skin Irrit. 2, H315 Eye Dam. 1, H318
Sodium chloride	(CAS No) 7647-14-5 (EC no) 231-598-3	1,4	Not classified
Sodium hydroxide	(CAS No) 1310-73-2 (EC no) 215-185-5 (EC index no) 011- 002-00-6	0,56	Met. Corr. 1, H290 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318
CI Acid Yellow 23	(CAS No) 1934-21-0 (EC no) 217-699-5	0,16	Not classified
Citral	(CAS No) 5392-40-5 (EC no) 226-394-6 (EC index no) 605- 019-00-3	>0.08	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Sodium hydroxide	(CAS No) 1310-73-2	(0,5 =< C < 2) Eye Irrit. 2, H319
	(EC no) 215-185-5	(0,5 =< C < 2) Skin Irrit. 2, H315
	(EC index no) 011-002-00-6	(2 =< C < 5) Skin Corr. 1B, H314
		(C >= 5) Skin Corr. 1A, H314

### Full text of H-phrases: see section 16

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation: Remove to fresh air and keep at rest in a position comfortable for kPOISON CENTER/doctor/physician if you feel unwell.	
First-aid measures after skin contact	<ul> <li>Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.</li> </ul>
First-aid measures after eye contact	<ul> <li>Rinse cautiously with water at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.</li> </ul>
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
4.2. Most important symptoms a	nd effects, both acute and delayed
Symptoms/injuries	: Causes skin irritation. Causes serious eye damage.
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Ingestion is likely to be harmful or have adverse effects.

Safety Data Sheet

d regulation (EC) N 72/2

ccording to regulation (EU) No. 2015/830 and regulat	
Chronic symptoms	: None expected under normal conditions of use.
	ate medical attention and special treatment needed
If you feel unwell, seek medical advic	
SECTION 5: Firefighting m	easures
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising fro	om the substance or mixture
Fire hazard	: Not considered flammable but may burn at high temperatures.
Explosion hazard	: Product is not explosive.
Reactivity	: Generation of gas during decomposition may cause an increase of pressure in a closed system.
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Refer to Section 9 for flammability properties.
SECTION 6: Accidental rele	ease measures
	otective equipment and emergency procedures
General measures	: Avoid all contact with skin, eyes, or clothing. Avoid breathing vapour, mist, or
	spray.
6.1.1. For non-emergency personr	
Protective equipment	: Use appropriate personal protection equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Stop leak if safe to do so. Eliminate ignition sources. Ventilate area.
6.2. Environmental precautio	ns
Prevent entry to sewers and public w	aters. Notify authorities if liquid enters sewers or public waters.
6.3. Methods and material fo	r containment and cleaning up
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.
6.4. Reference to other section	ns
See Heading 8. Exposure controls and	personal protection.
SECTION 7: Handling and s	storage
7.1. Precautions for safe hand	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Wash
, o - · · · · · · · · · · · · · · · · · ·	hands and other exposed areas with mild soap and water before eating, drinking
	smoking and when leaving work.
7.2. Conditions for safe storage	ge, including any incompatibilities
Technical measures	: Comply with applicable regulations.

Technical measures	: Comply with applicable regulations.
Storage conditions	Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible products	: Strong acids. Strong bases. Strong oxidizers.
Special rules on packaging	: Do not store in aluminium, galvanized or other corrodable containers.
7.3. Specific end use(s)	
Biodegradable neutral detergent	for washing crockery. For professional use only.

# SECTION 8: Exposure controls/personal protection

#### 8.1. **Control parameters**

This product and its constituents do not have any established DNEL or PNEC values.

Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

Sodium hydroxide (1310-7	3-2)		
Austria	MAK (mg/m³)	2 mg/m <sup>3</sup> (inhalable fraction)	
Austria	MAK Short time value (mg/m³)	4 mg/m <sup>3</sup> (inhalable fraction)	
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	2,0 mg/m <sup>3</sup> (alkaline aerosols)	
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	2 mg/m <sup>3</sup>	
France	VME (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
Greece	OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
Greece	OEL STEL (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
Latvia	OEL TWA (mg/m <sup>3</sup> )	0,5 mg/m <sup>3</sup>	
Spain	VLA-EC (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
Switzerland	VLE (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (inhalable dust)	
Switzerland	VME (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (inhalable dust)	
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>	
Denmark	Grænseværdie (ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
Estonia	OEL TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>	
Estonia	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
Finland	HTP-arvo (15 min)	2 mg/m <sup>3</sup>	
Hungary	AK-érték	2 mg/m <sup>3</sup>	
Hungary	CK-érték	2 mg/m <sup>3</sup>	
Ireland	OEL (15 min ref) (mg/m3)	2 mg/m <sup>3</sup>	
Lithuania	NRV (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
Norway	Gjennomsnittsverdier (Takverdi) (mg/m³)	2 mg/m³	
Poland	NDS (mg/m <sup>3</sup> )	0,5 mg/m³	
Poland	NDSCh (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>	
Slovakia	NPHV (priemerná) (mg/m³)	2 mg/m <sup>3</sup>	
Slovenia	OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (inhalable fraction)	
Slovenia	OEL STEL (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (inhalable fraction)	
Sweden	nivågränsvärde (NVG) (mg/m³)	1 mg/m <sup>3</sup> (inhalable dust)	
Sweden	takgränsvärde (TGV) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (inhalable dust)	
Portugal	OEL - Ceilings (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>	
Sodium chloride (7647-14-	5)		
Latvia	OEL TWA (mg/m³)	5 mg/m <sup>3</sup>	
Lithuania	IPRV (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>	

### 8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

: Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.



Materials for protective clothing Hand protection Eye protection

- : Chemically resistant materials and fabrics.
- : Wear chemically resistant protective gloves.

: Chemical goggles or safety glasses.

### Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation	n (EC) No. 1272/2008
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Use an approved respirator or self-contained breathing apparatus whenever
	exposure may exceed established Occupational Exposure Limits.
Environmental exposure controls	: Do not allow the product to be released into the environment.
Consumer exposure controls	: Do not eat, drink or smoke during use.
SECTION 9: Physical and che	emical properties
9.1. Information on basic physi	cal and chemical properties
Physical state	: Liquid
Colour	: Clear yellow
Odour	: Lemon
Odour threshold	: No data available
рН	: 6.8 - 7.8
Evaporation rate	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 100 °C (212 °F)
Flash point	: Non-flammable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Solubility	: Water: Complete
Relative density	: 1.01 – 1.03 (Water=1)
Partition coefficient: n-octanol/water	: No data available
Viscosity	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

#### 9.2. **Other information**

No additional information available

## **SECTION 10: Stability and reactivity**

### Reactivity 10.1.

Generation of gas during decomposition may cause an increase of pressure in a closed system.

### **Chemical stability** 10.2.

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### Conditions to avoid 10.4.

Direct sunlight. Extremely high or low temperatures. Ignition sources. Incompatible materials.

### **10.5.** Incompatible materials

Strong acids, strong bases, strong oxidizers.

#### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>). Aldehydes, ketones. Organic acids. Irritating fumes.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Sodium hydroxide (1310-73-2)	
LD50 dermal rabbit	1350 mg/kg
Benzenesulfonic acid, 4-C10-13-sec-alkyl de	erivatives (85536-14-7)
LD50 oral rat	1219 mg/kg

Safety Data Sheet According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

Sodium chloride (7647-14-5)			
LD50 oral rat	3 g/kg		
LC50 inhalation rat (mg/l)	> 42 g/m <sup>3</sup> (Exposure time: 1 h)		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye damage.		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposu	re) : Not classified		
Specific target organ toxicity (repeated expe	osure) : Not classified		
Aspiration hazard	: Not classified		
SECTION 12: Ecological information	ation		
12.1. Toxicity			
Sodium hydroxide (1310-73-2)			
LC50 fish 1	45,4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
EC50 Daphnia 1	40 mg/l		
Benzenesulfonic acid, 4-C10-13-sec-alkyl d	erivatives (85536-14-7)		
LC50 fish 1	5,6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])		
EC50 Daphnia 1	5,2 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 fish 2	1,67 mg/l (Exposure time: 96h - Species: Lepomis macrochirus)		
Sodium chloride (7647-14-5)			
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])		
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		
Citral (5392-40-5)			
LC50 fish 1	4,1 mg/l		
EC50 Daphnia 1	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
12.2. Persistence and degradability			
No additional information available			
12.3. Bioaccumulative potential			
Benzenesulfonic acid, 4-C10-13-sec-alkyl d	erivatives (85536-14-7)		
Log Pow	2 (at 23 °C)		
Sodium chloride (7647-14-5)			
BCF fish 1	(no bioaccumulation)		
Citral (5392-40-5)			
Log Pow	2,76 (at 25 °C)		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assess	ment		
No additional information available			
12.6. Other adverse effects			
Other information	: Avoid release to the environment.		
SECTION 13: Disposal consider	ations		
13.1. Waste treatment methods			
Waste disposal recommendations	: Dispose of waste material in accordance with all local, regional, national, and international regulations.		

Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

### Ecology - waste materials : Avoid release to the environment.

### **SECTION 14: Transport information**

### In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not reg	gulated for trans	sport			
14.2.	UN proper s	hipping name			
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3.	Transport ha	azard class(es)			÷
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4.	Packing grou	h			
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5.	Environmen	tal hazards			
Danger	ous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
enviror	nment : No	environment : No	environment : No	environment : No	environment : No
		Marine pollutant : No			

### 14.6. Special precautions for user

No additional information available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

This product is classified according to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008.

: 22/10/2015

Contains no substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

### No additional information available

### **SECTION 16: Other information**

Data	a sources	: According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008
Full	text of H- and EUH-statements:	
	Acute Tox. 4 (Dermal)	Acute toxicity (dermal). Category 4

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction

Safety Data Sheet According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

H318	Causes serious eye damage
H412	Harmful to aquatic life with long lasting effects
R35	Causes severe burns
R38	Irritating to skin
R41	Risk of serious damage to eyes

EU GHS SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.