

Protecting People Everywhere

180.100

fore

deb. SKIN PROTECTION CENTRE

Order Before 3.30pm for Next Day Delivery

PPE

- Workwear
- Health & Safety Equipment
- ♦ Site Equipment
- Temporary Protection
- ♦ Tooling
- ♦ Janitorial
- ♦ Safety Signage

Version 22 www.tiger-supplies.co.uk

 \bigcirc

Medium Workplace First Aid Kit

ĤÛŬ

GR

About Us

Tiger Supplies is a leading PPE and site equipment supplier, boasting over a decade of trading to numerous sectors of business. We are well established in providing businesses and tradesmen across the UK with market leading products and service through our multiple nationwide locations.

Our high quality products comprise of leading industry brands such as JSP, Bollé Safety, 3M, Polyco and many more. Our range is not only limited to industry leading brands, but also a specialist range of more economically viable options; all guaranteed to provide our customers with total satisfaction.



Accreditations

Tiger Supplies is an ISO9001, ISO14001 and ISO18001 certified company. We have RISQS and UVDB accreditations and actively support trading initiatives and sustainability programs.



Corporate & Social Responsibility

Corporate & Social Responsibility is at the heart of our operation. We deliver our business in a responsible and considerate way by ethically sourcing products from manufacturers around the world.

Customer Service

We are determined and committed to providing an excellent service, delivering a range of products and a level of customer care which is unsurpassed.

Payments

We offer instant account facilities (subject to acceptance) and all major credit and debit cards are accepted both online and via telephone orders.



Nationwide Service

Please call our national order line or email sales@tiger-supplies.co.uk for assistance.

We have representatives in your area and provide on-site advice and assistance across the UK, Ireland and Northern Europe.

Disclaimer

Tiger Supplies reserve the right to alter prices and or specifications in accordance with our policy of continuous improvement. It is the users responsibility to ensure that the correct product is used for the correct application.

Why Tiger Supplies?

Our aim is simple, to protect you by providing the products needed to get the job done efficiently and safely.

With the latest technical innovation and professional protection products in stock, we can provide a range of equipment to suit diverse requirements, ensuring businesses and employees are safe and catered for. Our products are designed and tested to meet and exceed UK and international standards for safety.

Our primary role is to supply and deliver products that support major developments, daily operations, retail and distribution and one-off products. We offer an industry leading service through our dedicated account managers providing comprehensive product advice, as well as competitive pricing.

Our staff are trained to recommend products to suit your industry to fulfill our aim in keeping customers safe and satisfied.

The Benefits of using Tiger Supplies



Free Next Day Delivery Free standard delivery for orders over £50 to mainland UK.



Instant Credit Simple credit account application, open in minutes.



Rapid Delivery Same day, pre 10:30am, pre 12:00pm and Saturday deliveries available.



Bulk Discounts Receive cheaper rates on bulk product requirements.



Dedicated Account Manager Our friendly and knowledgeable team are here to help.



Leading Brands Many top brands available direct from stock.



1000's of Products Wide variety of products held in stock to deliver on time, first time.



Order Online Standard and bespoke products available to order online.






At Tiger Supplies we are able to personalise and brand many items, often at no extra cost, enhancing your corporate image whilst providing personal identification to your workforce and products.

BRAND IT

Speak with the sales team to find out if there is the option to print on the products you require. Some of our more popular custom printed products include:



Visit Our Website

View and download the latest information on our products and services.



www.tiger-supplies.co.uk



Credit card and trade account facilities.



Secure online ordering and payment.

Complete log-in facility providing access to bespoke products, specific ranges and your agreed prices.

•

Ability to restrict orders by product, value, project or user.

Full reporting service.

Product Sourcing

Our staff are trained in a way that allows them to seek the most competitive prices regardless of product, if you can't find what you are looking for, let us source it for you!



PPE..... Page 6-181

Head Protection Eye Protection Ear Protection Respiratory Equipment Welding Equipment Hand Protection Protective Footwear Fall Arrest Equipment High Visibility Clothing High Visibility Rail

WORKWEAR.....Page 182-211

General Workwear Corporate Clothing Thermal Clothing Wet Weather Clothing Disposable Clothing

HEALTH & SAFETY.....Page 212-243

First Aid Equipment Fire Safety Equipment Marine Safety Winter Care

SITE EQUIPMENT.....Page 244-407

Traffic Management Marking & Setting Out Site Lighting & Power Spill Control Building Supplies Access Equipment Site Security Products Agricultural Temporary Protection Packaging Supplies Temporary Fencing

TOOLING.....Page 408-463

Contractors Tools Insulated Tools VDE Approved Tools Hand Tools Measuring Power Tools Diamond Blades and Abrasives Power Tool Accessories Tooling Accessories Wheelbarrows

JANITORIAL SUPPLIES......Page 464-541

Industrial Skin Care Paper Products Cleaning Floorcare Canteen Equipment Environmental Control

SAFETY SIGNAGE.....Page 542-588

Safe Condition Signs Fire Equipment Signs Mandatory Signs Prohibition Signs Hazard Signs Multi Purpose Signs Site Safety Notice Boards Health and Safety Literature General Signs Peel Signs Recycling Signs Temporary Traffic Signs Fixed Road Signs Sign Fixings

EN STANDARDS.....Page 589-590 All EN Standards Explained

📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 🖾 sales@tiger-supplies.co.uk

HEAD PROTECTION



About Head Protection

Suitable protection for the head is essential in almost every sector where there is a risk of being injured by falling objects or when workers are operating in areas of restricted head space.

During 2010/2011 in the Construction sector alone; there were over 180 reported incidents of head injury in the UK, 6 of which were fatalities, proving the importance for businesses to provide their workers with suitable and legitimate head protection.

The Personal Protective Equipment at Work Regulations 1992 state that a helmet should be fitted correctly and comfortably to the wearer's head. The wearer should be able to adjust the size to achieve a comfortable fit. The size adjustment should be enough to cover cold weather liners when worn.

BS: EN REFERENCE	SPECIFICATION
EN397	European Standard for the specification of safety helmets. Tests include a 49 joule crown impact. No side impact test.
EN14052	High performance industrial safety helmet with side protection. Tests include a 100 joule impact to the top of the safety helmet and 50 joule side impact. Penetration testing also required in by a "blade" striker being dropped from 2.5m.
EN50365	Test for electrical insulation in safety helmets for use on low voltage installations (up to 1000v).
EN812	The standard for industrial bump caps. Involves the cap being hit twice by a 5kg flat steel striker falling with 12 joules of energy.
EN812:A1	Same as standard EN812 but tested with 4 strikes. Bump caps only protect against bumps and scraps, they are not to be used as a safety helmet.

SAFETY HELMET KEY FEATURES

Shell Material Ventilation Peak Style **Ratchet Options Harness Options** STANDARD PEAK SLIP RATCHET Common Allows hot air to Standard sized A sliding ratchet A harness which thermoplastic escape from holes in peak suitable for adjustment option. attaches to the hard material with a high the shell of the general wear strength to weight helmet to decrease ratio and a rubbery temperatures. SHORT PEAK WHEEL RATCHET additive for impact resistance. Reduced length A twistable ratchet A harness which NON VENTED peak for improved adjustment option attaches to the hard HDPE Suitable for workers vision when working at height or in an environment Polvthene with exposed close quarters. thermoplastic made electrical cables from petroleum, a common polymer with a wide variety of applications POLYAMIDE One of the most

commonly used synthetic polymer with additives employed for good temperature resistance.

RECYCLABLE

Shell manufactured from materials which are 100% recyclable

8 POINT

A harness which attaches to the hard hat in 8 points.

4 POINT

hat in 4 points.

6 POINT

hat in 6 points.





HDPE

Polvthene thermoplastic made from petroleum, a common polymer with a wide variety of applications.

LDPE

Commonly used flexible polymer that forms well to the head.

POLYAMIDE

One of the most commonly used synthetic polymer with additives employed for good temperature resistance.

TEXTILE

A flexible material which moulds to the individual shape of the wearers head.








Safety Helmet Product Accessories

Safety helmets don't have to be limited to protecting just the head; utilising a variety of product accessories, it's also possible to seamlessly integrate protection for the eyes, face and ears.

Many safety helmets boast a large range of product accessories which can be quickly and easily fitted to the shell with convenient slots or clips for a much improved level of protection for the face and head.



COMPATIBLE PRODUCTS

Safety Helmet	Mounted Ear Defenders	Clip On Safety Spectacles	Sweatbands	Visor Carriers	Face Shields / Visors	Chinstraps
JSP EVOLite®	See Page 19	See Page 18	See Page 20	See Page 18	See Page 18	See Page 20
JSP EVO3®	See Page 19	See Page 18	See Page 20	See Page 18	See Page 18	See Page 20
JSP EVO2®	See Page 19	See Page 18	See Page 20	See Page 18	See Page 18	See Page 20
JSP MK7®	See Page 19	N/A	See Page 20	N/A	N/A	See Page 20
JSP EVO8®	See Page 19	N/A	See Page 20	See Page 18	See Page 18	See Page 20
JSP MK2®	See Page 19	N/A	N/A	N/A	N/A	See Page 20
Centurion 1125	See Page 29	See Page 30	See Page 31	See Page 30	See Page 30	See Page 31
Centurion 1100	See Page 29	See Page 30	See Page 31	See Page 30	See Page 30	See Page 31
Centurion Concept	See Page 29	See Page 30	See Page 31	See Page 30	See Page 30	See Page 31
Centurion Reflex	See Page 29	See Page 30	See Page 31	See Page 30	See Page 30	See Page 31
Centurion Vision	See Page 29	N/A	See Page 31	N/A	N/A	See Page 31
Style 300 Elite	See Page 32	N/A	N/A	N/A	N/A	N/A

Custom Printed Safety Helmets

Why Should Your Business be Using Custom Printed Hard Hats?

Create and Reinforce Brand Identity

 Your brand is important for creating and maintaining recognition, trust and actively marketing your business.

Provide a Professional Appearance

Workers on site can impress new and existing customers with a more professional appearance by wearing custom printed safety helmets.

Individually Personalise Safety Helmets for

Health and Safety

 Individually personalise safety helmets for improved hygiene and a reduced risk of theft.



HOW TO ORDER CUSTOM PRINTED SAFETY HELMETS IN 3 STEPS







Select a safety helmet

Choose a print area and type

Send the information and design brief to sales@tiger-supplies.co.uk

SAFETY HELMET BRAND IT^{IM} DIMENSIONS

Safety Helmet	Brochure Location	Front	Back	Sides	Type of Printing Available
JSP EVOLite®	Pages 10-11	70 x 35mm	60 x 35mm	60 x 20mm	Embossing Sticker Personalisation
JSP EVO3®	Pages 12-13	70 x 35mm	20 x 30mm	60 x 30mm	Embossing Sticker Personalisation
JSP EVO2®	Page 15	70 x 35mm	20 x 30mm	60 x 30mm	Embossing Sticker Personalisation
JSP MK7®	Page 14	75 x 35mm	75 x 35mm	75 x 30mm	Embossing Sticker Personalisation
JSP EVO8®	Page 16	60 x 55mm	N/A	80 x 30mm	Embossing Sticker Personalisation
JSP MK2®	Page 17	Sticker Only - Call for Details	Sticker Only - Call for Details	Sticker Only - Call for Details	Sticker
Centurion 1125	Pages 23-24	50 x 40mm	100 x 30mm	100 x 30mm	Embossing Sticker Personalisation
Centurion 1100	Page 25	50 x 40mm	100 x 30mm	100 x 30mm	Embossing Sticker Personalisation
Centurion Concept	Page 26	85 x 50mm	100 x 20mm	80 x 35mm	Embossing Sticker Personalisation
Centurion Reflex	Page 27	80 x 40mm	100 x 30mm	100 x 35mm	Embossing Sticker Personalisation
Centurion Vision	Page 28	60 x 50mm	100 x 30mm	N/A	Embossing Sticker Personalisation
Style 300 Elite	Page 32	60 x 40mm	55 x 35mm	55 x 35mm	Embossing Sticker Personalisation

JSP Safety Helmets



OXFORD, ENGLAND



PRODUCT INFORMATION		
Shell Material	ABS, Recyclable	
Harness Material Textile, HDPE, 6 Point		
Ventilation Non Vented		
Peak Type	Standard Peak	
Ratchet Type	Slip Ratchet	
EN Standard	EN397 & EN50365	
Product Shown 100-01-04		



PRODUCT INFORMATION		
Shell Material ABS, Recyclable		
Harness Material Textile, HDPE, 6 Point		
Ventilation Vented		
Peak Type Standard Peak		
Ratchet Type	Slip Ratchet	
EN Standard EN397 & EN12899-1		
Product Shown 100-02-39		


JSP EVOLite® Non Vented Safety Helmet

- Lightweight, extremely comfortable and fits a wide range of head shapes and sizes
- Integrated shell and harness for a more secure fit, even when fully inverted
- Suitable for working at height, in high winds, or with high degree of activity
- The lightest safety helmet for sale in the UK; weighing less than 300g
- Fitted Chamlon™ sweatband with Egyptian cotton core, porous PU coating for maximum sweat absorption

JSP EVOLite[®] CR2 Vented Safety Helmet

- CR2[™] Reflectivity helmet comes with CR2[™] reflective strips
- Offers on average 60% more reflectivity than standard reflective clothing material

	PAGE NUMBER
Helmet Mounted Ear Defenders	Page 19
Visors	Page 18
Visor Carriers	Page 18
Eye Shields	Page 18
Sweatbands	Page 20
Chinstraps	Page 20
Helmet Warmers	Page 21



JSP EVOLite[®] Vented Safety Helmet





EVOLite® COMPATIBLE PRODUCTS	PAGE NUMBER
Helmet Mounted Ear Defenders	Page 19
Visors	Page 18
Visor Carriers	Page 18
Eye Shields	Page 18
Sweatbands	Page 20
Chinstraps	Page 20
Helmet Warmers	Page 21

- Lightweight, extremely comfortable and fits a wide range of head shapes and sizes
- Integrated shell and harness for a more secure fit, even when fully inverted
- Suitable for working at height, in high winds, or with high degree of activity
- The lightest safety helmet for sale in the UK; weighing less than 300g
- Fitted Chamlon[™] sweatband with Egyptian cotton core, porous PU coating for maximum sweat absorption

PRODUCT INFORMATION		
Shell Material	ABS, Recyclable	
Harness Material	Textile, HDPE, 6 Point	
Ventilation Vented		
Peak Type	Standard Peak	
Ratchet Type	Slip Ratchet	
EN Standard	EN397	
Product Shown	100-01-03	

JSP EVOLite[®] Skyworker Safety Helmet - White



11



JSP EVO3[®] Micro Peak Safety Helmet



SP



PRODUCT INFORMATION			
Shell Material	HDPE, Recyclable		
Harness Material	Textile, HDPE, 6 Point		
Ventilation	Vented		
Peak Type	Micro Peak		
Ratchet Type	Slip Ratchet		
EN Standard	EN397		

Extra strong shell for superior all day protection

Product Shown

Utilises Evolution 3D Adjustment[™] harness system for additional support and comfort

100-02-71

- Fitted Chamlon[™] sweatband with Egyptian cotton core, porous PU coating for maximum sweat absorption
- Rear ventilation reducing helmet temperatures by an average 2-3°C

JSP EVO3[®] Linesman Safety Helmet

- Meets the EN50365 Class 0 10KV standard
- Helmet comes fitted with a 4 point mounted chinstrap

PRODUCT INFORMATION		
Shell Material	HDPE, Recyclable	
Harness Material	Textile, HDPE, 6 Point	
Ventilation	Non Vented	
Peak Type	Micro Peak	
Ratchet Type	Slip Ratchet	
EN Standard	EN397 & EN50365	
Product Shown	100-02-64	


R	

100-02-71





EVO3 [®] COMPATIBLE PRODUCTS	PAGE NUMBER
Helmet Mounted Ear Defenders	Page 19
Visors	Page 18
Visor Carriers	Page 18
Eye Shields	Page 18
Sweatbands	Page 20
Chinstraps	Page 20
Helmet Warmers	Page 21



📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 🖾 sales@tiger-supplies.co.uk

JSP EVO3[®] Vented Safety Helmet









100-02-30

PRODUCT INFORMATION		
Shell Material	HDPE, Recyclable	
Harness Material	Textile, HDPE, 6 Point	
Ventilation	Vented	
Peak Type	Standard Peak	
Ratchet Type	Slip Ratchet	
EN Standard	EN397	
Product Shown	100-01-02	















SIDES

60mm x 30mm

Print Area

I.C.E. HARD HAT SAFETY TAG

590-06-04 I.C.E. Hard Hat Safety ID Tag

590-06-05 I.C.E. Hard Hat Safety Tag -With Window



EVO3 [®] COMPATIBLE PRODUCTS	PAGE NUMBER
Helmet Mounted Ear Defenders	Page 19
Visors	Page 18
Visor Carriers	Page 18
Eye Shields	Page 18
Sweatbands	Page 20
Chinstraps	Page 20
Helmet Warmers	Page 21



70mm x 35mm Print Area

FRONT

EVO3[®] BRAND IT DIMENSIONS



20mm x 30mm Print Area

📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 🖾 sales@tiger-supplies.co.uk

13



JSP MK7[®] Vented Safety Helmet with Retractaspec

PRODUCT INFORMATION		(
Shell Material	HDPE, Recyclable	
Harness Material	Textile, HDPE, 6 Point	
Ventilation	Vented	
Peak Type	Standard Peak	
Ratchet Type	Slip Ratchet	
EN Standard	EN397 & EN50365	
Product Shown	100-01-07	

A design that performs far higher than the EN397 standard requires

- Protects the head from all angles, not just the crown
- Tried and tested flexibility
- Fitted Chamlon™ sweatband with Egyptian cotton core, porous PU coating for maximum sweat absorption
- Fitted rain channel to direct rain away from wearer's face
- Releases hot air, whilst receiving cooler air from beneath; reducing helmet temperatures by an average 2-3°C

JSP MK7[®] Vented Safety Helmet


PRODUCT INFORMATION	
Shell Material	HDPE, Recyclable
Harness Material	Textile, HDPE, 6 Point
Ventilation	Vented
Peak Type	Standard Peak
Ratchet Type	Slip Ratchet
EN Standard	EN397 & EN50365
Product Shown	100-01-18







MK7 [®] COMPATIBLE PRODUCTS	PAGE NUMBER
Helmet Mounted Ear Defenders	Page 19
Chinstraps	Page 20
Helmet Warmers	Page 21



📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 🖾 sales@tiger-supplies.co.uk

JSP EVO2[®] Vented Safety Helmet




Economical top level protection

- Tough HDPE shell
- Fitted Chamlon[™] sweatband with Egyptian cotton core, porous PU coating for maximum sweat absorption
- Rear ventilation reducing helmet temperatures by an average 2-3°C

PRODUCT INFORMATION		
Shell Material	HDPE, Recyclable	
Harness Material	LDPE, HDPE, 6 Point	
Ventilation	Vented	
Peak Type	Standard	
Ratchet Type	Slip Ratchet	
EN Standard	EN397	
Product Shown	100-02-46	

100-02-46	100-02-47	100-02-50	
100-02-49	100-02-48	100-02-51	

EVO2 [®] COMPATIBLE PRODUCTS	PAGE NUMBER
Helmet Mounted Ear Defenders	Page 19
Visors	Page 18
Visor Carriers	Page 18
Eye Shields	Page 18
Sweatbands	Page 20
Chinstraps	Page 20
Helmet Warmers	Page 21



JSP EVO8® Vented Safety Helmet












- The only industrial safety helmet in the world exceeding the far tougher head protection standard EN14052
- Ultra high strength outer shell; ribbed upper section dissipates impact energy
- Designed for high risk environments where high impact or side impact situations are a concern
 - Side, front and rear impact protection from a shock absorbing EPS liner



EVO8® COMPATIBLE PRODUCTS	PAGE NUMBER
Helmet Mounted Ear Defenders	Page 19
Visors	Page 18
Visor Carriers	Page 18
Sweatbands	Page 20
Chinstraps	Page 20
Helmet Warmers	Page 21









OXFORD, ENGLAND

SYSTEM FOR EVOLUTION[®] HELMETS

The VisiLite[™] has been developed as a method of increasing worker visibility without dazzling colleagues.

VisiLite[™] EVOLite[®] VisiLite[™] Multi: Fits EVO[®] 2/3/5

See page 20 for more details









JSP Safety Helmet Accessories

JSP Surefit Polycarb Unbound Visor

- Protection against medium energy high speed particles at 120 m/s (270 mph)
- Protection against liquid droplets and molten metal
- Ideal for grinding, fettling and sandblasting
- Must be used with JSP Visor Carrier 100-02-70
- Safety helmet and carrier sold separately

PRODUCT INFORMATION	
Lens/Visor Material	Polycarbonate
EN Standard	EN166 1.B.3.9
Product Shown	100-01-11



- Visor carrier suits polycarb visor
- Clips onto safety helmet still allowing space for ear defender housing
- Compatible with both standard and short peak safety helmets
- Compatible with EVOLite[®] and EVO2/3[®] safety helmets

PRODUCT INFORMATION

100-02-45

100-02-75

Material of Carrier	Polypropylene
Product Shown	100-02-70



EVOSpec® Eye Shield

- Polycarbonate retractable eye shield
- Easy assembly kit
- Available in a clear or smoke
- Compatible with EVOLite[®] and EVO3[®] safety helmets

PRODUCT INFORMATION	
Lens/Visor Material	Polycarbonate
Anti-Scratch	Yes
Anti-Fog	Yes
UV Rating	2/2.1 99.9% Protection
EN Standard	EN166.1.F
Product Shown	100-02-45

Standard Helmet Mounted Ear Defender



PRODUCT INFORMATION

Cup Material	HIPS (High Impact Polystyrene)
Ear Pad Type	Foam Filled PVC
SNR Rating	26
HML	30/24/16
EN Standard	EN352 - 3
Product Shown	100-02-86

Large acoustic filled cups

Economically viable helmet mounted ear defender

Compatible with Standard Safety Helmet, JSP EVO® range and Style 300 Elite Safety Helmet

JSP Safety Helmet Mounted Inter GP Ear Defender



PRODUCT INFORMATION	
Cup Material	ABS
Ear Pad Type	Foam Filled PVC
Headband Type	Helmet Mounted
SNR Rating	25
HML	29/22/14
EN Standard	EN352-3
Product Shown	100-02-76

Detachable with spring loaded arms

Steel arms maintain an even pressure to the head

Whilst not in use, ear defenders can be retracted

Compatible with JSP $\mathsf{EVO}^{\circledast}$ range and $\mathsf{MK7}^{\circledast}$ safety helmets

JSP Safety Helmet Mounted Contour Ear Defenders



PRODUCT INFORMATION	
Cup Material	ABS
Ear Pad Type	Foam Filled PVC
Headband Type	Helmet Mounted
SNR Rating	26
HML	31/23/16
EN Standard	EN352-3
Product Shown	100-01-09

Easy to attach and comfortable fit

- Spring loaded arms for perfect fit
- Protection against common industrial noise
- Compatible with EVO[®] range and MK7[®] safety helmets
- Safety helmet not included

JSP Safety Helmet Mounted Inter Extreme Ear Defenders



PRODUCT INFORMATION	
Cup Material	ABS
Ear Pad Type	Foam Filled PVC
Headband Type	Helmet Mounted
SNR Rating	29
HML	32/26/19
EN Standard	EN352-3
Product Shown	100-02-78

Easy to attach and detach with spring loaded arms Steel arms maintain an even pressure to the head Whilst not in use, ear defenders can be retracted Compatible with JSP EVO® range and MK7® safety helmets



JSP Thermal Helmet Warmer




JSP Thermal Helmet Warmer - Hi Vis Orange GO/RT 3279 (RIS-3279-TOM) & EN471





CR2 Reflective Decal Set for EVO® Lite Safety Helmets - Pack of 10







Centurion 1125 Safety Helmet



Centurion 1125 Safety Helmet - Reduced Peak

- Well balanced and comfortable safety helmet
- Fitted with brushed nylon sweatband
- The shell is manufactured from tough HDPE
- Electrical resistance of 440V (non vented helmet)

PRODUCT INFORMATION	
Shell Material	HDPE
Harness Material	Terylene, 6 Point
Ventilation	Non Vented
Peak Type	Reduced Peak
Ratchet Type	Slip Ratchet
EN Standard	EN397
Product Shown	100-01-82

Centurion SO4WA 1125 Children's Safety Helmet

- Product features as shown above
- The 1125 small shell safety helmet is 18% more compact than the standard 1125 shell

PRODUCT INFORMATION	
Shell Material	HDPE
Harness Material	Terylene, 6 Point
Ventilation	Non Vented
Peak Type	Standard Peak
Ratchet Type	Slip Ratchet
EN Standard	EN397
Product Shown	100-01-99



CENTURION

1125 COMPATIBLE PRODUCTS	PAGE NUMBER
Helmet Mounted Ear Defenders	Page 29
Face Screens	Page 30
Face Screen Carriers	Page 30
Eye Shields	Page 30
Sweatbands	Page 31
Helmet Warmers	Page 31

In the prime pri

└ 0844 848 3444 📮 www.tiger-supplies.co.uk 🛛 sales@tiger-supplies.co.uk

24

(

Centurion 1100 Safety Helmet










1100 COMPATIBLE PRODUCTS	PAGE NUMBER
Helmet Mounted Ear Defenders	Page 29
Face Screens	Page 30
Face Screen Carriers	Page 30
Eye Shields	Page 30
Sweatbands	Page 31
Helmet Warmers	Page 31

- Extra lightweight precision moulded shell
- Fitted with brushed nylon sweatband
- The shell is manufactured from tough HDPE
- Electrical resistance of 440V (non vented helmet)

PRODUCT INFORMATION	
Shell Material	HDPE
Harness Material	LDPE, 6 Point
Ventilation	Non Vented
Peak Type	Standard Peak
Ratchet Type	Slip Ratchet
EN Standard	EN397
Product Shown	100-01-85





Centurion Concept Safety Helmet



\mathbb{Z}	
-01-76	100

C

100





Reduced Peak




100-02-82 Roofer, Reduced Peak Wheel Ratchet Extremely lightweight, robust and comfortable safety helmet

- Includes a six point sewn terylene harness for user comfort
- Robust ABS shell
- Fitted with Hydro-Flock sweatband

CONCEPT COMPATIBLE PRODUCTS	PAGE NUMBER
Helmet Mounted Ear Defenders	Page 29
Face Screens	Page 30
Face Screen Carriers	Page 30
Eye Shields	Page 30
Sweatbands	Page 31
Helmet Warmers	Page 31

PRODUCT INFORMATION	
Shell Material	ABS
Harness Material	Terylene, 6 Point
Ventilation	Vented
Peak Type	Standard Peak
Ratchet Type	Slip Ratchet
EN Standard	EN397
Product Shown	100-01-76



Centurion Reflex Safety Helmet With Silver Flash








REFLEX COMPATIBLE PRODUCTS	PAGE NUMBER
Helmet Mounted Ear Defenders	Page 29
Face Screens	Page 30
Face Screen Carriers	Page 30
Eye Shields	Page 30
Sweatbands	Page 31
Helmet Warmers	Page 31

- Head protection for both day and night
- Incorporates high visibility silver 'flash' reflector on the back of the safety helmet
- Designed to make the wearer more visible in poor lighting conditions
- Fitted with a brushed nylon sweatband for hygiene and additional comfort
- Orange and Yellow Flash options available on request

PRODUCT INFORMAT	TION
Shell Material	HDPE
Harness Material	Textile, 6 Point
Ventilation	Non Vented
Peak Type	Standard Peak
Ratchet Type	Slip Ratchet
EN Standard	EN397
Product Shown	100-01-86



Centurion Vision Safety Helmet



PPE HEAD PROTECTION



Centurion Safety Helmet Accessories



Centurion Aegean Ear Defenders



- Provides high level protection against high frequencies
- Fully adjustable and have a setting to move the muffs to standby
- Lightweight, providing additional comfort to the user
- Compatible with Centurion 1100, 1125, Concept and Reflex safety helmets

PRODUCT INFORMATION

Cup Material	ABS
Ear Pad Type	Foam Filled PVC
Headband Type	Helmet Mounted
SNR Rating	30
HML	34/27/20
EN Standard	EN352-3
Product Shown	100-01-89

Centurion Baltic Ear Defenders - (S41E)



Comfortable and stylish, with convenient muff standby settings

- Fully adjustable for all head sizes
- Compatible with Centurion Vision only

PRODUCT INFORMAT	ION
Cup Material	ABS
Ear Pad Type	Foam Filled PVC
Headband Type	Helmet Mounted
SNR Rating	25
HML	29/22/15
EN Standard	EN352-3
Product Shown	100-02-83

Centurion Baltic Ear Defenders - (S41C)



- Provides effective protection against a wide range of general workplace hazards
- General purpose polycarbonate offers maximum impact protection
- Compatible with Centurion 1100, 1125, Concept and Reflex safety helmets

PRODUCT INFORMATION

Cup Material	ABS
Ear Pad Type	Foam Filled PVC
Headband Type	Helmet Mounted
SNR Rating	25
HML	29/22/15
EN Standard	EN352-3
Product Shown	100-01-94



Centurion Polycarbonate | Centurion Acetate Face Screen

CENTURION



Safety helmet sold separately

PRODUCT INFORMAT	ION
Lens/Visor Material	Polycarbonate
EN Standard	EN166 1 F 3
Product Shown	100-01-90

Provides effective protection against a wide range of general workplace hazards

- General purpose polycarbonate offers maximum impact protection
- Must be used with Centurion Face Screen Carrier - 100-01-98

Centurion Face Screen Carrier

- CENTURION Fits all Centurion helmets with the exception of the Vision
 - Allows the user to attach a face shield / visor to add face protection
- Also has housing for ear defenders to be fitted

PRODUCT INFORMAT	TION
Lens/Visor Material	Ridged Nylon
EN Standard	EN166
Product Shown	100-01-98

Face Screen



Safety helmet sold separately

PRODUCT INFORMAT	ION
Lens/Visor Material	Acetate Green
EN Standard	EN166 1 F 3 & EN169 3/5
Product Shown	100-01-92 - DIN 3 Shade

- Manufactured from acetate an ideal form of face protection against hazardous and harmful chemical substances
- Must be cleaned with hot soapy water after exposure to chemicals
- Must be used with Centurion Face Screen Carrier - 100-01-98

Face Screen sold separately

Centurion Brushed Nylon Sweatband



PRODUCT INFORMAT	ION
Material	Brushed Nylon
Product Shown	100-01-95

Ideal accessory to suit any of the Centurion safety helmet range for additional comfort

- 2mm thick foam layer provides comfortable and super absorbent protection
- For personal hygiene, it is advisable to regularly replace sweatbands



Centurion Chin Strap



PRODUCT	INFORMATION
TRODUCT	

Material	Nylon
Product Shown	100-01-97

- Exceptionally comfortable and adjustable chin strap
- Suitable when a more secure fit is required
- Uses a hook fixing which attaches to any Centurion safety helmet
- Removable chin cup
 - One size fits all


Centurion Universal Fleece Helmet Liner

Polyester
100-02-21

Approved to fit all Centurion helmets

Sits between cradle and helmet shell for full integration

One size fits all





Scott Safety Helmets and Accessories

Style 300 Elite Vented Safety Helmet



PRODUCT INFORMATION		
Material of Shell	HDPE	
Material of Harness	Terylene, 8 Point	
Ventilation	Vented	
Peak Type	Standard Peak	
Ratchet Type	Slip Ratchet	
EN Standard	EN397	
Product Shown	100-02-03	

- Manufactured from lightweight HDPE
- Provides an extra stable and secure fit to the head
- Fitted with cotton/nylon sweatband
- Fitted with 8 point terylene harness for extra comfort

Zone 1 Helmet Mounted Ear Muff HME



PRODUCT INFORMATION	
ABS	
Foam Filled PVC	
Helmet Mounted	
27	
30/25/16	
tandard EN352-3:2002	
100-02-08	

Provides a lightweight and comfortable solution to ear protection Suitable for areas with a low-medium noise level

Compatible with Style 300 Elite Safety Helmet



CAN'T FIND THE SCOTT SAFETY HELMET YOU ARE LOOKING FOR?

MANY MORE AVAILABLE ON REQUEST

Elite 300 Safety Helmet Style 600 Safety Helmet And much more - call the sales office for more details





60mm x 40mm Print Area

55mm x 35mm Print Area

BACK

SIDES

55mm x 35mm Print Area

Standard Safety Helmet



- Robust and well rounded solution for head protection
- Economically viable safety helmet
- Comfortable fit over prolonged periods of use
- Comes complete with sweatband

Compatible with 100-02-86 Helmet Mounted Ear Defenders

PRODUCT INFORMATION

Material of Shell	HDPE
Ventilation	Non Vented
Peak Type	Standard Peak
Ratchet Type	Slip Ratchet
EN Standard	EN397
Product Shown	100-02-85

Standard Helmet Mounted Ear Defender

- Large acoustic filled cups
- Economically viable helmet mounted ear defender
- Compatible with Standard Safety Helmet, JSP EVO® range and Style 300 Elite Safety Helmet

PRODUCT INFORMATION

Cup Material	HIPS (High Impact Polystyrene)	
Ear Pad Type	Foam Filled PVC	
SNR Rating	26	
HML	30/24/16	
EN Standard	EN352 – 3	
Product Shown	100-02-86	

Winter Helmet Warmer - Navy Blue



Standard Chin Strap

Standard chin strap to suit safety helmets

PRODUCT INFORMATION

Product Shown

JSP Bump Cap



100-02-93

Material of Shell	HDPE	
Ventilation	Vented	
Peak Type	K Type Standard Peak	
Ratchet Type	Adjustable Buckle	
EN Standard	EN812	
Product Shown	100-01-50	

JSP Hardcap A1+

100-01-59





PRODUCT INFORMATION		
Material of Shell	HDPE, Recyclable	
Ventilation	Vented	
Peak Type	Standard Peak	
Ratchet Type	Adjustable Buckle	
EN Standard	EN812:A1	
Product Shown	100-01-59	

100-01-58

HEAD PROTECTION Ш











About Eye Protection

In most day to day tasks loose flying particles can occur in almost any working environment, resulting in the need or mandatory requirement of eye protection for workers. Injuries to the eye can lead to pain, loss of time, loss of money and potentially damaged eyesight.

Amongst some of the most common threats to the eye include; wood chips, paint chips, concrete particles and small fixings. Workers eyes are constantly under threat and risk from impact hazards. It's an employer's responsibility to ensure suitable eye protection is provided to all personnel at risk of damage to the eyes.

BS: EN REFERENCE	SYMBOL	MEANING
EN166	1, 2, 3	Indicates the Quality of the Ocular (Class 1 is the Best)
EN166	F	Suitable for High Speed Particles, Low Energy Impact
EN166	В	Suitable for High Speed Particles, Medium Energy Impact
EN166	т	Resistant to High Speed Particles at Extreme Temperature
EN166	9	Resistant to Molten Metals and Hot Solids (Frame)
EN166	3	Resistant to Liquid Droplets or Liquid Splashes (Frame)
EN166	8	Resistant to Short Circuit Electric Arc (Oculars)
EN170	-	Specification for UV Filters
EN172	-	Specification for Sun Glare Filters for Industrial Use

EYE PROTECTION TYPES



SAFETY SPECTACLES

Safety spectacles are most suited to lower impact activities including DIY and gardening. Often companies or constructions sites will have a policy for workers to wear spectacles on site.



SAFETY GOGGLES

Ideal for protection against mechanical risk from high speed particles. Any situations that involve excessive force or pressure require the use of goggles; nail guns, compressed tools, cutting and grinding equipment etc.



COVERSPECS

The solution for those who need to wear prescription spectacles with safety eyewear. With extra space on the front and lateral sides; the wearer can use both items of eyewear simultaneously without any discomfort.

SAFETY SPECTACLE LENS TYPES



CLEAR

Suitable for most lighting conditions and the most natural lens to view through all year round.



SMOKE

Ideal for sunlight or glare is effecting the users view, most common during summer months.



ESP / YELLOW

Provides a light enhancing effect; best for low light environments e.g. dawn, dusk and artificial lighting.

KEY FEATURES

ANTI-SCRATCH

Provides a scratch

resistant surface

which allows

prolonged wear and

usage giving the

buver maximum

value for money.



ANTI-FOG

An optional EN standard which ensures that the wearer can benefit from fog free eyewear for at least 8 seconds for higher levels of visibilitiy.





Branded Safety Spectacles

Corporate branded products are fantastic for providing high levels of professional appearance, enhancing brand marketing and reinforcing customers trust in the legitimacy and high standards of a business.

Corporate branding is available on a selected range of safety spectacles. It's possible to customise the design on the arms and frames



Prescription Safety Eyewear

Prescription eyewear is available on a wide range of safety spectacles. Manufactured to specification, each set of lenses can be applied into a range of frame designs. Using three types of lens materials and three types of lens design (single vision, bifocal and progressive) it's possible to tailor eyewear to meet your vision requirements.

Created to help you maintain your vision in hazardous environments without having to rely on multiple pairs of eyewear, our extensive range will provide protection from a range of impact and splash hazards with the same protection ratings as standard safety eyewear.



- Call the Sales Office and provide a copy of your prescription and we will talk you through all the information that is required.
- 2 The Sales Team will liaise with the spectacle manufacturer of your choosing and arrange to have your prescription lens fitted to your desired model.
- 3 Your safety spectacles will be delivered to you directly by the manufacturer with the prescription lens in place and ready for use.

bollé Bolle Safety Spectacles

Bolle Bandido Safety Spectacle

bollé bollé	Ballis	Concernation of the second sec
PRODUCT INFORMAT	ION	
Lens/Visor Material	Polycarbonate	
Frame Material	Polycarbonate	Clear Lens Smoke Lens ESP Lens
Weight	28g	115-04-01 115-04-02 115-04-03
Anti Scratch	Yes	
Anti Fog	Yes	Inexpensive safety spectacle for genuine protection
EN Standard	EN166 1.FT	Fantastic value for money option
		Supplied with adjustable neck cord

Clear lens also conforms to EN170. Smoke and ESP

lens also conforms to EN172


Bolle Silium Safety Spectacle







Bolle Rush Safety Spectacle



Twilight technology offers a double anti fog coating on both sides of the lenses

- Designed and used in low light conditions
- Lightweight



- Adjustable non slip bridge and non slip temple
- Clear lens also conforms to EN170. Smoke and Twilight lens also conforms to EN172

Bolle Rush+ Safety Spectacle





Bolle Tracker II Safety Spectacle / Goggle



Bolle Prescription in a Box







Bolle Squale Safety Coverspec - Clear Lens



PRODUCT INFORMATION		
Lens/Visor Material	Polycarbonate	
Frame Material Polycarbonate		
Weight	43g	
Anti Scratch	Yes	
Anti Fog Yes		
EN Standard EN166 1.FT & EN170		
Product Shown 115-04-38		





Adjustable temples and comes with neck cord

Bolle Visiteur Safety Coverspec - Clear Lens



PRODUCT INFORMATION		
Lens/Visor Material	Polycarbonate	
Frame Material	Polycarbonate	
Weight	38g	
Anti Scratch	No	
Anti Fog	No	
EN Standard	EN166 1.FT & EN170	
Product Shown	115-04-37	

- Coverspec suitable for wearers of prescription spectacles
- Robust upper protection



JSP Safety Spectacles





JSP Martcare® M9500 Multifit Safety Spectacle - Clear Lens



PRODUCT INFORMATION

Lens/Visor Material	Polycarbonate	
Frame Material	Polycarbonate	
Weight	28g	
Anti Scratch	Yes	
Anti Fog	Yes	
EN Standard	EN166 1.F & EN170	
Product Shown	115-04-41	

T-grip rubber temples

- Impact and UV protection
- Extended wrap around single lens
- Blocks 99.9% of ultraviolet radiation

JSP Stealth Hybrid™ Safety Spectacle / Goggle - Clear Lens

conforms to EN172

Clear lens also conforms to EN170. Smoke lens also



PRODUCT INFORMATION			
Lens/Visor Material	Polycarbonate		
Frame Material	Polycarbonate		
Weight	37g		
Anti Scratch	ratch Yes		
Anti Fog	Yes		
EN Standard EN166 1.FT & EN170			
EN166 B when used as Goggle			
Product Shown 115-04-47			
Quick release spectacle arm and strap design			
Pantoscopic angle adjustment to allow a customised fit			

Foam shell provides a secure and comfortable fit

- Sports style wrap around design
- Lens filters 99.9% of harmful UV light





Soft grip side arms, nose bridge and brow - non slip comfort

Nylon

26g

Yes

Yes

115-03-66

Polycarbonate

EN166 1.FT & EN170

Volcano Safety Spectacle - Clear Lens

EN166 1F KN

EN Standard



Meteor	Safety	Spectacle -	Clear Lens


-	Current	
2	N.	

- Sport like and ultra lightweight design
- Pre set arms for a precise fit

PRODUCT INFORMATION		
Lens/Visor Material Polycarbonate		
Frame Material Polycarbonate		
Weight 23g		
Anti Scratch Yes		
Anti Fog No		
EN Standard EN166 1.FT & EN170		
Product Shown 115-03-82		

Arafura Wraplite Safety Spectacle

		PRODUCT INFORMAT	ION
Attractive	-	Lens/Visor Material	Polycarbonate
Attractive modern wrap	*	Frame Material	Polycarbonate
around style		Anti Scratch	Yes
with an extra soft comfortable		Anti Fog	No
nose bridge	SUPPLIED WILL	EN Standard	EN166 1.F
Length adjustable side arms for a precise fit	RIFHEE D		
Hard coated for improved scratch resistance			
Comes complete with neck cord		Smoke Len	s Clear Lens
Smoke lens also conforms to EN172		115-04-59	115-04-58





PRODUCT INFORMATION		
Lens/Visor Material Polycarbonate		
Anti Scratch	Yes	
Anti Fog No		
EN Standard	EN166 1.F	
Product Shown 115-03-44		

- Excellent value for general use
- Wide angle lens and ventilated side arms
- Low impact and 99.9% UV protected

Standard Visitor Coverspec



- Deep box style lens for wearing over prescription
- Wide angle lens and ventilated side arms

PRODUCT INFORMATION Polycarbonate No No EN166 1.F 115-03-49



bollé Bolle Safety Goggles

Bolle Super Blast Vented Safety Goggle - Clear Lens		Bolle Atom Vented Safety Goggle - Clear Lens	
<image/>			
PRODUCT INFORMAT		PRODUCT INFORMAT	
Lens/Visor Material Frame Material	Polycarbonate PVC	Lens/Visor Material	Polycarbonate
Weight	115g	Frame Material	Thermoplastic Rubber
Anti Scratch	Yes	Weight Anti Scratch	71g Yes
Anti Fog	Yes		Yes
EN Standard	EN166 1.B 3.4.9 T & EN170	Anti Fog EN Standard	EN166 1.B 3 T K N & EN170
Product Shown	115-04-76	Product Shown	115-04-77
 Soft browguard Adjustable strap Ventilated frame Pivoting buckle 		Overflow chute	adjustable strap

Bolle X90 Vented Safety Goggle - Clear Lens

bollé PRODUCT INFO		RMATION	
SAFETY	Lens/Visor Material	Polycarbonate	
A comment	Frame Material	PVC	
	Weight	62g	
	Anti Scratch	Yes	
	Anti Fog	Yes	
	EN Standard	EN166 1.BT & EN170	
	Product Shown	115-04-11	
	Highly compac	t aoaale	
	3 9 1		
Co r	Offers comfort, protection and style		
àn St			
A TOO	Complete with	large adjustable nylon strap	

Safety Goggles



JSP Caspian Indirect Vent Safety Goggle - Clear Lens



PRODUCT INFORMATION	
Lens/Visor Material	Polycarbonate
Frame Material	PVC
Weight	125g
Anti Scratch	Yes
Anti Fog	Yes
EN Standard	EN166 1.BT 3.4.9 & EN170
Product Shown	115-03-47

Spherical goggle offers high degree of comfort Ideal for use in risk of high speed particles Protects from molten metal splash and liquid droplets Wide adjustable elastic headband for comfortable fit

JSP EVO Indirect Vent Safety Goggle - Clear Lens



PRODUCT INFORMATION	
Lens/Visor Material	Polycarbonate
Frame Material	PVC
Anti Scratch	Yes
Anti Fog	Yes
EN Standard	EN166.1.B.3.4.9
Product Shown	115-04-49

Features a wide 30mm elastic headband for improved comfort and secure fit

Offers 99.9% protection against UV radiation

Low profile design means the EVO Goggle can be worn with an industrial safety helmet or bumpcap

JSP Atlantic Indirect Vent Safety Goggle - Clear Lens

JSP	PRODUCT INFORMAT	ION
OXFORD, ENGLAND	Lens/Visor Material	Polycarbonate
	Frame Material	PVC
	Weight	122g
	Anti Scratch	Yes
1 Martin Contraction of the second se	Anti Fog	Yes
MACH	EN Standard	EN166 1.B.3.4.9.BT
the the second s	Product Shown	115-04-46
	Features a wide ela Moulded in ventilati Protects against du hot solids	



JSP Martcare Multifit Vented Safety Goggle - Clear Lens



PRODUCT INFORMATION	
Lens/Visor Material	Polycarbonate
Frame Material	PVC
Weight	63g
Anti Scratch	Yes
Anti Fog	Yes
EN Standard	EN166 1.B 3.4
Product Shown	115-03-53

Compact and lightweight

Complete with adjustable elastic headband

Protection against medium energy high speed particles

JSP Venus Indirect Vent Safety Goggle - Clear Lens



PRODUCT INFORMATION	
Lens/Visor Material	Polycarbonate
Frame Material	PVC
Weight	68g
Anti Scratch	Yes
Anti Fog	Yes
EN Standard	EN166 1.B 3.4.9.B
Product Shown	115-03-40

Offers dust and liquid splash protection

Protection against medium energy high speed particles

JSP Invincible Chin & Browguard Faceshield



PRODUCT INFORMATION	
Lens/Visor Material	Polycarbonate
Anti Scratch	No
Anti Fog	No
EN Standard	EN166 1.B 3.9
Product Shown	100-01-70

Fitted with sweatband

Wheel ratchet adjustable head harness

20cm polycarb visor for impact protection

Swiss One Fly Vented Goggle - Clear Lens





PRODUCT INFORMATION	
Lens/Visor Material	Polycarbonate
Frame Material	PVC
Weight	55g
Anti Scratch	Yes
Anti Fog	Yes
EN Standard	EN166 1.B 3.9 T
Product Shown	115-04-79

Soft browguard Adjustable strap Ventilated frame Pivoting buckle

Uvex Ultrasonic Safety Goggle - Clear Lens

uvex



PRODUCT INFORMATION	
Lens/Visor Material	Polycarbonate
Frame Material	Thermoplastic Elastomer
Weight	91g
Anti Scratch	Yes
Anti Fog	Yes
EN Standard	EN166 1.B 3.4.9. KN
Product Shown	115-03-42

Sports design goggle providing a pressure free fit Combining hard and soft materials for maximum comfort and safety

Offers effective seal around the eyes

Wide fully adjustable head strap fits all head sizes

Can be worn over most prescription spectacles

Hamilton Vented Goggle - Clear Lens





Wide Vision Premium Goggle - Clear Lens



Standard Direct Vent Safety Goggle - Clear Lens



PRODUCT INFORMATION	
Lens/Visor Material	Polycarbonate
Frame Material	PVC
Weight	78g
Anti Scratch	No
Anti Fog	No
EN Standard	EN166 1.B 3
Product Shown	115-03-37

Comes with elastic head band

Comfortable and lightweight

Standard Indirect Vent Safety Goggle - Clear Lens



PRODUCT INFORMATION	
Lens/Visor Material	Polycarbonate
Frame Material	PVC
Weight	80g
Anti Scratch	No
Anti Fog	No
EN Standard	EN166 1.B 3
Product Shown	115-03-38

Comes with elastic head band Comfortable and lightweight

Safety Eyewear Accessories







Uvex Lens Cleaning Station

uvex




Complete with mirror

- Refillable with Uvex cleaning fluid and tissues
- Complete with mounting screws and double sided stickers for wall mounting

PRODUCT INFORMATION	
Dimension	(H) 30 x (W) 45 x (D) 8cm
Contents	4 x 450 Boxes of Tissues
	1 x 500ml Cleaning Fluid
Product Shown	115-04-17

Uvex Cleaning Tissues

uvex



PRODUCT INFORMATION		
Quantity	Pack of 450 Tissues	
Product Shown	115-04-15	

Non abrasive and highly absorbing

Uvex Cleaning Fluid



PRODUCT INFORMATION	
Capacity	16 fl oz
Product Shown	115-04-16

Designed for use on anti scratch and anti fog lenses

Standard Lens Cleaning Station



Dimension (H) 23 x (W) 20 x (D) 11cm

Contents600 Tissues250ml Lens Cleaning FluidProduct Shown115-04-39

- Pump dispenser lens cleaning bottle
- Tissues dispense from left and right sides
- Stands freely or wall mountable





Glasses Cord



PRODUCT INFORMATION

Material	Nylon
Product Shown	115-03-65

- Black neck cord with toggle adjuster
- Adjustable loops
- Suits a wide range of safety spectacles



Pages 545 – 547 for stock options. Bespoke signs available on request.





EAR PROTECTION







3

About Ear Protection

Ears are extremely delicate and if inadequately protected, can be permanently damaged. Most worryingly, damage to hearing often goes unnoticed as it is most commonly cumulative over a period of years as opposed to sudden damage.

Protection for hearing has gone from strength to strength with the introduction of the noise directive in 2006; ensuring that workplace noise should be eliminated and failing that hearing protection should be available for workplaces with persistent noise at 80 dB and compulsory at 85 dB or higher.

Hearing protection products should conform to EN352 to qualify as a valid accessory for protecting the ears.

EAR PROTECTION TYPES



Ear Defenders (EN352-1)

Hearing protectors which comprise of two cups covering the ears, filled with foam or liquid. The cups are held in place by a wire or band.



Ear Plugs (EN352-2) Hearing protectors which are generally small

Hearing protectors which are generally small foam objects used to insert into the entrance of the ear canal.



Helmet Mounted Ear Defenders (EN352-3)

Hearing protectors with similar features to Ear Defender, although they can also be attached to safety helmets for combined usage. Many mounted ear defenders provide a parked position for when they are not in use.

WHAT IS HML?

HML values indicate the level of sound reduction over three frequency ranges, H (High), M (Medium) and L (Low).

H (High):	between 2000 and 8000 Hz
M (Medium):	between 1000 and 2000 Hz
L (Low):	between 63 and 1000 Hz

WHAT IS SNR?

SNR stands for Single Number Rating, which indicates an average value of protection over the relevant frequencies. As an example an SNR value of 35 absorbs 100 dB and reduces it to 65 dB. See the chart below to identify which SNR rated product to use for certain decibels.

Noise Level (dB)	Ear Protector SNR
85-90 dB	SNR 20 or less
90-95 dB	SNR 20-30
95-100 dB	SNR 25-35
100-105 dB	SNR 30 or more

WHAT ARE DECIBELS?

Decibels (dB) are the units used to measure the intensity of a sound.

The smallest audible sound (almost total silence) is OdB, however a sound 100 times more powerful than near total silence is 20 dB.



Risk Level	Approx dB	Type of Sound
	130	Riveting Hammers
Harmful	120	Chainsaws
	110	Nail Guns
	100	Grinding & Cutting Wheels
	100	Concrete Pouring
Risky		Drilling Concrete
	90	Sandblasting
		Band Saws
	80 Safe 70 60	Busy Traffic
Safa		Car Driving
Sale		Normal Conversation
	0	Silence

Ear Defenders

JSP Big Blue™ Ear Defender



PRODUCT INFORMATION	
Cup Material	ABS
Ear Pad Type	PVC Foam
Headband Type	Padded Polypropylene
SNR Rating	27
HML	33/25/17
EN Standard	EN352-1
Product Shown	110-03-03

Quality ear defenders

For use in medium duty industrial and outdoor applications

Soft, wide foam cushions for all day comfort, ideal for long shifts

3M[™] Peltor[™] Optime I Ear Defender

PELTOR

- Modern, stylish slim line cup design
- Liquid sealing rings for improved comfort
- Unique headband design helps maintain a constant pressure
- Large space inside cup helps reduce the moisture and heat build up

PRODUCT INFORMATION	
Cup Material	ABS
Ear Pad Type	Foam Filled
Headband Type	PVC padded
SNR Rating	27
HML	32/25/15
EN Standard	EN352-1
Product Shown	110-03-07







3M[™] Peltor[™] Optime II Ear Defender

PRODUCT INFORMATION	
Cup Material	ABS
Ear Pad Type	Foam Filled
Headband Type	PVC padded
SNR Rating	31
HML	34/29/20
EN Standard	EN352-1
Product Shown	110-03-08

3M[™] Peltor[™] Optime III Ear Defender

PRODUCT INFORMATION	
Cup Material	ABS
Ear Pad Type	Foam Filled
Headband Type	PVC padded
SNR Rating	35
HML	40/32/23
EN Standard	EN352-1
Product Shown	110-03-09

Super Ear Defender



PRODUCT INFORMATION

Cup Material	ABS
Ear Pad Type	Foam Filled PVC
Headband Type	Polycarbonate
SNR Rating	32
HML	36/30/30
EN Standard	EN352-1
Product Shown	110-03-44

- Ultra lightweight for prolonged usage
- Excellent protection in hazardous noise environments
- Large sound absorbing foam filled cups
- Provides multiple positioning for better fit
- Foldable to prevent external contamination

Standard Ear Defender



PRODUCT INFORMATION	
Cup Material	ABS
Ear Pad Type	Foam Filled
Headband Type	PVC
SNR Rating	26
HML	32/23/14
EN Standard	EN352-1
Product Shown	110-03-02

Lightweight and robust ear defenders

- Provides cost effective protection
- Comfortable economical protection
- Designed for light industry applications



MANY MORE AVAILABLE ON REQUEST

Moldex M Series Ear Muffs



Helmet Mounted Ear Defenders

JSP Safety Helmet Mounted Contour Ear Defenders

SP

PRODUCT INFORMATION	
Cup Material	ABS
Ear Pad Type	Foam Filled PVC
Headband Type	Helmet Mounted
SNR Rating	26
HML	31/23/16
EN Standard	EN352-3
Product Shown	100-01-09

- Helmet mounted ear defenders to fit MK7[®] and EVO[®] range
- Easy to attach and comfortable fit
- Spring loaded arms for perfect fit
- Protection against common industrial noise
- Safety helmet not included

DON'T FORGET YOUR EAR PROTECTION SIGNAGE

Page 545 – 549 for stock options.

Bespoke signs available on request.

Weight: 200g



📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 🖾 sales@tiger-supplies.co.uk

JSP Safety Helmet Mounted Inter GP Ear Defenders



100-02-76

Black

PRODUCT INFORMATION

Cup Material	ABS
Ear Pad Type	Foam Filled PVC
Headband Type	Helmet Mounted
SNR Rating	25
HML	29/22/14
EN Standard	EN352-3
Product Shown	100-02-76 - Black

- Helmet mounted ear defenders to suit MK7[®] and EVO[®] range
- Designed for general purpose use
- Easy to attach and detach with spring loaded arms that give an excellent fit to the ear
- The steel arms maintain a constant and even pressure in both hot and cold conditions
- Retractable arms allow the cups to position away from the head
- Safety helmet not included

JSP Safety Helmet Mounted Inter Extreme Ear Defenders

100-02-77

Hi Vis Orange







- Compatible with Centurion 1100, 1125, Concept and Reflex safety helmets
 - Safety helmet not included

Centurion Baltic Ear Defenders (S41E)

PRODUCT INFORMATION Cup Material ABS CENTURION Ear Pad Type Foam Filled PVC Headband Type Helmet Mounted SNR Rating 25 HML 29/22/15 **EN Standard** EN352-3 **Product Shown** 100-02-83 Weight: 240g General purpose ear protection defenders, suitable for most situations Comfortable and stylish, with convenient muff standby settings Fully adjustable for all head sizes Compatible with Centurion Vision only Safety helmet not included DON'T FORGET YOUR Ear protection must be worn EAR PROTECTION SIGNAGE Ear Page 545 - 549 for stock options. protection must Bespoke signs available on request. be worn

350g

Centurion Baltic Ear Defenders - (S41C)







PRODUCT INFORMATION

Cup Material	ABS	
Ear Pad Type	Foam Filled PVC	
Headband Type	Helmet Mounted	
SNR Rating	25	
HML	29/22/15	
EN Standard	EN352-3	
Product Shown	100-01-94	

- General purpose ear protection defenders, suitable for most situations
- Comfortable and stylish, with convenient muff standby settings
- Fully adjustable for all head sizes
- Compatible with Centurion 1100, 1125, Concept and Reflex safety helmets
- Safety helmet not included

Standard Helmet Mounted Ear Defender



- Large acoustic filled cups
- Economically viable helmet mounted ear defender

Compatible with Standard Safety Helmet, JSP EVO^\circledast range and Style 300 Elite Safety Helmet

PRODUCT INFORMATION

Cup Material	HIPS (High Impact Polystyrene)			
Ear Pad Type	Foam Filled PVC			
SNR Rating	26			
HML	30/24/16			
EN Standard	EN352 – 3			
Product Shown	100-02-86			

Zone 1 Helmet Mounted Ear Muff HME



- to ear protection
- Suitable for areas with a low medium noise level
- Whilst not in use, the ear defenders can be retracted away from the head
- Compatible with Style 300 Elite Vented Safety Helmet
- Safety helmet not included

PRODUCT INFORMATION

Cup Material	ABS
Ear Pad Type	Foam Filled PVC
Headband Type	Helmet Mounted
SNR Rating	27
HML	30/25/16
EN Standard	EN352-3:2002
Product Shown	100-02-08

Ear Plugs and Dispensers

3M[™] E-A-R[™] Classic[™] Ear Plugs





3M[™] E-A-R[™] One Touch Ear Plug Dispenser

PRODUCT INFORMATION	
Dimensions	(H) 41 x (W) 22 x (D) 20cm
Material	Plastic
Product Shown	110-03-21

- Environmentally friendly
- Reduced storage space and costs.
- The refill fits directly onto the dispenser
- Easy to use with a simple twist motion
- Wall-mountable and complete with fixings
- Ear plugs sold separately

3M[™] E-A-R[™] Classic[™] Ear Plug Refill Bottle



PRODUCT INFORMATION

Product Shown	110-03-22
EN Standard	EN352-2
HML	30/24/22
SNR Rating	28
Bottle Quantity	500 Pairs

Easy to roll down for easy insertion Expands to fit virtually any ear canal shape Comfortable over long periods of use Moisture resistant Made from a soft energy absorbing polymer foam

Refill for EAR One Touch Dispenser

3M™ E-A-R Soft™ Yellow Neon Ear Plug Refill Bottle



PRODUCT INFORMATION	
Bottle Quantity	500 Pairs
SNR Rating	36
HML	34/34/31
EN Standard	EN352-2
Product Shown	110-03-33

Tapered finish makes fitting easier

Comfortable to wear and environmentally friendly

Can be used in a wide variety of situations

- Even distributed pressure for flexibility
- Good seal and optimum comfort
- Refill for EAR One Touch Dispenser

3M[™] E.A.R. Push Ins - Un Corded Ear Plugs - Box of 100



PRODUCT INFORMATION	
Box Quantity	100
SNR Rating	38
HML	37/36/34
EN Standard	EN352-2
Product Shown	110-03-49

Manufactured from a slow recovery polymer foam

- No Roll-down required
- Expand to give a comfortable seal against noise
- One size fits majority

Ear tip softens and becomes more pliable with body heat

3M[™] E-A-R Soft[™] FX Ear Plugs



PRODUCT INFORMATION		
Box Quantity	200 Pairs	
SNR Rating	39	
HML	39/36/34	
EN Standard	EN352-2	
Product Shown	110-03-35	

Made from PU polyurethane foam

- Flanged shape assists ease of placement into ear
- Smooth tapered finish enhances wearer comfort
- Creates perfect seal against noise
- Suitable for heavy duty industrial applications

Ear Plug Dispenser Complete with 500 Pairs of Ear Plugs



Foam Ear Plug Refills for Dispenser

- Made from PU foam
- Refill pack for the Foam Ear Plug Dispenser

PRODUCT INFORMATION

Box Quantity	500 Pairs
SNR Rating	34
HML	36/34/33
EN Standard	EN352-2
Product Shown	110-03-42 c/w Dispenser
	110-03-43 Refill Pack

3M[™] Ultrafit[™] 14 Pre-Moulded Corded Ear Plugs



PRODUCT INFORMATION	
Box Quantity	1 Pair
SNR Rating	14
HML	22/10/5
EN Standard	EN352-2
Product Shown	110-03-40
Made from soft TPE	
Low attenuation and reusable	
Easy to clean	

Triple flange design for comfortable and effective seal

JSP Maxifit Pro Ear Plugs with Cord		Moldex 7060 Ear Plug Wall Bracket		
PRODUCT INFORMA	TION			
Box Quantity	1 Pair			
SNR Rating	26			
HML	26/23/22		Moldex	
EN Standard	EN352-2		ron ri wiski zasi okoko doloki vizi	
Product Shown	110-03-16		The Supervision	
Reuseable and wa	ashable corded ear plug			
	ompact carry case			
Complete with co			and the second sec	
-		PRODUCT INFORMA	ATION	
ISP PU Sound		Product Shown	110-03-47	
Stopper 🧹		AA/=11		
Corded		Vvaii mounted br	acket to suit all moldex stations	
Ear Plug				
UNFORD, ENGLAND		Moldex 7625 Mellow	MOLDEX Mellows STATION	
PRODUCT INFORMA	TION	Foam	22	
Box Quantity	1 Pair	Ear Plugs		
SNR Rating	33	Ear Plugs		
HML	33/32/30		CALL AND	
EN Standard	EN352-2			
Product Shown	110-03-37		4	
Made from soft p Self adjusting to r	olymer foam minimise pressure on the ear	canal		Ē
Maximises noise p	protection			
_				
BBEP Foam				
Ear Plugs	E S S	BEST		
- Box of 200				
		PRODUCT INFORMA		
PRODUCT INFORMA		Box Quantity	250 pairs	
Box Quantity	200 Pairs	SNR Rating	22	
SNR Rating	37	HML EN Standard	26/18/12	EAR R
HML	36/34/33	EN Standard	EN352-2	
EN Standard	EN352-2	Product Shown	110-03-48	-
Product Shown	110-03-50			Ц
		Made from soft n	naterial that is easy to insert and	
Foam disposable Each pair indvidu			against lower noise levels	

Corded Ear Plugs



PRODUCT INFORMATION Box Quantity 200 Pairs SNR Rating 37 HML 36/34/33 **EN Standard** EN352-2 **Product Shown** 110-03-41

Disposable corded ear plugs

Plug made from PU foam and plastic cord

3M™ Earcap Banded Earplugs



PRODUCT INFORMATION				
SNR Rating	23			
HML	27/19/17			
EN Standard	EN352-2			
Product Shown	110-03-17			

- Can be stored around the neck when not in use
- Slow recovery soft foam pods rest outside the ear
- Lightweight and comfortable
- Plastic dielectric (non conductive) headband

Banded Ear Plugs

PRODUCT INFORMATION SNR Rating 21 HML 25/17/14 **EN Standard** EN352-2 Product Shown 110-03-45 Extremely light Comfortable to wear Soft absorbent foam caps Worn under the chin or behind the neck



Moldex M Series Ear Defenders



MOLDEX

M5



Moldex 5000 Series

Moldex 9000 Series Respirator





Can't find the Moldex product you are looking for?

Full range of Moldex products available from Tiger Supplies, please call our sales office for more details.



RESPIRATORY PROTECTION





Respiratory Protection

Unlike apparent and visible workplace injuries such as head or hands, damage to the respiratory system can significantly affect the victims in later life – it may even be difficult to diagnose until later life unless the appropriate protection has been used.

It's extremely important for workers to have access to respiratory protective equipment (RPE) which conforms to European standards and fits the wearer adequately. It is recommended that all RPE is face fit tested, but it is compulsory for those working with Lead or Asbestos.

EN STANDARDS	MEANING
EN136	The European Standard for full face masks
EN140	The European Standard for half or quarter masks
EN143	The European Standard for particulate filters
EN14387	The European Standard for gas / gas and combination filters
EN12941	The European Standard for a powered filtering device with a helmet / hood
EN12942	The European Standard for powered filtering device with full, half or quarter mask
EN1827	The European Standard for filtering half masks without inhalation valves
EN149	The European Standard for filtering facepieces against particles
EN405	The European Standard for valved half masks

TYPES OF RESPIRATOR



POWERED RESPIRATOR

A respirator which generally incorporates a battery powered motorised fan to push air through a filter supplied to the user within a mask or headgear.



REUSABLE RESPIRATOR

A respirator which can be reused and works in conjunction with filter cartridges, making the respirator multi purpose and good value for money.



DISPOSABLE RESPIRATOR

A temporary respirator which can only be used once. They are generally available with valves for comfort in prolonged use and unvalved for less contamination.

FILTER GUIDE						
COLOUR	ΤΥΡΕ	SYMBOL	CLASS	ADDITIONAL INFO		
WHITE	Р	Particles	1, 2, 3	European standard: EN 143		
BROWN	А	Organic gases and vapours, boiling point above 65°C	1, 2, 3	European standard: EN 14387		
GREY	В	Inorganic gases and vapours	1, 2, 3	European standard: EN 14387 Do not use against carbon monoxide		
YELLOW	Е	SO_2 and other acid gases	1, 2, 3	European standard: EN 14387		
GREEN	к	Ammonia and its organic derivatives	1, 2, 3	European standard: EN 14387		

PARTICULATE FILTER GUIDE

Particulate filters protect against various harmful substances such as dusts, mists, fumes, aerosols, fibres, mould, bacteria and many more. Choosing the appropriate filter is important based on the level of protection required.

FFP1	Required for low levels of particulate exposure, filters at least 80% of airborne particles.
FFP2	Required for moderate levels of particulate exposure, filters at least 94% of airborne particles.
FFP3	Required for high levels of particulate exposure, filters at least 99% of airborne particles.



Face Fit Testing

What is Face Fit Testing?

Whenever respiratory protection equipment (RPE) is in use, it must be able to provide protection and appropriate fit for each individual user, if no firm seal exists, it cannot provide complete protection.

To ensure minimal 'leaks' through RPE, masks and respirators must be tested to fit the face without being too loose or too tight.

When to Face Fit Test


It is advisable that a face fit test is conducted before the active use of any tight fitting respirators.

When the wearer is selecting appropriate RPE for whatever task they need it for, it should be ensured that the make, model, type and size of the RPE is adequate – if more than one type of RPE is used, then each item should also be face fit tested.

Conducting Face Fit Tests

Dependant on the quantity of wearers requiring a face fit test, Tiger Supplies can arrange for an expert to visit your site, provide advice on RPE and perform fully certified face fit testing on all required. Although face fit testing can be performed by any person on site with the appropriate guidance.

Frequent Face Fit Testing Issues and Solutions



Seat the chin firmly in the chin cup of the mask. This can be difficult if the mask is the wrong size - try a different size or a different model.





Wear

Masks

DON'T FORGET YOUR RESPIRATORY PROTECTION SIGNAGE

Page 545 for stock options.

Bespoke signs available on request.



71

 (\mathbf{P})

Face masks

must be


worn





Re-Useable Masks & Filters

JSP Force 10[™] Full Face Mask



JSP Force 8[™] Half Mask

(JSP)	PRESSUCHECK	PRODUCT INFORMATION		
© OXFORD, ENGLAND		Mask Material	Thermoplastic Rubber	
		EN Standard	EN140, EN14387	
			& EN143	
		Product Shown	105-03-84 - Small	
			105-03-10 - Medium	
			105-03-85 - Large	
PBILIZE B	ELLER	valve offers sup resistance 4-point suspen release buckles Offers a superio CR2 [™] reflective	cartridge with Typhoon™ berior low breathing sion harness with quick or fit to most face shapes e strips create increased light environments for	



Earth Moving (Contaminated)

Welding (Ferrous & Lead)

Asbestos Removal

MDF (Machine Tooling)

Woods (Hard & Soft)

Fibre & Fibre Glass

Plaster

Silica



Filters to	Suit Force	10 and I	Force 8 H	alf Masks
-------------------	------------	----------	-----------	-----------

Code	Filter Type (Pair)												
105-03-12	Force 8/10 - A1P2 Combi Vapour Filter												
105-03-17	Force 8/10 - ABEK1 Combination Filter												
105-03-18	Force 8/10 - ABEK1 P3 Combination Filter												
105-03-19	Force 8/10 - P2 Dust Filter												
105-03-20	Force 8/10 - P2 Pre-Filter Kit												

Rubbing Down Paint

Paint Stripping

White Spirit

(A) (B) (C) (K) (K)

Acidic Vapours

Ammonia Vapours Nuisance Odours

Inorganic Vapours

Organic Vapours



Press To Check Filters to Suit Force 10 and Force 8 Half Masks

Code	Press To Check Type (Pair)
105-03-55	Force 8/10 - P3 Press To Check
105-03-74	Force 8/10 - ABEK1 P3 Press To Check
105-03-73	Force 8/10 - A2 P3 Press To Check

Brick Acid (Graffiti Removal)

Formaldehyde

Dusts Mists

Chlorine (Cleaning & Pools)

Solvent Based Painting

Water Based Painting

Glyphosate (Weed Killer)

🗸 FIT IT



DON THE MASK - Put the straps and harness over your head and pull the straps to a suitably tight and comfortable fit.

🗸 PRESS IT 🛛 🔽 CHECK IT



PRESS TO CHECK[™] - Press the front and backs of both filter covers together to stop air from entering through the filters.



INHALE - No air should come through the mask. Diook forward and adjust the mask until a seal is created. Repeat this process whilst looking Dup, a down, d left and s right to complete the check.



Moldex 9030 P3 EasyLock® Filters



Disposable Masks



JSP FilterSpec[®] Pro[™] Goggle / Mask Combo



PRODUCT INFORMATION						
Lens Material	Polycarbonate					
Lens Type	Clear					
Valve	Yes - FFP3					
EN Standard	EN1827:1999:+A1 EN166 1.B.T 3.4.N					
Product Shown	105-02-49					

- Unique patented FilterSpec[®] Pro[™] effortlessly combines both eye and respiratory protection
- Stylish goggle design providing impact protection
- Fully adjustable dual wide fitting elastic harness for optimum fit and comfort
- 5.5 base, one piece lens offers optimal coverage
- Disposable FFP3 mask element for optimum protection
- Reusable filter holder element for an economic PPE solution
- Lightweight mask for user comfort (under 60g)
- Increased filter element longevity with exhale valve
- Includes holder, 3 filters and goggle with clear anti scratch and anti mist lens

JSP FilterSpec® Spectacle / Mask Combo



PRODUCT INFORMATION						
Lens Material	Polycarbonate					
Lens Type	Clear					
Valve	Yes - FFP3					
EN Standard	EN166.1.F & EN1827					
Product Shown	105-02-52					

- Includes holder, 3 filters and spectacle with clear anti scratch and anti mist lens
 - Effortlessly combines both eye and respiratory protection Stylish spectacle element design
- Fully adjustable spectacle frame for maximum comfort and security
- Disposable filter mask element for optimum protection Reusable filter holder element for an economic
- PPE solution Lightweight mask for user comfort (under 60g)
- Increased filter element longevity with exhale valve

JSP FilterSpec[®] / Pro[™] Filters - FFP3 Valved



PRODUCT INFORMATION					
Box of 10					
Yes					
EN1827					
105-02-50					

Replacement filters for the FilterSpec[®] and FilterSpec[®] Pro[™]



JSP 132 Disposable FFP3V Masks




- Moulded mask for comfort and secure fit
- The valve products increase user comfort by lowering CO² and heat build up

PRODUCT INFORMATION					
Box Quantity	Box of 5				
Valve	Yes				
EN Standard	EN149				
Product Shown	105-03-05				

Provides protection for high risk hazards

3030V Disposable FFP3V Masks



Moldex Smart Series 2505 FFP3V Masks



PRODUCT INFORMATION

Box Quantity	Box of 10
Valve	Yes
EN Standard	EN149 + A1
Product Shown	105-03-23

DuraMesh®: strong and durable structure, keeps the mask in shape

- ActivForm[®]: no nose clip needed
- Loop strap with clip for quick, simple and safe on and off
- Valved to reduce heat build up
- Provides protection for high risk hazards

Moldex Classic 2365 FFP1V Masks



Moldex Classic 2405 FFP2V Masks



PRODUCT INFORMATION					
Box Quantity	Box of 20				
Valve	Yes				
EN Standard	EN149 + A1				
Product Shown	105-02-74				

PRODUCT INFORMATION						
Box Quantity	Box of 20					
Valve	Yes					
EN Standard	EN149 + A1					
Product Shown	105-02-73					

Protection against non toxic dusts, mists and fumes, based on water and oil

The DuraMesh® structure makes the mask strong and durable, reducing consumption and maintaining shape

- The ActivForm[®] seal automatically adjusts to different face shapes and movements
- Features a Ventex[®] valve which reduces moisture and heat

Moldex Classic 2555 FFP3V Masks



PRODUCT INFORMATION					
Box Quantity	Box of 20				
Valve	Yes				
EN Standard	EN149 + A1				
Product Shown	105-02-75				





зм	
PRODUCT INFORMAT	TION
PRODUCT INFORMAT Mask Material	TION Thermoplastic Elastomer



105-02-89

PRODUCT INFORMATION	
Box Quantity	Box of 20
Valve	No
EN Standard	EN149
Product Shown	105-02-90

Provides protection against low levels of fine dust and oil or water based mists typically found during hand sanding, drilling and cutting

Convex shape with twin strap design, foam nose seal and aluminium nose clip for good face seal over a range of face sizes

3M™ 8810 Disposable FFP2 Masks

Product Shown

3M

PRODUCT INFORMATION	
Box Quantity	Box of 20
Valve	No
EN Standard	EN149
Product Shown	105-02-92

Provides protection against moderate levels of fine dust and water based mists typically found during plastering, cement sanding and wood dust

3M[™] 4255 Half Face Mask - FFA2P3 Valved

- Specifically designed to have a high level of effectiveness and comfort
- Protects from harmful gas, vapour and combination particle hazards
- The carbon filters are large bonded for low breathing resistance
- Head harness and easy to fasten neck strap allows maximum comfort whilst in use
- Rated FFA2P3D Gases/Vapours: 10xWEL* or 5000ppm whichever is lower; Particulates: 20 x WEL*
- Maintenance records are not required if the respirator is replaced after 28 days

3M™ 8812 Disposable FFP1V Masks

3M



PRODUCT INFORMATION	
Box Quantity	Box of 10
Valve	Yes
EN Standard	EN149
Product Shown	105-02-91

Provides protection against low levels of fine dust and oil or water based mists typically found during hand sanding, drilling and cutting

Convex shape with twin strap design, foam nose seal and aluminium nose clip for good face seal over a range of face sizes

Valved to reduce heat build up and aid comfort

3M[™] 8822 Disposable FFP2V Masks

3M



PRODUCT INFORMATION	
Box Quantity	Box of 10
Valve	Yes
EN Standard	EN149
Product Shown	105-02-93

Provides protection against moderate levels of fine dust and water based mists typically found during plastering, cement sanding and wood dust

Valved to reduce heat build up and aid comfort

3M[™] 8835 Disposable FFP3V Masks



PRODUCT INFORMATION	
Box Quantity	Box of 5

Box Quantity	Box of 5
Valve	Yes
EN Standard	EN149
Product Shown	105-02-94

Provides protection against higher levels of fine dust and oil or water based mists typically found when handling hazardous powders in the pharmaceutical industry or work with biological agents and fibres

Valved to reduce heat build up and aid comfort

3M[™] 8833 Disposable FFP3V Masks



PRODUCT INFORMATION	
Box Quantity	Box of 10
Valve	Yes
EN Standard	EN149
Product Shown	105-02-97

Convex shape, nose clip and twin strap design

Soft inner face seal ring provides increased wearer comfort

3M[™] Cool Flow[™] valve reduces heat build up to offer comfortable protection, particularly in hot and humid conditions

Provides protection against higher levels of fine dust and oil or water based mists







Moulded Disposable FFP1 Masks



PRODUCT INFORMATION	
Box Quantity	Box of 20
Valve	No
EN Standard	EN149
Product Shown	105-02-79

Moulded disposable mask offering protection from solid and liquid aerosol variants

Moulded Disposable FFP2 Masks



PRODUCT INFORMATION	
Box Quantity	Box of 20
Valve	No
EN Standard	EN149
Product Shown	105-02-81

Moulded disposable mask offering protection from solid and liquid aerosol variants

Moulded Disposable FFP1V Masks



PRODUCT INFORMATION

Box Quantity	Box of 10
Valve	Yes
EN Standard	EN149
Product Shown	105-02-80

Moulded disposable mask offering protection from solid and liquid aerosol variants

Moulded Disposable FFP2V Masks



PRODUCT INFORMATION	
Box Quantity	Box of 10
Valve	Yes
EN Standard	EN149
Product Shown	105-02-82

Moulded disposable mask offering protection from solid and liquid aerosol variants

Warrior Moulded Disposable FFP3V Masks






PRODUCT INFORMATION	
Box Quantity	Box of 5
Valve	Yes
EN Standard	EN149
Product Shown	105-02-83

Moulded disposable mask with valve

- Minimises breathing resistance and maximises dust carrying capacity
- Protection from fine dusts, fibres and aqueous mists

Moulded Disposable FFP2C Valved Charcoal Masks





JSP Premium Fold Flat Disposable Masks

	IZEFFI (f EVISADOT	EXTRACT OF A CONTRACT OF A CON
PRODUCT INFORMA	TION	Provides protection for low-high risk respiratory hazards
Box Quantity	Box of 10	
Valve EN Standard	Yes	Handy sized and easily pocketed these individually packed masks hygienically fold flat when not in use
Product Shown	EN149 105-03-02 (Green FFP1V)	Ergonomically shaped for an efficient fit
i roddet ollowii	105-03-03 (Yellow FFP2V)	
	105-03-04 (Orange FFP3V)	Valved to reduce heat build up
FFP1 Mask 3M 3 panel flat fold design Sculpted nose fit Chin tab	S10+ Flat-Fold	<section-header></section-header>
Fits a wide range of ace shapes and sizes	CE DOBE	335 FFP3NR (E EN149: 2009
range of ace shapes and sizes	n of hazardous particles	
range of ace shapes and sizes		

- FFP1
- Provides protection against low levels FFP2 Provides protection against moderate
- Provides protection against moderate levels FFP3
- Provides protection against high levels For fine dust and oil or water based mists

PRODUCT INFORMATION	
Box Quantity	Box of 20
Valve	No
EN Standard	EN149 + A1
Product Shown	105-02-95

- clearer vision Foam area around the inside of the mask provides,
- perfect fit as well as preventing misting The welded nose piece prevents any irritation, misshaping and gives a tighter fit
- The adjustable strap means it can be fitted comfortably to all head sizes and shapes

PRODUCT INFORMATION	
Box Quantity	Box of 10
Valve	Yes
EN Standard	EN149
Product Shown	105-02-57 (Orange FFP3V)

3M[™] Aura[™] 9312+ Flat-Fold FFP1V Mask



PRODUCT INFORMATION	
Box Quantity	Box of 10
Valve	Yes
EN Standard	EN149 + A1
Product Shown	105-02-98

3M[™] Aura[™] 9322+ Flat-Fold FFP2V Mask



PRODUCT INFORMATION	
Box Quantity	Box of 10
Valve	Yes
EN Standard	EN149 + A1
Product Shown	105-02-99

3M[™] Aura[™] 9320+ Flat-Fold FFP2 Mask



PRODUCT INFORMATION

Box Quantity	Box of 20
Valve	No
EN Standard	EN149 + A1
Product Shown	105-02-96

3M™ Aura™ 9332+ Flat-Fold FFP3V Mask



PRODUCT INFORMATION	
Box Quantity	Box of 10
Valve	Yes
EN Standard	EN149 + A1
Product Shown	105-03-01





General Purpose Dust Masks

- A general purpose mask that reduces the discomfort from coarse non toxic particles
- This mask is designed for general purpose duties in low exposure, low risk activities.

PRODUCT INFORMATION	
Box Quantity	Box of 50
Valve	No
Product Shown	105-02-85

Fold Flat Disposable FFP2 Masks

Adjustable nose bridge with foam seal
Colour coordinated straps for easy workplace identification
Space saving fold flat design and individual packaging


PRODUCT INFORMATION	
Box Quantity	Box of 20
Valve	No
EN Standard	EN149
Product Shown	105-02-87

Fold Flat Disposable FFP2V Masks

- Adjustable nose bridge with foam seal
- Colour coordinated straps for easy workplace identification
- Space saving fold flat design and individual packaging

PRODUCT INFORMATION	
Box Quantity	Box of 10
Valve	Yes
EN Standard	EN149
Product Shown	105-02-88





Face Fit Testing



Moldex 0103 Face Fit Test Kits



The Fit Test Kit contains everything needed to implement a robust fit testing program and includes simple step by step instructions on the procedure and current legislation

PRODUCT INFORMATION

Kit Contents	1 x Fit test hood.
	2 x Nebulisers
	6 x Bitrex Sensitivity Solution ampoules
	6 x Bitrex Test Solution ampoules
	1 x Fit test instructional CD
Product Shown	105-03-25


Alpha Solway Face Fit Test Kit



- An economical method of testing
- Features Bitrex[®] (bitter) tasting solution
- Suitable for testing Disposable Respirators and Half Masks fitted with particulate cartridges
- Compact, sturdy and portable presentation case
- Complete instructions for use enclosed

PRODUCT INFORMATION Kit Contents Complete kit consisting of Hood 12 x 2.5ml Bitter Sensitivity
Solutions 12 x 2.5ml Bitter Test Solutions 12 x 2.5ml Bitter Test Solutions 2 x Nebulisers
Instructions for use Product Shown 105-03-81

Face Fit Bitter Test and Sensitivity Solution Packs



WELDING EQUIPMENT







Welding Equipment



JSP Hand Held Welding Face Shield



PRODUCT INFORMATION		
Face Screen Material	Polycarbonate	
Face Screen Size	108mm x 83mm	
EN Standard	EN166, EN169 & EN175	
Product Shown	100-01-69	

Refer to Page 561 for EN Standards Explained

- Provides a robust and strong solution to face protection whilst the user is within hazardous welding environments
- As an industry standard for the welding professional, it is a highly protective face shield against dangerous sparks caused whilst welding
- Offers tough face protection but is equally very lightweight and convenient for the user

Heavy Duty Welders Gauntlet - Universal

61		PRODUCT INFORMA	ΓΙΟΝ
		Material of Glove	Leather
	C DE	Cut Resistance	Level 1
	200	EN Standard	EN388 - 4143, EN407 - 413X4X & EN12477
	MIL AD	Refer to	Page 561 for EN Standards Expla
	126/2	High quality, tradi	tional red welders gauntlet
		Minimum leather t	hickness of 1.0mm
	1 POP		lining to the cuff with a soft, y lining to the glove area
	Harris I	Partial welting to self hemmed	the seams and finger tips and
31		PRODUCT OPTIONS	
			Universal 120-20-21
er		Welding Leatl Apron	ner
ss			
		Apron Apron size, 24" w	idth
SS		Apron size, 24" wi and 36" length Comprised of a 1.5	idth
		Apron size, 24" wi and 36" length Comprised of a 1.5	dth 5mm
ss whide	11611:2007 Class 2, A1	Apron size, 24" wi and 36" length Comprised of a 1.5 side split cowhide	dth 5mm



Goliath Blast King Long Leg Foundry Boot





PRODUCT INFORMATION

Toe Protection	Steel Toe Cap
Midsole Protection	Steel Midsole
Heat Resistance	Yes - up to 300°C
Water Resistance	No
Chemical Resistance	Yes
Slip Resistance	Yes
Anti Static Sole	Yes
EN Standard	EN ISO20349:2010 S3 HI HRO SRC

Refer to Page 562 for EN Standards Explained

- Heavy duty chrome tanned leather
- Flame resistant dual density rubber injected sole unit heat resistant to 300°C
- SRC slip resistance rating
- Injection soling process ensures for a reliable bond between the upper and the sole
- Quick release Velcro fastening
- Moisture wicking textile to the vamp only

F	PRODUCT OPTIONS			
	Size 6	Size 7	Size 8	Size 9
	125-22-20	125-21-98	125-21-99	125-22-01
	Size 10	Size 11	Size 12	Size 13
	125-22-02	125-22-03	125-22-04	125-22-15

Chrome Leather Welders Spat

PRODUCT INFORMATION	
Size	16″
Product Shown	125-15-05

Pair of 16" chrome leather gaiters

Ideal protection for welders

HAND PROTECTION







About Hand Protection

The human hand is complex, important and delicate and the variety of injuries that can occur to the hand is immense; ranging from lacerations, burns and infection, making their protection of significant importance. Protective gloves are the first and foremost line of defence when working with anything that could result in hand injury and with fine handling so important in our day to day lives – protection for the hands is of the utmost importance.


A recent case study indicated that around 70% of hand injuries that took place within the workplace were down to workers not wearing any hand protection at all, whilst the remaining 30% of workers were wearing gloves but were either inadequate for the task, or the wrong type of hazard protection.

BS: EN REFERENCE	MEANING
EN 388	Protection from mechanical risks
EN 511	Protection from cold
EN 407	Protection from thermal hazards
EN 374	Protection from chemicals and micro-organisms
EN 420	Protection from ionising radiation and radioactive contamination

MECHANICAL RATING FOR EN 388

Mechanical rating is a standard of rating that applies to physical and mechanical attitudes of hand protection caused by abrasion, cut, puncture and tearing.

The mechanical rating of a protective glove is almost always displayed on the back of the glove.



GLOVE DIP TYPES



COMMON DIP MATERIALS

PU

- Grips well without being sticky.Great breathability and
- dexterity.
 Resists oil, solvents, gasoline, fats, greases, ozone, and oxidation.

LATEX

- Very high elasticity and grip.
- Great tear resistance.
- Resists alcohol.
- Can cause allergic reactions.

NITRILE

- Synthetic version of latex.
- Three times more puncture resistant than rubber.
- Stands up well to oil.
- Additional foam coating acts like a sponge, helps increase gripping power.





Colour Coded System

The colour coded system is a cut protection glove system allowing workers and employers to easily identify that appropriate hand protection is being used for specific tasks.

Red – Cut protection level 1 Orange – Cut protection level 3 Green – Cut protection level 5 For use when the cut risk is **low** For use when the cut risk is **medium** For use when the cut risk is **high**



RED

Cut protection level 1 gloves are ideal for tasks that involve a minimal cut risk, this could include general product handling, low risk construction tasks, warehouse and assembly tasks and general light work.



ORANGE



Cut protection level 3 gloves offer a medium level of protection; this makes them ideal for tasks that show some risk of injury. This cut protection level is ideal for construction industry, mechanical and electrical engineers, steel fixing and handling sharp objects.

GREEN

Cut protection level 5 gloves provide the highest level of cut protection which means they are ideal for high risk tasks. This cut protection level is ideal for handling glass, metal swarf, sheet metal and are ideal for tasks with unknown risks.



RED - Cut Protection Level 1

PRODUCT DESCRIPTION	MATERIAL OF DIP	SIZES AVAILABLE
Traffiglove Classic 1 Red Glove	Polyurethane (PU)	8-10
Traffiglove 3 Digit 1 Red Glove	Polyurethane (PU)	9-10
Red Cut Level 1 - PU Glove	Polyurethane (PU)	8-10
Red Cut Level 1 - PU 3 Digit Glove	Polyurethane (PU)	8-10
Traffiglove Traction Red Glove	Nitrile	9-10
Traffiglove Nitric 1 Red Glove	Nitrile	9-10
Red Nitrile Lightweight Glove	Nitrile	9-11
Spartan H20 Red Wet Grip Glove	Latex	8-9
Skytec Ninja Flex Red Glove	Latex	9-10
Traffiglove Centric 1 Red Glove	Latex	9-10
Red Cut Level 1 - Latex Grip Glove	Crinkled Latex	8-11
Traffiglove Control Red Glove	Aerotek	9-10
Traffiglove Active Red Glove	So-Flex	8-11

ORANGE - Cut Protection Level 3

PRODUCT DESCRIPTION	MATERIAL OF DIP	SIZES AVAILABLE
Traffiglove Classic 3 Amber Glove	Polyurethane (PU)	9-10
Traffiglove 3 Digit 3 Amber Glove	Polyurethane (PU)	9-10
Orange Cut Level 3 - PU Glove	Polyurethane (PU)	8-10
Orange Cut Level 3 - PU 3 Digit Glove	Polyurethane (PU)	9-10
Traffiglove Force Amber Glove	Nitrile	9-10

GREEN - Cut Protection Level 5

PRODUCT DESCRIPTION	MATERIAL OF DIP	SIZES AVAILABLE
Traffiglove Classic 5 Green Glove	Polyurethane (PU)	9-10
Green Cut Level 5 - PU Glove	Polyurethane (PU)	8-10
Coloursafe Green Cut Level 5 - PU Glove	Polyurethane (PU)	8-11
Matrix Green PU Fingerless Glove	Polyurethane (PU)	8-10
Coloursafe Green Cut Level 5 - Nitrile Glove	Nitrile	9-10
Traffiglove Nitric 5 Green Glove	Nitrile	9-10

EASY VISUAL RECOGNITION OF THE CUT PROTECTION LEVEL, SO YOU CHOOSE THE CORRECT GLOVES TO PROTECT YOUR HANDS

1

3

5



Cut Level 1 Gloves





HAND PROTECTION Щ

Size 11

120-05-49

Pack of 12

010-01-12

RED



📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 🛛 sales@tiger-supplies.co.uk

Palm Coated Glove		Palm Coated Glove	
	BEST		
PRODUCT INFORM		PRODUCT INFORM	
Material of Dip Cut Resistance	PU Level 1	Material of Dip Cut Resistance	PU
EN Standard	EN388 - 4131	EN Standard	Level 1 EN388 - 4131
	ester knitted glove with a fine ating on the palm and on the fingers		d polyurethane coated
	e remains uncoated providing good	knit	m fitting with a seamless macl
ventilation to the clamminess	e hand avoiding perspiration and	100% nylon shel	l and knit wrist cuff
Clarininess			grip, abrasion resistance
		and dexterity	
		PRODUCT OPTIONS	
PRODUCT OPTIONS			
Siz	re 9 Size 10 20-28 120-20-29	Siz	ze 9 Size 10 20-30 120-20-31
Siz 120-: Traffiglove Te Traction	G142	Traffiglove TG1170 Nitric	ze 9 20-30 Size 10 120-20-31
Siz 120-: Traffiglove Tr Traction Red Glove	20-28 120-20-29	Traffiglove TG1170 Nitric Red Glove	ze 9 20-30 Size 10 120-20-31
Siz 120-: Traffiglove Tr Traction Red Glove Trafficlove	20-28 120-20-29	Siz 120- Traffiglove TG1170 Nitric Red Glove	ze 9 20-30 Size 10 120-20-31
Siz 120-: Traffiglove Tr Traction Red Glove TrafficLove Cutantial of Dip Cut Resistance EN Standard Lightweight, full handling glove Level 2 puncture Flexible and com	20-28 120-20-29 G142 Official official	Siz 120- Traffiglove TG1170 Nitric Red Glove	ze 9 Size 10 20-30 120-20-31 1 Image: Constraint of the second seco
Siz 120-: Traffiglove Tr Traction Red Glove Traffictove Contraction Red Glove Traffictove Contraction Red Glove Contraction Red Glove Contraction Contra	20-28 120-20-29 G142 ATON Nitrile Level 1 EN388 - 4121 nitrile covering moisture resistant	Siz 120- Traffiglove TG1170 Nitric Red Glove Traffictore Red Glove Cut Resistance EN Standard Flexible and ver Excellent dexter Close fitting PRODUCT OPTIONS	ze 9 Size 10 20-30 120-20-31 Image: second secon
Siz 120-: Traffiglove Tr Traction Red Glove TrafficLove Cutantial of Dip Cut Resistance EN Standard Lightweight, full handling glove Level 2 puncture Flexible and com	20-28 120-20-29 G142 ATON Nitrile Level 1 EN388 - 4121 nitrile covering moisture resistant	Siz 120- Traffiglove TG1170 Nitric Red Glove	ze 9 Size 10 20-30 120-20-31 1 Image: Constraint of the second seco



PRODUCT INFORMATION	
Material of Dip	Nitrile
Cut Resistance	Level 1
EN Standard EN 388 - 4111	

- Cotton liner with a lightweight nitrile coated palm and knuckles
- Durable with an excellent grip, ideal for dirty tasks

Size 10

120-08-14

- Yellow colouring for increased visibility
- Anti bacterial treatment to reduce odours

PRODUCT OPTIONS

Size 9 120-08-13

Red Nitrile Lightweight Glove



PRODUCT INFORMATION	
Material of Dip	Nitrile
Cut Resistance	Level 1
EN Standard EN388 - 4122	

Lightweight glove with seamless knitted nylon liner with a tough nitrile coating

Excellent dexterity and abrasion resistance

Offers excellent grip in dry applications and also provides great resistance to oils, fats and grease

PRODUCT OPTIONS			
	Size 9	Size 10	Size 11
	120-20-38	120-20-39	120-20-48

Skytec Neon Xtra Glove

SKYTEC



PRODUCT INFORMATION	
Material of Dip	Nitrile
Cut Resistance	Level 1
EN Standard EN 388 - 4111	

Fully coated version of Neon 3/4 for additional protection

PRODUCT	OPTIONS

Size 9	Size 10
120-08-11	120-08-12

Nitrile Palm Coated Glove



PRODUCT INFORMATION	
Material of Dip	Nitrile
Cut Resistance Level 1	
EN Standard EN388 4122	

- Offer fantastic durability and comfort, which is ideal for a host of tough handling tasks
- High level of dexterity and enhanced abrasion resistance
- Elasticated knitted cuff

PRODUCT OPTIONS			
Black/Black Size 8 120-20-72 Grey/Grey Size 9 120-08-73	Black/Black Size 9 120-07-09 Grey/Grey Size 10 120-20-56	Black/Black Size 10 120-07-88 Grey/Grey Size 11 120-20-57	

White/Grey Glove	12	Foam Glove	
PRODUCT INFORM		PRODUCT INFORMA	ATION Foamed Nitrile
Material of Dip Cut Resistance	Nitrile Level 1	Cut Resistance	Level 1
EN Standard	EN388 4122	EN Standard	EN388 - 4121
Offer fantastic o	durability and comfort	Seamless knitted	l breathable nylon glove with li le nitrile coating
Ideal for a host	of tough handling tasks	porous breathab	le nitrile coating
_	nd enhanced abrasion resistance	Snug fit for maxi of applications	mum dexterity for the most tac
Elasticated knitt			nt grip in wet and dry conditior
		Channels oils and	d liquids away from the surface
		ensuring superb	wet grip
PRODUCT OPTIONS		PRODUCT OPTIONS	
Polyco Matrix F Grip Glove		Polyco Reflex Orange	
₩ Polyco [®]	A CONTRACTOR OF	Glove % Polyco	NOUNO CONTRACTOR
		-	LONDON
PRODUCT INFORM		PRODUCT INFORMA	ATION
PRODUCT INFORM Material of Dip Cut Resistance	ATION Foamed Nitrile Level 1	PRODUCT INFORMA Material of Dip Cut Resistance	A second s
Material of Dip	Foamed Nitrile	Material of Dip	ATION Latex
Material of Dip Cut Resistance EN Standard Seamless knitte Designed to be Foamed nitrile of	Foamed Nitrile Level 1	Material of Dip Cut Resistance EN Standard Seamless knitted palm coating	Latex Level 1 EN388 - 3142 polycotton liner with flexible I both wet and dry conditions for
Material of Dip Cut Resistance EN Standard Seamless knitte Designed to be Foamed nitrile of the glove surface	Foamed Nitrile Level 1 EN388 - 4121 d liner with a foamed nitrile coating close fitting for maximum dexterity coating channels liquids away from te, ensuring excellent wet grip	Material of Dip Cut Resistance EN Standard Seamless knitted palm coating Excellent grip in safe and secure b	Latex Level 1 EN388 - 3142 polycotton liner with flexible I both wet and dry conditions for
Material of Dip Cut Resistance EN Standard Seamless knitte Designed to be Foamed nitrile of the glove surface PRODUCT OPTIONS	Foamed Nitrile Level 1 EN388 - 4121 d liner with a foamed nitrile coating close fitting for maximum dexterity coating channels liquids away from ie, ensuring excellent wet grip	Material of Dip Cut Resistance EN Standard Seamless knitted palm coating Excellent grip in safe and secure h Back of the glove	Latex Level 1 EN388 - 3142
Material of Dip Cut Resistance EN Standard Seamless knitte Designed to be Foamed nitrile of the glove surface	Foamed Nitrile Level 1 EN388 - 4121 d liner with a foamed nitrile coating close fitting for maximum dexterity coating channels liquids away from te, ensuring excellent wet grip	Material of Dip Cut Resistance EN Standard Seamless knitted palm coating Excellent grip in safe and secure h Back of the glove Medium duty offer resistance	Latex Level 1 EN388 - 3142 Polycotton liner with flexible I both wet and dry conditions for handling e is uncoated making it breatha
Material of Dip Cut Resistance EN Standard Seamless knitte Designed to be Foamed nitrile of the glove surfact PRODUCT OPTIONS Size 8	Foamed Nitrile Level 1 EN388 - 4121 d liner with a foamed nitrile coating close fitting for maximum dexterity coating channels liquids away from re, ensuring excellent wet grip	Material of Dip Cut Resistance EN Standard Seamless knitted palm coating Excellent grip in safe and secure h Back of the glove Medium duty offer	Latex Level 1 EN388 - 3142 Polycotton liner with flexible I both wet and dry conditions for handling e is uncoated making it breatha





Orange Grip Glove

Red Cut Level 1 - Latex Grip Glove		
	ACEGRIP RED CC alie 9	

PRODUCT INFORMATION	
Material of Dip	Crinkled Latex
Cut Resistance	Level 1
EN Standard EN 388 - 3142	

- A tough, general purpose, premium quality glove
- Suitable for a wide variety of applications
- Seamless polycotton liner is soft and comfortable for the wearer
- Crinkle finish latex coating gives excellent grip, good durability and resistance to abrasion

PRODUCT OPTIONS

Size 8	Size 9	Size 10	Size 11
120-07-93	120-07-78	120-07-79	120-20-25

Grab n Grip Black Glove



	PRODUCT INFORMATION	
	Material of Dip Latex	
	Cut Resistance Level 2	
	EN Standard EN388 - 2243	
sions e ner	 Premium quality natural rubber coating on a seamless polycotton liner Provides exceptional wet/dry grip whilst offering outstanding protection from mechanical hazards Raised black latex crinkle coating to palms and fingertips 	
	PRODUCT OPTIONS	
	Size 9 Size 10	

120-20-19

120-20-20

 PRODUCT INFORMATION

 Material of Dip
 Latex

 Cut Resistance
 Level 1

 EN Standard
 EN388 - 2131

Very economical glove

Seamless polyester and cotton liner

Flexible crinkled latex coating for excellent grip and exceptional comfort

PRODUCT OPTIONS

Size 8	Size 9	Size 10	Size 11
120-04-92	120-04-93	120-04-94	120-04-95
Pack of 12	Pack of 12	Pack of 12	Pack of 12
010-01-01	010-01-02	010-01-03	010-01-04

Spartan H20 Red Wet Grip Glove




Latex		
Cut Resistance Level 1		
EN Standard EN 388 - 2131		

Provides protection against minor cuts and abrasions

- Ideal for wet conditions and mainly used for fine handling tasks
- Please note size tend to come up larger than other gloves

PRODUCT OPTIONS

Size 8 Size 9 120-20-40 120-20-41



<text></text>	Lined Leather Drivers Glove
PRODUCT INFORMATION Material of Dip So-Flex™ Cut Resistance Level 1 EN Standard EN388 - 4122 Fully coated water resistant So-Flex™ coated glove Has an elastic wrist opening for use in wet and dry conditions Flexible and comfortable hard wearing glove Good abrasion resistance PRODUCT OPTIONS Size 8 Size 9 Size 10 Size 11	PRODUCT INFORMATION Material of Glove Leather Cut Resistance Level 1 EN Standard EN388 - 3143 Made from quality leather which is very soft and flexible Thick fleecy lining making the glove ideal for outside use Elasticated back to ensure a snug comfortable fit PRODUCT OPTIONS Size 10 Size 10
120-07-20 120-07-14 120-07-15 120-07-75 Traffiglove TG1140 Morphic 1 Red G MicroDex Ultra™ Material of Dip MicroDex Ultra™ Cut Resistance Level 1 EN Standard EN388 4131 Ideal for precision assembly tasks both indoors and outdoors, general handling and assembly work Excellent dexterity, highly tactile MicroDex Ultra coating provides great oil resistance and grip Flexible and very comfortable Size 9 120-20-58	120-08-64
<image/> <image/> <image/> <image/> <image/> <image/> <text></text>	DON'T FORGET YOUR HAND PROTECTION SIGNAGE Page 546 for stock options. Bespoke signs available on request.

Cut Level 3 Gloves







Orange Cut Level 3 - PU Glove

PRODUCT INFORMATION		
Material of Dip	PU	
Cut Resistance	Level 3	
EN Standard	EN388 - 4343	

Machine knitted from high performance HPPE fibre which is an extremely dense and strong polyethylene

Further enhanced with an extremely light polyurethane coating

Offers good mechanical protection in dry handling situations

PRODUCT OPTIONS

Size 8 120-07-94 Size 9 Size 10 120-07-82 120-07-83



Orange Cut Level 3 - PU 3 Digit Glove

PRODUCT INFORMATION		
Material of Dip	PU	
Cut Resistance	Level 3	
EN Standard EN 388 - 4343		

Specialised HPPE yarn provides good cut protection

Seamless, lightweight and breathable liner assures maximum user comfort

PU coating provides good grip in oily situations

Open thumb and first 2 fingers ensure maximum dexterity for special applications

PRODUCT OPTIONS

Size 9 Size 10 120-08-51 120-08-52



Kutlass Tri Grip PU Coated Glove

PRODUCT INFORMATION		
Material of Dip	PU	
Cut Resistance	Level 3	
EN Standard EN 388 - 4343		
A machine knitted, aesthetically pleasing light blue		

Polyurethane coating to the palm enhances grip and improves resistance to abrasion

Excellent glove for precision handling

Provides good protection against abrasion and tear in dry conditions

PRODUCT OPTIONS

Size 7 120-08-66 Size	Size 120-08	-	Size 9 120-08-60	
120-0		120-20		



Traffiglove TG365 Force Amber Glove





Traffiglove TG370 Stamina Amber Glove

	PRODUCT INFORMAT Material of Dip Cut Resistance EN Standard	ION Aerotek™ Level 3 EN 388: 4342
Traffi GLOVE CUT 3 CUT 3 Stamina CE TG370-9	and good comf High quality Ae and fingers pro dry and oily co Reinforced thu	erotek™ coating to palm ovides good grip in wet,
	PRODUCT OPTIONS Size 9 120-08	



Cut Level 5 Gloves



Traffiglove TG Defender Green Glove	540 Traffic Bours Man Defender Ce Traska	P C C
PRODUCT INFORMAT	ION	
Material of Dip	So-Flex™	
Cut Resistance	Level 5	
EN Standard	EN388 - 4541	
Fully coated water	-	
Offers excellent de cut and tear resista	exterity with high abrasion, ance	
For use in wet and	dry conditions	
Seamless knitted o	cut resistant thread liner	
PRODUCT OPTIONS		
Size		
512e 120-08		
		<u>></u>
120-08 Matrix Green PU Fingerless Glove	-41 120-08-42	<u>></u>
120-08 Matrix Green PU Fingerless Glove Polyco Propuct INFORMAT Material of Dip	 120-08-42 IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	<u>></u>
120-08 Matrix Green PU Fingerless Glove Prolyco PRODUCT INFORMAT Material of Dip Cut Resistance	-41 120-08-42 Image: Constraint of the second se	×
120-08 Matrix Green PU Fingerless Glove Polyco Propuct INFORMAT Material of Dip	 120-08-42 IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	<u>></u>
120-08 Matrix Green PU Fingerless Glove W Polyco Product INFORMAT Material of Dip Cut Resistance EN Standard	-41 120-08-42 Image: Constraint of the second se	2
120-08 Matrix Green PU Fingerless Glove Image: Property of the second sec	-41 120-08-42 Image: Constraint of the state of the sta	
120-08 Matrix Green PU Fingerless Glove Polyco Proposition Proposition Proposition Proposition Proposition Great Fingerless Glove Proposition	-41 120-08-42 Image: Constraint of the state of the sta	

Elasticated knitted wrist provides a secure fit and guards against ingress of dust and dirt

 Size 8
 Size 9
 Size 10

 120-20-49
 120-20-46
 120-20-47

Protecta	
Plus	
Cut	
Glove	
	A LAND THE REAL PROPERTY AND INCOMENTS

PRODUCT INFORMATION	
Material of Dip	PU
Cut Resistance	Level 5
EN Standard	EN388 - 4543

- Protecta Plus is a cut level 5 glove but goes beyond this level
- Manufactured with Protecta fibre and fibreglass, is 13 gauge in thickness
- This glove is coated on the palm with polyurethane for grip
- Offers a high degree of dexterity and good sensitivity

PRODUCT OPTIONS

Size 9	Size 10
120-20-32	120-20-33

X5 - Sumo Cut Level 5 Glove




PRODUCT INFORMATION	
Material of Dip	Latex
Cut Resistance	Level 5
EN Standard	EN388 - 4544

- A premium product offering maximum protection in all EN388 categories
- Manufactured from X5 yarn A highly specialised mixture of DuPont[™] Kevlar[®], stainless steel and ther high performance fibres
- Textured latex palm offers increased protection against abrasion and puncture whilst enhancing grip and durability

PRODUCT OPTIONS

Size 9	Size 10
120-08-20	120-08-21



108

Specialist Gloves







PRODUCT INFORMA	ATION		Constant of the second s
Material of Dip	PVC		A Line
Cut Resistance	Level 1		
EN Standard	EN388 - 4121 & EN374-2	1 May	
	& EN374-3		
PVC coated gaur integral PVC slee	ntlet on a cotton liner with an eve		
-	nce to acids. oils and alkalis	PRODUCT OPTIONS	
Extra long ideal f and dirty enviror	for working in deep water or muddy nments		Size - 9.5 120-06-16
Showa CHM		Polyco Pura I	atex Eree
Chem Master	8	PVC Glove	atex file
			and states
зноше.	58 103	🛛 🆑 Polyco [*]	
	eff 8 10.4		ATION
PRODUCT INFORM		Material of Glove	PVC
Material of Dip	Neoprene	Cut Resistance	Level 1
Cut Resistance	Level O	EN Standard	EN388 - 2100
EN Standard	EN388 - 2021 & EN374-2		
	& EN374-3	Latex free, ideal	for people allergic to natural tive to the chemical accelerat
Protects from a v	wide range of chemicals, absorbs	used in rubber g	
perspiration		Anatomically sha	aped for additional comfort
Impermeable for working in damp or greasy			
Impermeable for	working in damp or greasy	Slip resistant pat	tern on palm enhances grip
Impermeable for environments	working in damp or greasy		
environments	working in damp or greasy		bs perspiration keeping hand
environments Cuff prevents dir Surface provides		Soft lining absor	bs perspiration keeping hand
environments Cuff prevents dir Surface provides can be repelled	rt from entering the glove	Soft lining absor and comfortable PRODUCT OPTIONS Red - Size 8 Red - S	bs perspiration keeping hand
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS	rt from entering the glove s good grip and wet substances	Soft lining absord and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20	bs perspiration keeping hand Size 9 Green - Size 8 Green - 0-51 120-20-52 120-2
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz	rt from entering the glove	Soft lining absor and comfortable PRODUCT OPTIONS Red - Size 8 Red - S	bs perspiration keeping hand Size 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-0	rt from entering the glove s good grip and wet substances re 9 Size 10	Soft lining absord and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-2	bs perspiration keeping hand Size 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-1	rt from entering the glove s good grip and wet substances re 9 Size 10	Soft lining absor and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-2 Polyco	bs perspiration keeping hand Size 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-0 Heavy Duty Welders	rt from entering the glove s good grip and wet substances re 9 Size 10	Soft lining absord and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-2 Polyco Taskmaster	bs perspiration keeping hand Size 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-1	rt from entering the glove s good grip and wet substances re 9 Size 10	Soft lining absor and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-2 Polyco	bs perspiration keeping hand Size 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-0 Heavy Duty Welders	rt from entering the glove s good grip and wet substances re 9 Size 10	Soft lining absor and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-2 Polyco Taskmaster Glove	bs perspiration keeping hand Size 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-0 Heavy Duty Welders	rt from entering the glove s good grip and wet substances re 9 Size 10	Soft lining absord and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-2 Polyco Taskmaster	bs perspiration keeping hand Size 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-0 Heavy Duty Welders	rt from entering the glove s good grip and wet substances re 9 Size 10 08-17 120-08-18	Soft lining absor and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-2 Polyco Taskmaster Glove	bs perspiration keeping hand Size 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9 20-54 120-20-55
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-0 Heavy Duty Welders Gauntlet	rt from entering the glove s good grip and wet substances re 9 Size 10 08-17 120-08-18	Soft lining absord and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-2 Polyco Taskmaster Glove	bs perspiration keeping hand Size 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9 20-54 120-20-55
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-4 Heavy Duty Welders Gauntlet	t from entering the glove s good grip and wet substances	Soft lining absord and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-20 Polyco Taskmaster Glove PRODUCT INFORMA	bs perspiration keeping hand Size 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9 120-20-55 Size 9 Green - Size 9 120-20-55
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-4 Heavy Duty Welders Gauntlet PRODUCT INFORMA Material of Glove Cut Resistance	rt from entering the glove s good grip and wet substances re 9 Size 10 08-17 120-08-18 CION Leather Level 1	Soft lining absord and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-20 Polyco Taskmaster Glove PRODUCT INFORM/ Material of Dip Cut Resistance	bs perspiration keeping hand Size 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9 120-20-55 Control Size 9 20-54 120-20-55 Control Size 9 Control S
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-1 Heavy Duty Welders Gauntlet	rt from entering the glove s good grip and wet substances re 9 Size 10 08-17 120-08-18	Soft lining absor and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-2 Polyco Taskmaster Glove PRODUCT INFORMA Material of Dip	bs perspiration keeping hand Size 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9 120-20-55 Size 9 Constant of the second sec
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-1 Heavy Duty Welders Gauntlet PRODUCT INFORM Material of Glove Cut Resistance EN Standard	rt from entering the glove s good grip and wet substances re 9 Size 10 08-17 120-08-18 EVALUATE: Leather Level 1 EN388 - 4143, EN407 - 413X4X & EN12477	Soft lining absord and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-20 Polyco Taskmaster Glove PRODUCT INFORM/ Material of Dip Cut Resistance EN Standard	bs perspiration keeping hand bize 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9 120-20-55 ATION Latex Level 1 EN388 - 4131, EN374-2 a EN374-3 atex 30cm gauntlet with 100
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-4 Heavy Duty Welders Gauntlet PRODUCT INFORM Material of Glove Cut Resistance EN Standard High quality, trac thickness of 1mm Includes a cottor	rt from entering the glove s good grip and wet substances re 9 Size 10 08-17 120-08-18 EVALUATE: Leather Level 1 EN388 - 4143, EN407 - 413X4X & EN12477	Soft lining absord and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-20 Polyco Taskmaster Glove PRODUCT INFORM Material of Dip Cut Resistance EN Standard Durable natural I cotton interlock	bs perspiration keeping hand Size 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9 120-20-55 Control Size 9 20-54 120-20-55 Control Size 9 20-54 120-20-55 Control Size 9 Control
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-4 Heavy Duty Welders Gauntlet PRODUCT INFORM Material of Glove Cut Resistance EN Standard High quality, trac thickness of 1mm Includes a cottor comfortable file	rt from entering the glove s good grip and wet substances re 9 08-17 Size 10 120-08-18 Size 10 Constant of Size 10Constant of	Soft lining absord and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-20 Polyco Taskmaster Glove PRODUCT INFORM/ Material of Dip Cut Resistance EN Standard Durable natural I cotton interlock Roughened surfa	bs perspiration keeping hand bs perspiration keeping hand bize 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9 120-20-55 Ation Latex Level 1 EN388 - 4131, EN374-2 a EN374-3 Comparent company of the safer hand dry objects
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-1 Heavy Duty Welders Gauntlet PRODUCT INFORMA Material of Glove Cut Resistance EN Standard High quality, trad thickness of 1mm Includes a cottor comfortable flee	et from entering the glove a good grip and wet substances et g 08-17 Size 10 08-17 120-08-18 EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUAT	Soft lining absord and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-20 Polyco Taskmaster Glove PRODUCT INFORM/ Material of Dip Cut Resistance EN Standard Durable natural I cotton interlock Roughened surfa of both wet and Provides liquid p	bs perspiration keeping hand bs perspiration keeping hand bize 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9 120-20-55 Ation Latex Level 1 EN388 - 4131, EN374-2 a EN374-3 Comparent company of the safer hand dry objects
environments Cuff prevents dir Surface provides can be repelled PRODUCT OPTIONS Siz 120-4 Heavy Duty Welders Gauntlet PRODUCT INFORM Material of Glove Cut Resistance EN Standard High quality, trac thickness of 1mm Includes a cottor comfortable file	et from entering the glove a good grip and wet substances et g 08-17 Size 10 08-17 120-08-18 EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUATE: EVALUAT	Soft lining absord and comfortable PRODUCT OPTIONS Red - Size 8 Red - S 120-20-50 120-20 Blue - 120-20 Polyco Taskmaster Glove PRODUCT INFORM/ Material of Dip Cut Resistance EN Standard Durable natural I cotton interlock Roughened surfa of both wet and Provides liquid p	bs perspiration keeping hand Size 9 Green - Size 8 Green - 0-51 120-20-52 120-2 Size 8 Blue - Size 9 20-54 120-20-55 ATION Latex Level 1 EN388 - 4131, EN374-2 a EN374-3 Latex 30cm gauntlet with 1000 liner ace on the hand for safer hand dry objects proof protection

Lined Leather Drivers Glove

120-08-71

PRODUCT INFORMATION			
Material of Glove	Leather		
Cut Resistance	Level 1		
EN Standard	EN388 - 2143		
Made from quality leather which is very soft and flexible			
Thick fleecy lining making the glove ideal for outside use			
Elasticated back to ensure a snug comfortable fit			
PRODUCT OPTIONS			
Size 9 Size 10			



Polyco Multi-Task 3 & Multi-Task 5 Glove

120-08-64

PRODUCT INFORMATION			
Material of Glove	Reinforced PVC		
Cut Resistance	Level 1		
EN Standard	EN388 - 2121		

Blend of synthetic leathers with PVC reinforced fingertips and inner palm

Close fitting design ensures maximum user dexterity

Reinforced area on palm and finger tips ensure added protection in key areas

Adjustable Velcro wrist strap for a secure fit

Multi-Task 3 has three open fingers, Multi-Task 5 is fully fingered

PRODUC	PRODUCT OPTIONS - MULTI-TASK 3					
	Size 8 120-05-30	Size 9 120-05-31	Size 10 120-05-32			

PRODUCT OPTIONS - MULTI-TASK 5

Size 9 Size 10 120-05-28 120-05-29





Polyco Matrix Mechanics MAT-M3 Glove

PRODUCT INFORMATI	ON	W Polyco [®]
Material of Glove	Synthetic Leathers	
Cut Resistance	Level 1	
EN Standard	EN388 - 2121	
Mechanics style glo Synthetic Leathers	we made with a Blend of	ST AS
Reinforced palm gr knuckles provides e	ip patches and Neoprene® on extra protection	
An adjustable Velci	o wrist strap for a secure fit	
Three open fingers	for maximum dexterity	
PRODUCT OPTIONS		
Size 9 120-20-		



Cold Protection Gloves



Thinsulate[™] Fingered & Fingerless Black Glove

PRODUCT INFORMAT	PRODUCT INFORMATION		
Material of Glove	Knitted Acrylic		
Colour (Glove)	Black		
3M thinsulate fully fingered or fingerless glove			

3M thinsulate fully fingered or fingerless glove

- 100% acrylic knitted black glove
- Offers excellent cold protection
- Glove size universal





Fingered 120-07-02



Fingerless 120-07-03

Polyco Thermit 7802 Glove

W Polyco[®]

PRODUCT INFORMATION	
Material of Glove	Thermal Liner
EN Standard	For Minimal Risk Only
Colour	Navy

Thermal knitted glove provides insulation against cold

Thermal yarn provides a close fit and excellent dexterity

Ambidextrous, increasing glove life and reducing costs

Can be worn as an insulated liner under other Polyco products



PRODUCT OPTIONS

Universal 120-07-89



PPE | HAND PROTECTION



General Gloves





PPE HAND PROTECTION



Heavy Duty Rigger Glove

PRODUCT INFORMATION Material of Dip Split Leather **Cut Resistance** Level 2 EN388 - 3212 **EN Standard**

Natural split leather rigger glove with drill back and rubberised cuff

PRODUCT OPTIONS

Universal 120-04-36



Polka Dot



Disposable Gloves







About Foot Protection

The variety of industry based injuries to the feet are great; injuries vary from crushed or broken bones, punctures to the sole of the foot, burns, and sprained or twisted ankles. To minimise these injuries the first step is to assess the relevant risks within the workplace and to equip staff with the correct protective footwear for the situation.

EN ISO 20345 CLASSIFICATIONS

BS: EN REFERENCE	MEANING		
EN ISO 20345		nt. EN ISO 20345 specifies a m des, for example, mechanical r ks.	
SB / SBP	S1 / S1P	S3	S5
Basic safety footwear meeting the minimum standards of 200 joule safety toe cap. P stands for penetration resistant midsole.	As per SB , plus antistatic properties and energy absorbing heel unit. P stands for penetration resistant midsole.	As per SBP and S1P plus water penetration and absorption resistance, pierce resistant and cleated outsole.	As per \$3 , but with all rubber or polymeric footwear.
		TURES	SLIP RESISTANCE TESTING
N	KINNENKAR SD SRIFT C C C C C C C C C C C C C C C C C C C	25	SRA Footwear tested on cla tiles with sodium laury sulphate solution and
TOE PROTECTION	Offers a protective reinforcement in foot from falling objects or compre steel or composite materials.		meets a maximum friction standard of 0.32.
MIDSOLE PROTECTION	Midsole protection will guard agains that put the wearer at risk of sole pe constructed from steel or composite	enetration. Midsoles are also	SRB Footwear tested on stainless steel with
	Safety footwear with a heat resista up to a minimum of 150° C. 'HRO' re contact up to 300°. 'HI' represents	epresents resistance to hot	glycerol solution and meets a maximum friction standard of 0.18.
WATER	Water resistant fabrics have a hydr 1000mm, but will stand up to most 'WRU' represents water penetration 'CI' represents insulation against co	casual contacts of water. n and absorption resistance.	SRC Footwear has both
SLIP RESISTANCE	In order to be considered "slip resis safety regulations and slip resistand		the ratings of SRA and SRB combined.
	A safety feature that will help prote shocks but does not offer protectic and explosives.	I	

PPE FOOT PROTECTION

Safety Rigger Boots

Dewalt Brown Rigger Boot

- Brown crazy horse upper, padded ankle region and cushion area to calf region
- Anti bacterial in sole with dual density seat region for shock absorption
- Chemical resistant sole

PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	Steel Midsole	
Heat Resistant Sole	Yes - up to 300°C	
Water Resistant Upper	No	
Slip Resistant Sole	Yes	
Anti Static Sole	No	
EN Standard	EN ISO 20345 SBP SRC HRO	

Size 6	Size 7	Size 8	Size 9
125-22-07	125-22-08	125-22-09	125-22-10
Size 10	Size 11	Size 12	Size 13
125-22-11	125-22-12	125-22-13	125-22-14



M376B Goodyear Welted Brown Rigger Boot


- Leather upper with faux fur thermal lining
 - Padded ankle for extra support
 - Goodyear welted nitrile rubber sole

PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	Steel Midsole	
Heat Resistant Sole	Yes - up to 200°C	
Water Resistant Upper	No	
Slip Resistant Sole	Yes	
Anti Static Sole	No	
EN Standard	EN ISO 20345 SB SRA	

P	PRODUCT OPTIONS					
	Size 6	Size 7	Size 8	Size 9		
	125-22-40	125-06-93	125-06-94	125-06-95		
	Size 10	Size 11	Size 12	Sie 13		
	125-06-96	125-06-97	125-06-98	125-06-99		



V6816 Polar Tan Rigger Boot



Dual density polyurethane sole

PRODUCT INFORMATION

Toe Protection	Composite Toe Cap
Midsole Protection	Steel Midsole
Heat Resistant Sole	Yes - Up to 150°C
Water Resistant Upper	No
Slip Resistant Sole	Yes
Anti Static Sole	Yes
EN Standard	EN ISO 20345 S1P SRC

PRO	DUCT OP	TIONS				
-	ize 6 -92-15		e 7 92-16		e 8 92-17	Size 9 125-92-18
	Size 125-9			e 11 92-20	Size 125-9	



VR690 Grizzly Fleece Lined Tan Rigger Boot

- Heat resistant sole, rugged heal support and triple stitching
- For added strength there is a padded leg, which protects the anklebone
- Composite thermally insulated toe cap for warmth

PRODUCT INFORMATION		
Toe Protection	Composite Toe Cap	
Midsole Protection	Steel Midsole	
Heat Resistant Sole	Yes - up to 300°C	
Water Resistant Upper	Yes - S3	
Slip Resistant Sole	Yes	
Anti Static Sole	Yes	
EN Standard	EN ISO 20345 S3 CI HRO SRC	

PRODUCT OP	TIONS		
Size 5	Size 6	Size 7	Size 8
125-07-01	125-07-02	125-07-03	125-07-04
Size 9	Size 10	Size 11	Size 12
125-07-05	125-07-06	125-07-07	125-07-08




PPE FOOT PROTECTION



D101SM Waterproof Tan Rigger Boot

Faux fur lined rigger boot with 100% waterproof PVC upper



PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	Steel Midsole	
Heat Resistant Sole	No	
Water Resistant Upper	Yes - S5	
Slip Resistant Sole	Yes	
Anti Static Sole	Yes	
EN Standard	EN ISO 20345 S5 SRA	

PRODUCT OPTIONS

Size 6 125-21-49	Size 125-21		 e 8 21-51	Size 9 125-21-52
Size 125-2		Sizo 125-2	 Size 125-2	· ·=



Deluxe Rigger Boot

- Quality apollo leather upper with synthetic fur lining
- Dual density PU oil resistant sole
- TPU structure heel support and padded ankle
- Shock absorber heel

EN Standard

PRODUCT INFORMATIONToe ProtectionSteel Toe CapMidsole ProtectionSteel MidsoleHeat Resistant SoleNoWater Resistant UpperNoSlip Resistant SoleYesAnti Static SoleYes

PRODUCT OP	TIONS		
Size 5	Size 6	Size 7	Size 8
125-06-70	125-06-71	125-06-72	125-06-73
Size 9	Size 10	Size 11	Size 12
125-06-74	125-06-75	125-06-76	125-06-77

EN ISO 20345 SIP SRC



PPE FOOT PROTECTION

M21A Black Rigger Boot

- Leather upper and hard wearing textile lining
 - Dual density treaded PU sole

PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	No	
Heat Resistant Sole	Yes - up to 150°C	
Water Resistant Upper	No	
Slip Resistant Sole	Yes	
Anti Static Sole	Yes	
EN Standard	EN ISO 20345 S1 SRC	

PRODUCT OP	TIONS				
Size 6 125-19-90		ze 7 07-10		e 8 07-11	Size 9 125-07-12
Size 125-0		Siz 125-0	• • • •		e 12 07-15



9050 Standard Rigger Boot

- Tan leather upper with synthetic fur lining
- Padded ankle support for extra comfort
- Lightweight dual density PU sole, anti static, oil and acid resistant

PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	Steel Midsole	
Heat Resistant Sole	No	
Water Resistant Upper	No	
Slip Resistant Sole	Yes	
Anti Static Sole	Yes	
EN Standard	EN ISO 20345 S1P	

PRODUCT OP	TIONS		
Size 4 125-06-53	Size 5 125-06-54	Size 6 125-06-55	Size 7 125-06-56
Size 8 125-06-57	Size 9 125-06-58	Size 10 125-06-59	Size 11 125-06-60
	Size 12 125-06-61	Size 13 125-06-62	





Safety Work Boots

V1235 Boulder Black Derby Boot

PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	Composite Midsole	
Heat Resistant Sole	Yes - up to 300°C	
Water Resistant Upper	Yes - S3	
Slip Resistant Sole	Yes	
Anti Static Sole	Yes	
EN Standard	EN ISO 20345 S3 HRO SRA	

IONS		
Size 5 125-09-23	Size 6 125-09-24	Size 7 125-09-25
Size 9 125-09-27	Size 10 125-09-28	Size 11 125-09-29
Size 12 125-09-30	Size 13 125-09-31	
	125-09-23 Size 9 125-09-27 Size 12	Size 5 Size 6 125-09-23 125-09-24 Size 9 Size 10 125-09-27 125-09-28 Size 12 Size 13

VR600.01 Bison IGS S3 Derby Boot

PRODUCT INFORMATION			
Toe Protection	Composite Toe Cap		
Midsole Protection	Composite Midsole		
Heat Resistant Sole	Yes - up to 300°C		
Water Resistant Upper	Yes - S3		
Slip Resistant Sole	Yes		
Anti Static Sole	Yes		
EN Standard	EN ISO 20345:2011 S3 HRO SRC		

Ρ	PRODUCT OPTIONS							
	Size 3 125-92-33		e 4 92-34	Siz 125-9		Size (125-92-	-	
	Size 7 125-92-37	Size 8 125-92-38		Size 9 125-92-39		Size 1 125-92-	-	
	Size 125-9		Size 125-9		Size 125-9			



including the famous

and triple- stitched to ensure it is built



V1215.01 Thunder IGS Black Waterproof Boot

PRODUCT INFORMATION			
Toe Protection	Composite Toe Cap		
Midsole Protection	Composite Midsole		
Heat Resistant Sole	Yes - up to 300°C		
Water Resistant Upper	Yes - S3		
Slip Resistant Sole	Yes		
Anti Static Sole	Yes		
EN Standard	EN ISO 20345 S3 HRO SRC		

F	PRODUCT OPTIONS					
	Size 6	Size 7	Size 8	Size 9		
	125-10-84	125-10-85	125-10-86	125-10-87		
	Size 10	Size 11	Size 12	Size 13		
	125-10-88	125-10-89	125-10-90	125-10-91		



V6400 Otter Metal-Free Black Derby Boot

PRODUCT INFORMATIONToe ProtectionComposite Toe CapMidsole ProtectionComposite MidsoleHeat Resistant SoleYes - 150°CWater Resistant UpperYes - S3Slip Resistant SoleYesAnti Static SoleYesEN StandardEN ISO 20345 S3 SRC

PRODUCT OP	TIONS				
Size 3 125-09-94	Size 4 125-09-95		Size 5 125-09-96		Size 6 125-09-97
Size 7 125-09-98	Size 8 125-09-99		Size 9 125-10-01		Size 10 125-10-02
Size 125-1				Size 125-1	



V1237 Boulder Nubuck Honey Derby Boot

PRODUCT INFORMATION			
Toe Protection	Steel Toe Cap		
Midsole Protection	Composite Midsole		
Heat Resistant Sole	Yes - up to 300°C		
Water Resistant Upper	No		
Slip Resistant Sole	Yes		
Anti Static Sole	No		
EN Standard	EN ISO 20345 SBP HRO SRA		

PRODUCT OPTIONS

Size 4	Size 5	Size 6	Size 7
125-12-07	125-12-08	125-12-09	125-12-10
Size 8	Size 9	Size 10	Size 11
125-12-11	125-12-12	125-12-13	125-12-14
	Size 12 125-12-15	Size 13 125-12-16	



V6471 Elk Scuff Cap Black Boot

PRODUCT INFORMATION			
Toe Protection	Steel Toe Cap		
Midsole Protection	Steel Midsole		
Heat Resistant Sole	No		
Water Resistant Upper	No		
Slip Resistant Sole	Yes		
Anti Static Sole	Yes		
EN Standard	EN ISO 20345 S1P SRA		

F	PRODUCT OPTIONS						
	Size 6 125-21-28	Size 7 125-21-2	-	Size 8 5-21-30	Size 9 125-21-31		
	Size 125-2		Size 11 25-21-33	Size 125-2			





📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 🖾 sales@tiger-supplies.co.uk

9242 Sherpa Waxy **Brown Half Boot**



PRODUCT INFORMATION

Toe Protection	Steel Toe Cap
Midsole Protection	Steel Midsole
Heat Resistant Sole	Yes - up to 300°C
Water Resistant Upper	Yes - S3
Slip Resistant Sole	Yes
Anti Static Sole	Yes
EN Standard	EN ISO 20345 S3 HRO

Water resistant premium waxy cow leather with deep padded collar

- PU and nitrile rubber heat resistant sole
- Lightweight and very comfortable
- Wide fitting

PRODUCT OPTIONS

Size 6 125-08-07	 e 7)8-08	 ze 8 08-09	Size 9 125-08-10
Size 125-0	 Size 125-0	 Size 125-0	

9158 **Metal-Free** Black Ankle **Boot**

PRODUCT INFORMATION				
Toe Protection	Composite Toe Cap			
Midsole Protection	Composite Midsole			
Heat Resistant Sole	No			
Water Resistant Upper	Yes - S3			
Slip Resistant Sole	Yes			
Anti Static Sole	Yes			
EN Standard	EN ISO 20345 S3 SRC			

Water resistant leather upper Lightweight dual density PU, oil and acid resistant, anti static sole

Padded topline, leather tongue and breathable lining

PRODUCT OPTIONS						
Size 6 Siz 125-20-38 125-2			•	ze 8 20-40	Size 9 125-20-41	
	Size 125-2		Siz 125-2	• • • •	Size 125-2	



PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	Steel Midsole	
Heat Resistant Sole	Yes - up to 300°C	
Water Resistant Upper	Yes - S3	
Slip Resistant Sole	Yes	
Anti Static Sole	Yes	
EN Standard	EN ISO 20345 S3 HRO	
Water resistant premium waxy cow leather with deep padded collar		

- PU and nitrile rubber heat resistant sole
- Lightweight and very comfortable
- Wide fitting

PRODUCT OPTIONS

1	Size 6 I25-08-14	Siz 125-0	• •	 e 8 08-16	Size 9 125-08-17
-	Size 125-0		Size 125-0	 Size 125-0	

FW16 Goodyear Welted **Black Safety Boot**



PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	Steel Midsole	
Heat Resistant Sole	Yes - up to 300°C	
Water Resistant Upper	No	
Slip Resistant Sole	Yes	
Anti Static Sole	No	
EN Standard	EN ISO 20345 SBP	

- Leather upper and padded collar
- Breathable lining for maximum comfort and durability
- Goodyear welted sole

PRODUCT OPTIONS				
Size 6	Size 7	Size 8	Size 9	
125-11-16	125-19-92	125-19-93	125-19-94	
Size 10	Size 11	Size 12	Size 13	
125-19-95	125-91-96	125-11-22	125-11-23	



PRODUCT INFORMATION

SF08

Black

Boot

Toe Protection	Steel Toe Cap
Midsole Protection	Steel Midsole
Heat Resistant Sole	No
Water Resistant Upper	Yes - S3
Slip Resistant Sole	No
Anti Static Sole	Yes
EN Standard	EN ISO 20345 S3

Water resistant leather boot with padded collar

Double density PU shock absorbent sole

Removable insole and wide fitting for comfort

PRODUCT OPTIONS

Size 6	Size 7	Size 8	Size 9
125-22-41	125-21-68	125-21-69	125-21-70
Size 125-2			ze 12 -21-73

Goodyear Welted **Brown** Safety **Boot**

PRODUCT INFORMATION			
Toe Protection	Steel Toe Cap		
Midsole Protection	Steel Midsole		
Heat Resistant Sole	Yes - up to 300°C		
Water Resistant Upper	No		
Slip Resistant Sole	Yes		
Anti Static Sole	No		
EN Standard	EN ISO 20345 SBP SRA		

Leather upper

Heat resistant up to 300°C

- Oil resistant
- Goodyear welted sole

PRODUCT OPTIONS

Size 6	Size 7	Size 8	Size 9
125-21-82	125-21-83	125-21-84	125-21-85
Size 10	Size 11	Size 12	Size 13
125-21-86	125-21-87	125-21-88	125-21-89

Goodyear Welted Black Safety Boot





Toe Protection	Steel Toe Cap
Midsole Protection	Steel Midsole
Heat Resistant Sole	Yes - up to 300°C
Water Resistant Upper	No
Slip Resistant Sole	Yes
Anti Static Sole	No
EN Standard	EN ISO 20345 SBP SRA

- Leather upper
- Heat resistant up to 300°C
- Oil resistant

Goodyear welted sole

PRODUCT OPTIONS

Size 6	Size 7	Size 8	Size 9
125-21-74	125-21-75	125-21-76	125-21-77
Size 10	Size 11	Size 12	Size 13
125-21-78	125-21-79	125-21-80	125-21-81

Goodyear Welted **Nubuck**





PRODUCT INFORMAT	τιον			
Toe Protection	Steel Toe Cap			
Midsole Protection	Steel Midsole			
Heat Resistant Sole	Yes - up to 300°C			
Water Resistant Upper	No			
Slip Resistant Sole	Yes			
Anti Static Sole	No			
EN Standard	EN ISO 20345 SBP SRA			
Leather upper Heat resistant up to Oil resistant Goodyear welted so				
PRODUCT OPTIONS				
Size 6 Size 125-21-90 125-21				
Size 10 Size 125-21-94 125-21				



M538N Goodyear Welted **Desert Boot**



PRODUCT INFORMATION			
Toe Protection	Steel Toe Cap		
Midsole Protection	Steel Midsole		
Heat Resistant Sole	Yes - up to 300°C		
Water Resistant Upper	No		
Slip Resistant Sole	Yes		
Anti Static Sole	No		
EN Standard	EN ISO 20345 SB HRO SRA		

P	PRODUCT OPTIONS						
	Size 5	Size 6	Size 7	Size 8			
	125-11-52	125-11-53	125-11-54	125-11-55			
	Size 9	Size 10	Size 11	Size 12			
	125-11-56	125-11-57	125-11-59	125-11-58			

Standard Chukka Boot with Scuff Cap



PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	Steel Midsole	
Heat Resistant Sole	No	
Water Resistant Upper	No	
Slip Resistant Sole	Yes	
Anti Static Sole	Yes	
EN Standard	EN ISO 20345 S1P SRC	

PRODUCT OPTIONS						
Size 5	Size 6	Size 7	Size 8			
125-13-04	125-13-05	125-13-06	125-13-07			
Size 9	Size 10	Size 11	Size 12			
125-13-08	125-13-09	125-13-10	125-13-11			
Size 13 125-13-12						

M124A Goodyear Welted Black **Safety Boot**



PRODUCT INFORMATION			
Toe Protection	Steel Toe Cap		
Midsole Protection	No		
Heat Resistant Sole	Yes - up to 200°C		
Water Resistant Upper	No		
Slip Resistant Sole	Yes		
Anti Static Sole	No		
EN Standard	EN ISO 20345 SB SRC		

PRC	PRODUCT OPTIONS						
	Size 6	Size 7	Size 8	Size 9			
	25-12-55	125-12-56	125-12-57	125-12-58			
-	Size 10	Size 11	Size 12	Size 13			
	25-12-59	125-12-60	125-12-61	125-12-62			

Standard Chukka Boot



Constructed from water repellent buffalo leather and lined with moisture wicking fabric

Padded tongue and collar provides comfort with a dual density outsole

PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	Steel Midsole	
Heat Resistant Sole	No	
Water Resistant Upper	Yes - S3	
Slip Resistant Sole	Yes	
Anti Static Sole	Yes	
EN Standard	EN ISO 20345 S3 WRU SRC	

PRODUCT OPTIONS						
Size 3 125-20-20		ze 4 20-21		ze 5 20-22	Size 6 125-20-23	
Size 7 125-20-24		ze 8 20-25		ze 9 20-65	Size 10 125-20-66	
Size 125-2		Size 125-2		Size 125-2		



VR602.01 Puma IGS Nubuck Honey Boot



Water resistant and breathable honey Nubuck

Heel pump shock absorbing footbed

Wide fitting composite non sparking and thermal insulating

Woven fibre midsole

PRODUCT INFORMATION

Toe Protection	Composite Toe Cap
Midsole Protection	Composite Midsole
Heat Resistant Sole	Yes - up to 300°C
Water Resistant Upper	Yes - S3
Slip Resistant Sole	Yes
Anti Static Sole	Yes
EN Standard	EN ISO 20345:2011 S3 HRO SRC

PRODUCT OPTIONS

Size 4 Size 5		Size 6	Size 7			
125-92-24 125-92-25		125-92-26	125-92-27			
Size 8	Size 9	Size 10	Size 11			
125-92-28	125-92-29	125-92-30	125-92-31			
		e 12 92-32				

VS360 Track Metal Free Black / Graphite Hiker Boot



P	PRODUCT OPTIONS						
	Size 6 125-20-92		ze 7 20-93		ze 8 20-94	Size 9 125-20-95	
	Size 125-2		Sizo 125-2		Size 125-2		


Magnum Roadmaster Leather Composite Boot - Black

 Durable full grain leather upper
 Padded collar and tongue for comfort
 Lightweight composite toe-cap and anti-penetration midsole plate

PRODUCT INFORMATION			
Toe Protection	Composite Toe Cap		
Midsole Protection	Composite Midsole		
Heat Resistant Sole	Yes - up to 300°C		
Water Resistant Upper	Yes - S3		
Slip Resistant Sole	Yes		
Anti Static Sole	Yes		
EN Standard	EN ISO 20345:2011 S3 HRO WR SRC		

PRODUCT OPTIONS					
Size 5	Size 6	Size 7	Size 8		
125-92-44	125-92-45	125-92-46	125-92-47		
Size 9	Size 10	Size 11	Size 12		
125-92-48	125-92-49	125-92-50	125-92-51		
Size 13 125-92-52					

Dewalt Apprentice Nubuck Honey Hiker Boot



PRODUCT INFORMATION			
Toe Protection	Steel Toe Cap		
Midsole Protection	No		
Heat Resistant Sole	Yes - up to 300°C		
Water Resistant Upper	No		
Slip Resistant Sole	Yes		
Anti Static Sole	No		
EN Standard	EN ISO 20345 SB HRO SRA		

F	PRODUCT OPTIONS					
	Size 5	Size 6	Size 7	Size 8		
	125-19-91	125-11-31	125-11-32	125-11-33		
	Size 9	Size 10	Size 11	Size 12		
	125-11-34	125-11-35	125-11-36	125-11-37		



Dewalt Apprentice Nubuck Brown Hiker Boot

PRODUCT INFORMATION			
Toe Protection	Steel Toe Cap		
Midsole Protection	No		
Heat Resistant Sole	Yes - up to 300°C		
Water Resistant Upper No			
Slip Resistant Sole Yes			
Anti Static Sole No			
EN Standard	EN ISO 20345 SB HRO SRA		

Ρ	PRODUCT OPTIONS						
	Size 6 125-11-38	Size 125-11-	-	Size 8 25-11-40	Siz 125-		
		e 10 11-42	Size 11 125-11-4	-	ize 12 5-11-44		



7003 Waterproof/Breathable Black Hiker Boot

PRODUCT INFORMATION			
Toe Protection	Composite Toe Cap		
Midsole Protection	Composite Midsole		
Heat Resistant Sole Yes - up to 300°C			
Water Resistant Upper Yes - S3			
Slip Resistant Sole	Yes		
Anti Static Sole	Yes		
EN Standard	EN ISO 20345 S3 SRA WRU HRO		

PRODUCT OPTIONS						
Size 4	Size 5	Size 6	Size 7			
125-12-34	125-12-35	125-12-36	125-12-37			
Size 8 Size 9		Size 10	Size 11			
125-12-38 125-12-39		125-12-40	125-12-41			
	Size 12 125-12-42	Size 13 125-12-43				



V1255.01 Rocky IGS Breathable Brown Zip Ankle Boot

PRODUCT INFORMATION				
Toe Protection	Composite Toe Cap			
Midsole Protection	Composite Midsole			
Heat Resistant Sole	Yes - up to 300°C			
Water Resistant Upper	Yes - S3			
Slip Resistant Sole	Yes			
Anti Static Sole	Yes			
EN Standard	EN ISO 20345 S3 CI HI SRC			
PRODUCT OPTIONS				
Size 5 Size				

125-92-06	125-92-07	125-92-08	125-92-09		
Size 9 125-92-10	Size 10 125-92-11	Size 11 125-92-12	Size 12 125-92-13		
Size 13 125-92-14					



7204 Waterproof **Metal-Free Brown Hiker Boot**



PRODUCT INFORMATION

Toe Protection	Composite Toe Cap
Midsole Protection	Composite Midsole
Heat Resistant Sole	No
Water Resistant Upper	Yes - S3
Slip Resistant Sole	Yes
Anti Static Sole	Yes
EN Standard	EN ISO 20345 S3 SRC

Quality nubuck upper made from waterproof and breathable membrane

Lightweight dual density EVA, rubber, anti static, oil and acid resistant sole

PRODUCT OPTIONS						
Size 125-2			e 7 20-86		ze 8 20-87	Size 9 125-20-88
Size 10 Size 125-20-89 125-2			Size 125-2			

SS613SM Nubuck Wheat **Safety Boot**



PRODUCT INFORMAT	ION
Toe Protection	Steel Toe Cap
Midsole Protection	Steel Midsole
Heat Resistant Sole	Yes - up to 200°C
Water Resistant Upper	No
Slip Resistant Sole	Yes
Anti Static Sole	No
EN Standard	EN ISO 20345 S1P SRA

Heel kick region, padded collar and tongue

PU chemical resistant sole with good level of absorption

PRODUCT OP	TIONS		
Size 5	Size 6	Size 7	Size 8
125-20-11	125-20-12	125-20-13	125-20-14
Size 9	Size 10	Size 11	Size 12
125-20-15	125-20-16	125-20-17	125-20-18
	Sizo 125-2		

SS613SM Nubuck Wheat **Safety Boot**





PRODUCT INFORMATION **Toe Protection** Steel Toe Cap Midsole Protection Composite Midsole Heat Resistant Sole No Water Resistant Upper No Slip Resistant Sole No Anti Static Sole No **EN Standard** EN ISO 20345 S3 SRA

- Padded collar and tongue for added comfort
- Steel toe cap and composite midsole protection
- Dual density polyurethane outsole

F	RODUCT OPT	IONS				
	Size 5 125-22-58	Size 125-22	-	Size 125-22		Size 8 125-22-61
	Size 125-22	-	Size 125-22		Size ⁻ 125-22-	

Goliath SDR10CSI **Safety Boot**



PRODUCT INFORMAT	ION
Toe Protection	Steel Toe Cap
Midsole Protection	Steel Midsole
Heat Resistant Sole	Yes - up to 300°C
Water Resistant Upper	Yes - S3
Slip Resistant Sole	Yes
Anti Static Sole	Yes
EN Standard	EN ISO 20345 S3 CI HI SRC

- Dual density injected rubber shock absorbing sole
- Ridged bump cap for extra durability
- Slip resistant with breathable lining

PRODUCT	OPTIONS				
Size 6 125-13-13	•	ze7 13-14	Siz 125-		Size 9 125-13-16
-	Size 10 25-13-17	Siz 125-1	•	Size 125-1	

Safety Dealer Boots



PRODUCT INFORMAT	ION
Toe Protection	Steel Toe Cap
Midsole Protection	Steel Midsole
Heat Resistant Sole	Yes - up to 300°C
Water Resistant Upper	Yes
Slip Resistant Sole	Yes
Anti Static Sole	No
EN Standard	EN ISO 20345 S3 SRC

PRODUCT OP	TIONS		
Size 6 125-92-02	Size 7 125-92-03	Size 8 125-92-04	Size 9 125-92-05
Size 125-9			e 12 92-01



DON'T FORGET YOUR PROTECTIVE FOOTWEAR SIGNAGE Page 546, 547 & 549 for stock options.

Bespoke signs available on request.

132

M539A Goodyear Ladies Black Dealer Boot



Leather upper and textile lining

Goodyear welted nitrile rubber sole which is heat resistant up to 200°C

PRODUCT INFORMAT	ION				
Toe Protection	Steel Toe Cap				
Midsole Protection	No				
Heat Resistant Sole	Yes - up to 200°C				
Water Resistant Upper	No				
Slip Resistant Sole	Yes	PR	ODUCT OPTIONS		
Anti Static Sole	No		Size 6	Size7	Size 8
EN Standard	EN ISO 20345 SB SRA		125-16-74	125-16-75	125-16-76

Standard Black Dealer Boot

Dual density oil resistant sole Elastic area is

double stitched for extra strength

PRODUCT INFORMAT	ION				
Toe Protection	Steel Toe Cap	PRODUCT OP	TIONS		
Midsole Protection	Steel Midsole	Size 4	Size 5	Size 6	Siz
Heat Resistant Sole	No	125-07-53	125-07-54	125-07-55	125-0
Water Resistant Upper	No	Size 8	Size 9	Size 10	Siz
Slip Resistant Sole	Yes	125-07-57	125-07-58	125-07-59	125-0
Anti Static Sole	Yes		Size 12	Size 13	
EN Standard	EN ISO 20345 SRC S1P		125-07-61	125-07-62	

Safety Trainers

VS640 Smash Black Trainer Boot



Heel support for stability and a lightweight composite cap to protect feet

Subtle reflective trims and there are no metal facings on the upper

PRODUCT INFORMAT	ION				
Toe Protection	Composite Toe Cap	·			
Midsole Protection	Steel Midsole	PRODUCT C	PTIONS		
Heat Resistant Sole	Yes - up to 300°C	Size 7	Size 8	Size 9	
Water Resistant Upper	No	125-16-36	125-16-37	125-16-38	1
Slip Resistant Sole	Yes				
Anti Static Sole	Yes			e 11 10-15	
EN Standard	EN ISO 20345 S1P HRO SRC		125	10 10	

VS300 Fastlane II Metal-Free Black / Graphite Trainer

				comp cap a Made deep lining moist the fo	
	PLEX IN THE REAL PLEY			absor footb	shock rbing oed to on every
PRODUCT INFORMAT			3	absor footb	rbing ved to
Toe Protection	Composite Toe Cap	PRODUCT OR		absor footb cushi	rbing ved to
		PRODUCT OP		absor footb cushi step	rbing oed to on every
Toe Protection	Composite Toe Cap	Size 6	Size 7	absor footb cushi step Size 8	rbing oed to on every Size 9
Toe Protection Midsole Protection	Composite Toe Cap Composite Midsole			absor footb cushi step	rbing oed to on every
Toe Protection Midsole Protection Heat Resistant Sole	Composite Toe Cap Composite Midsole Yes - up to 300°C	Size 6 125-20-99	Size 7 125-21-01	absor footb cushi step Size 8 125-21-02	size 9 125-21-03
Toe Protection Midsole Protection Heat Resistant Sole Water Resistant Upper	Composite Toe Cap Composite Midsole Yes - up to 300°C No	Size 6	Size 7 125-21-01	absor footb cushi step Size 8 125-21-02 e 11 Siz	rbing oed to on every Size 9

7750 Black / Grey Trainer Shoe



PRODUCT INFORMAT	ION
Toe Protection	Steel Toe Cap
Midsole Protection	Steel Midsole
Heat Resistant Sole	No
Water Resistant Upper	No
Slip Resistant Sole	Yes
Anti Static Sole	Yes
EN Standard	EN ISO 20345 SB

9065 Black Safety Trainer



PRODUCT INFORMAT	ION
Toe Protection	Steel Toe Cap
Midsole Protection	Steel Midsole
Heat Resistant Sole	No
Water Resistant Upper	No
Slip Resistant Sole	Yes
Anti Static Sole	Yes
EN Standard	EN ISO 20345 S1P

Safety Shoes

				Safety Sho	pe 6		1000
PRODUCT INFOR	ΜΑΤΙΟ	N		PRODUCT INF	ORMATION		
Toe Protection		Composite Toe Cap		Toe Protection		eel Toe Cap	
Midsole Protection		Composite Midsole		Midsole Protect		eel Midsole	
Heat Resistant Sole	-	Yes - Up to 130°C		Heat Resistant S		es - up to 200°C	
Water Resistant Up		Yes - S3 Yes		Water Resistant			
Slip Resistant Sole Anti Static Sole		Yes		Slip Resistant So Anti Static Sole	Ye Ye		
EN Standard		EN ISO 20345 SRC	S3	EN Standard			RC
_	- 1						
	-	ane sole and heel		Energy abso	-		
Metal Free con	structio	n		Heavy duty	leather upper	r with padded c	ollar
	-	ane injection mou				extra comfort w	hilst being
Oil, petrol, acid	l alkali a	nd heat resistant t	o 130°C	hardwearing	9		
PRODUCT OPTION	٩S			PRODUCT OPT	IONS		
	Size 5	Size 6	Size 7	Size 3	Size 4	Size 5	Size 6
125-92-54 12	25-92-55	5 125-92-56	125-92-57	125-20-54	125-20-55	125-20-56	125-20-5
	Size 9	Size 10	Size 11	Size 7	Size 8	Size 9	Size 10
125-92-58 12	25-92-59	9 125-92-60	125-92-61	125-20-58	125-20-59	125-20-60	125-20-6
	9	Size 12		Size	11 Siz	e 12 Size	17
9072 Black	12	5-92-62		125-20 Standard		20-63 125-2	
9072 Black Dxford Executive Shoe	12	5-92-62		125-20	-62 125-2		
Oxford Executive	12	5-92-62		125-20 Standard Black Brogue	-62 125-2		
Oxford Executive				125-20 Standard Black Brogue	-62 125-2		
Dxford Executive Shoe PRODUCT INFOR				Standard Black Brogue Safety Sho	-62 125-2 De ORMATION		
Dxford Executive Shoe PRODUCT INFOR Toe Protection		N		125-20 Standard Black Brogue Safety Sho	-62 125-2 De ORMATION St	20-63 125-2	
Dxford Executive Shoe PRODUCT INFOR Toe Protection Midsole Protection		N Steel Toe Cap		125-20 Standard Black Brogue Safety Sho PRODUCT INF Toe Protection	-62 125-2 De ORMATION ion Co	20-63 125-2	
PRODUCT INFOR Toe Protection Midsole Protection Heat Resistant Sole Water Resistant Up	EMATIO Peoper	N Steel Toe Cap Steel Midsole		125-20 Standard Black Brogue Safety Sho PRODUCT INF Toe Protection Midsole Protect	-62 125-2 De ORMATION Stion Co Sole No	20-63 125-2	
PRODUCT INFOR Toe Protection Midsole Protection Heat Resistant Sole Water Resistant Up Slip Resistant Sole	EMATIO Peoper	No Steel Midsole No Yes		125-20 Standard Black Brogue Safety Sho PRODUCT INF Toe Protection Midsole Protect Heat Resistant S Water Resistant S	-62 125-2 De ORMATION Strion Co Sole No Sole No Sole Ye	20-63 125-2	
Dxford Executive Shoe PRODUCT INFOR Toe Protection Midsole Protection Heat Resistant Sole Water Resistant Up Slip Resistant Sole Anti Static Sole	EMATIO Peoper	N Steel Toe Cap Steel Midsole No No Yes Yes		125-20 Standard Black Brogue Safety Sho PRODUCT INF Toe Protection Midsole Protect Heat Resistant S Water Resistant S Water Resistant S Anti Static Sole	-62 125-2 De ORMATION ion Cc Sole No : Upper Ye ole Ye	20-63 125-2	0-64
PRODUCT INFOR Toe Protection Midsole Protection Heat Resistant Sole Water Resistant Up Slip Resistant Sole	EMATIO Peoper	No Steel Midsole No Yes		125-20 Standard Black Brogue Safety Sho PRODUCT INF Toe Protection Midsole Protect Heat Resistant S Water Resistant S	-62 125-2 De ORMATION ion Cc Sole No : Upper Ye ole Ye	20-63 125-2	0-64
Dxford Executive Shoe PRODUCT INFOR Toe Protection Midsole Protection Heat Resistant Sole Water Resistant Up Slip Resistant Sole Anti Static Sole EN Standard Quality black le	MATIO Poper eather of	No Yes EN ISO 20345 SIP		125-20 Standard Black Brogue Safety Sho PRODUCT INF Toe Protection Midsole Protect Heat Resistant S Water Resistant S Slip Resistant Sole Anti Static Sole EN Standard	-62 125-2	20-63 125-2	0-64
Dxford Executive Shoe PRODUCT INFOR Toe Protection Midsole Protection Heat Resistant Sole Water Resistant Up Slip Resistant Sole Anti Static Sole EN Standard Quality black le	MATIO Poper eather of	No Yes Yes EN ISO 20345 SIP	atic, oil and	125-20 Standard Black Brogue Safety Sho PRODUCT INF Toe Protection Midsole Protect Heat Resistant S Water Resistant Slip Resistant Sole EN Standard Quality blac breathable	-62 125-2	20-63 125-2	0-64
Dxford Executive Shoe PRODUCT INFOR Toe Protection Midsole Protection Heat Resistant Sole Water Resistant Up Slip Resistant Sole Anti Static Sole EN Standard Quality black le Lightweight du acid resistant	MATIO e poper eather c ual dens	No Yes EN ISO 20345 SIP	atic, oil and	125-20 Standard Black Brogue Safety Sho PRODUCT INF Toe Protection Midsole Protect Heat Resistant S Water Resistant S Water Resistant S Water Resistant S Up Resistant Sole EN Standard Quality blac breathable I Lightweight	-62 125-2	20-63 125-2	0-64
Dxford Executive Shoe PRODUCT INFOR Toe Protection Midsole Protection Heat Resistant Sole Water Resistant Up Slip Resistant Sole Anti Static Sole EN Standard Quality black le Lightweight du acid resistant PRODUCT OPTION Size 6	MATIO e poper eather c ual dens	No Steel Midsole No Yes EN ISO 20345 SIP exford style upper ity PU sole, anti st	atic, oil and	125-20 Standard Black Brogue Safety Sho PRODUCT INF Toe Protection Midsole Protect Heat Resistant S Water Resistant S Water Resistant S Water Resistant S Colored EN Standard Quality black breathable I Lightweight oil resistant	-62 125-2	20-63 125-2	0-64
Dxford Executive Shoe PRODUCT INFOR Toe Protection Midsole Protection Heat Resistant Sole Water Resistant Up Slip Resistant Sole Anti Static Sole EN Standard Quality black le Lightweight du acid resistant PRODUCT OPTION Size 6	eather of ual dens Size 7 25-16-99	No Steel Midsole No Yes EN ISO 20345 SIP exford style upper ity PU sole, anti st	Size 9 125-17-02	125-20 Standard Black Brogue Safety Sho PRODUCT INF Toe Protection Midsole Protect Heat Resistant S Water Resistant S Water Resistant S Water Resistant S Mater Resistant S Mater Resistant S Mater Resistant S Liphweight oil resistant PRODUCT OPT Size 6	-62 125-2	20-63 125-2 20-63 125-2 20-7	0-64

Safety Wellingtons



Black Safety Wellington Boot

PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	Steel Midsole	
Heat Resistant Sole	No	
Water Resistant Upper	Yes - S5	
Slip Resistant Sole	Yes	
Anti Static Sole	No	
EN Standard	EN ISO 20345 S5	

PRODUCT OPTIONS

PRODUCT OPTIONS					
Size 3 125-19-17	Size 4 125-19-18		Size 5 125-19-19		Size 6 125-19-20
Size 7 125-19-21	Size 8 125-19-22			e 9 I9-23	Size 10 125-19-24
Size 125-19		Size 125-1		Size 125-1	

Green Safety Wellington Boot

PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	Steel Midsole	
Heat Resistant Sole	No	
Water Resistant Upper	Yes - S5	
Slip Resistant Sole	Yes	
Anti Static Sole	Yes	
EN Standard	EN ISO 20345 S5 SRC	

PRODUCT OPTIONS

FRODUCTOF	PRODUCT OF HONS				
Size 4	Size 5	Size 6	Size 7		
125-19-36	125-19-37	125-19-38	125-19-39		
Size 8	Size 9	Size 10	Size 11		
125-19-40	125-19-41	125-19-42	125-19-43		
Size 12 125-19-44					



Fully waterproof and protects against chemicals, oils and

Made from PVC and

greases

nitrile

Dunlop Protomaster Full Safety Black Wellington

PRODUCT INFO	RMATION		
Toe Protection	St	eel Toe Cap	
Midsole Protectio	on St	eel Midsole	
Heat Resistant So	No No)	
Water Resistant U	Jpper Ye	es - S5	
Slip Resistant Sole	e Ye	es .	
Anti Static Sole	Ye	es.	
EN Standard	E	N ISO 20345:2011	S5
PRODUCT OPTIO	NS		
Size 6 125-22-50 1	Size 7 125-22-51	Size 8 125-22-52	Size 9 125-22-53
Size 10 125-22-54 1	Size 11 125-22-55	Size 12 125-22-56	Size 13 125-22-57



General Safety Footwear

9050 Standard Rigger Boot


PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	Steel Midsole	
Heat Resistant Sole	No	
Water Resistant Upper	No	
Slip Resistant Sole	Yes	
Anti Static Sole	Yes	
EN Standard	EN ISO 20345 S1P	

Size 5 125-06-54	Size 6 125-06-55	Size 7 125-06-56
Size 9 125-06-58	Size 10 125-06-59	Size 11 125-06-60
Size 12 125-06-61	Size 13 125-06-62	
	125-06-54 Size 9 125-06-58 Size 12	Size 5 Size 6 125-06-54 125-06-55 Size 9 Size 10 125-06-58 125-06-59 Size 12 Size 13

Standard Chukka Boot

PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	Steel Midsole	
Heat Resistant Sole	No	
Water Resistant Upper	Yes - S3	
Slip Resistant Sole	Yes	
Anti Static Sole	Yes	
EN Standard	EN ISO 20345 S3 WRU SRC	

PRODUCT OP	PRODUCT OPTIONS					
Size 3 125-20-20	Size 4 125-20-21		Size 5 125-20-22		Size 6 125-20-23	
Size 7 125-20-24	Size 8 125-20-25		Size 9 125-20-65		Size 10 125-20-66	
			e 12 0-68	Size 125-2		



Standard Black Dealer Boot

PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	Steel Midsole	
Heat Resistant Sole	No	
Water Resistant Upper	No	
Slip Resistant Sole	Yes	
Anti Static Sole	Yes	
EN Standard	EN ISO 20345 SRC S1P	

PRODUCT OPTIONS				
Size 4	Size 5	Size 6	Size 7	
125-07-53	125-07-54	125-07-55	125-07-56	
Size 8	Size 9	Size 10	Size 11	
125-07-57	125-07-58	125-07-59	125-07-60	
	Size 12 125-07-61	Size 13 125-07-62		



Tan leather upper with synthetic fur lining

Padded ankle support for extra comfort

Lightweight dual density PU sole, anti static, oil and acid resistant

PPE FOOT PROTECTION

201SM Worktough Black Safety Shoe

PRODUCT INFORMATION	
Toe Protection	Steel Toe Cap
Midsole Protection	Steel Midsole
Heat Resistant Sole	No
Water Resistant Upper	No
Slip Resistant Sole	Yes
Anti Static Sole	Yes
EN Standard	EN ISO 20345 S1P SRC

Black safety shoe with padded collar

Anti static dual density polyurethane sole

Ideal for site visits and visitors

PRODUCT OPTIONS

Size 3	Size 4	Size 5	Size 6
125-20-26	125-20-27	125-20-28	125-20-29
Size 7	Size 8	Size 9	Size 10
125-20-30	125-20-31	125-20-70	125-20-71
	Size 11 125-20-72	Size 12 125-20-73	

73SM Worktough Mid Cut Black Boot

PRODUCT INFORMATION		
Toe Protection	Steel Toe Cap	
Midsole Protection	Steel Midsole	
Heat Resistant Sole	No	
Water Resistant Upper	No	
Slip Resistant Sole	Yes	
Anti Static Sole	Yes	
EN Standard	EN ISO 20345 S1P SRC	

Leather nylon mesh upper and dual density polyurethane sole

Tested to the highest level of slip resistance

P	RODUCT OP	TIONS			
	Size 6 125-21-42	Size 7 125-21-4	-	5-21-44	Size 9 125-21-45
	Size 125-2		Size 11 25-21-47	Size 125-2	

72SM Worktough Black Safety Trainer

PRODUCT INFORMAT	ION
Toe Protection	Steel Toe Cap
Midsole Protection	Steel Midsole
Heat Resistant Sole	No
Water Resistant Upper	No
Slip Resistant Sole	Yes
Anti Static Sole	Yes
EN Standard	EN ISO 20345 S1P SRC

Leather and nylon mesh upper and dual density polyurethane sole


Mesh flexible padded tongue for extra comfort

Breathable nylon mesh lining

PRODUCT OPTIONS

Size 3	Size 4	Size 5	Size 6
125-20-32	125-20-33	125-20-34	125-20-35
Size 7	Size 8	Size 9	Size 10
125-20-36	125-20-37	125-20-74	125-20-75
	Size 11 125-20-76	Size 12 125-20-77	

Black Boot Lace - Pair



PRODUCT INFORMATION	
Length	140cm
Product Shown	125-19-15

Sea Boot Socks		
Thermal wool blend socks provides warmth and are tough wearing		4
Ideal for use with o work boots	our range of	0
PRODUCT INFORMAT	ION	
Colour	White	
Product Show	125-19-14	
Boot Polish		
		10

	50ml tin of high shine waterproofing polish for safety boots and shoes	SHOE
	Helps to protect footwear from chemicals, oils and general wear and tear	CIRAGE À CH III AN KI Pôg 121 Pôg 121
DE		

PRODUCT INFORMATION	
Colour	Black
Product Show	125-19-16



Welders Safety Footwear

Goliath Blast King Long Leg Foundry Boot



PRODUCT INFORMATION

Toe Protection	Steel Toe Cap
Midsole Protection	Steel Midsole
Heat Resistance	Yes - up to 300°C
Water Resistance	No
Chemical Resistance	Yes
Slip Resistance	Yes
Anti Static Sole	Yes
EN Standard	EN ISO20349:2010 S3 HI HRO SRC

- Heavy duty chrome tanned leather with quick release Velcro fastening
- Flame resistant dual density rubber injected sole unit heat resistant to 300°C
- SRC slip resistance rating
- Injection soling process ensures for a reliable bond between the upper and the sole
- Moisture wicking textile to the vamp only

PRODUCT OPTIONS			
Size 6	Size 7	Size 8	Size 9
125-22-20	125-21-98	125-21-99	125-22-01
Size 10	Size 11	Size 12	Size 13
125-22-02	125-22-03	125-22-04	125-22-15



DON'T FORGET YOUR PROTECTIVE FOOTWEAR SIGNAGE

Pages 546, 547 & 549 for stock options. Bespoke signs available on request.



Foot Protection - Sizing Chart

Not sure what size shoe to order? You can use our size conversion charts to find out your respective US, Euro, and UK shoe sizes. However, these are only general measurements. Because each manufacturer uses their own unique shoe lasts (mechanical form) to develop their shoes, sizing may vary slightly from brand to brand.

To get the most accurate sizing, measure your feet while wearing the socks or stockings you plan to wear with the shoes. Also, measure your feet in the afternoon because feet expand a little as the day wears on and you walk more.



FALL ARREST EQUIPMENT





Fall Arrest Equipment


The importance of fall protection is clear as falling from height can result in fatal injuries and death, the consequences of inadequate protection are life changing. In the UK alone in 2014 there were over 2,800 injuries from workers 'falling from height' – some of which were fatal.

The primary aim of fall protection products is to safely prevent a worker from falling when working at height. Fall protection can be separated into two different forms, fall restraint and fall arrest. Fall restraint ensures that a worker is adequately protected from falling at height, whereas fall arrest ensures that a worker is slowed and stopped if they fall from height.

EN STANDARDS	MEANING
EN354	PPE against falls from height - lanyards
EN355	PPE against falls from height - energy absorbers
EN361	PPE against falls from height - full body harnesses
EN362	PPE against falls from height - connectors
EN363	PPE against falls from height - fall arrest systems
EN364	PPE against falls from height - test methods
EN365	PPE against falls from height - general requirements for instructions and for marking
EN358	PPE against falls from height - work positioning systems - belts and lanyards
EN795	Personal fall protection equipment - Anchor devices

FALL PROTECTION PRODUCT GUIDE

The primary types of fall protection system comprise of 3 main components, consider the **ABC** of fall protection to ensure you're using the correct type.



HIERARCHY OF FALL PROTECTION

1. Avoid the risk

Initially the worker should avoid working at height, consider safer alternatives if it's possible.

2. Guard additional hazards

The worker should ensure that there are no extra hazards to the site where work is required.

3. Use Adequate Protection

If working at height is essential, ensure that the correct fall protection is used.

RECOMMENDED PPE - WORKING AT HEIGHT

Short Peak Hard Hats

The reduced peak will improve the workers vision whilst working at height.

Banded Safety Spectacles

The band will ensure that the worker cannot drop the specs from their head causing a hazard below.

Abrasion Resistant Gloves

Level 4 abrasion resistant gloves will provide minimal risk to injury at height, also be sure to select a pair with good dexterity.



Harnesses

Miller H-Design[™] Miller H-Design[™] Duraflex[™] 1 Point Duraflex[™] 2 Point Harness - M/L Harness MILLER <u>M</u>ILLER MILLER Fall arrest full body 1 point fall arrest full body harness for use 2 point harness with with lanyard or fall rear and front arrester anchorage points (front webbing loops) Duraflex shoulder webbing conforms Duraflex shoulder straps with a PTFE finish to the shape of the wearer, stretching Adjustable leg straps with every movement Light weight buckles With unsurpassed comfort, Duraflex for adjustable fit harnesses offer wide Fall indicators on end user acceptance anchorage points The PTFE high tech easily identify if the protective finish on harness has been the webbing repels involved in a fall water, oil, grease and dirt and helps to Duraflex harnesses extend the service conform to the life of the harness shape of the wearer, stretching to every movement Made from patented elasticated webbing, the H-Design[™] Duraflex harness offers greater comfort, Made from patented elasticated webbing offers improved safety and increased productivity and greater comfort, improved safety and increased durability productivity and durability Max weight 140kg Max weight 140kg PRODUCT INFORMATION PRODUCT INFORMATION Polyamide & Elastomer Harness Material Harness Material Polyamide & Elastomer EN361 EN361 **EN Standard EN Standard Product Shown** 145-12-02 **Product Shown** 145-12-21 - M/L 145-12-20 - L/XL

Miller Titan Scaffolders Kit

MILLER

- Kit includes, 1 point harness, 2m shock absorbing lanyard with carabiner and scaffold hook complete with plastic carry case
- Titan 1 point harness attachment: Dorsal attachment D-ring Webbing blue with black line 2m webbing lanyard with shock absorber

Max weight 136kg

PRODUCT INFORMATION		
Harness Material	Polyester	
Lanyard Material	Polyester	
EN Standard	EN361 & EN355	
Product Shown	145-12-01	



PPE FALL ARREST EQUIPMEN



PRODUCT INFORMATION

Harness Material	Polyester
EN Standard	EN363 & EN364 & EN365 & EN361
Product Shown	145-12-05

PRODUCT INFORMATION	

Harness Material	Polyester
EN Standard	EN363 & EN364 & EN365 & EN361
Product Shown	145-12-09

Two Point Elasticated Fall Arrest Harness - HAR22

- Known as a Riplight System II® fall arrest harness
- Comes with 2 anchorage points on the front and back
- 4 adjustable buckles for fit
- Features a fail indicator
- Tested up to 140kg

PRODUCT INFORMATION	
Harness Material	Polyester
EN Standard	EN363 & EN364 & EN361
Product Shown	145-12-08



Two Point Fall Arrest Harness - HAR12



Lanyards

Expanding Energy Absorber Lanyard 2m

- Fall arrester with energy absorber in woven webbing with integrated crumple on lanyard
- Retracted length 1.4m. Stretched length 2m
- 1 screw lock carabiner, opening 17mm
- 1 automatic hook lock, large opening 55mm

Protective sheath on loops to reduce wear caused by the friction of connectors

PRODUCT INFORMATION

Length	1.4m - 2m
Lanyard Material	Polyester
EN Standard	EN363 & EN364 & EN365 & EN355
Product Shown	145-12-11



Twin Expanding Energy Absorber Lanyard 2m

- Fall arrester with extensible energy absorber in double woven webbing
- Integrated crumple on the lanyard
- Retracted length 1.4m. Stretched length 2m
- Includes 1 screw lock carabiner in galvanised steel
- Also comes with 2 automatic hook locks with a large opening of 55mm

PRODUCT INFORMATION	
Length	1.4m - 2m
Lanyard Material	Polyester
EN Standard	EN363 & EN364 & EN365 & EN355
Product Shown	145-12-10

Twin Energy Absorber Lanyard 2m

- Fall arrester with energy absorber in double lanyard strap
- Features thimble loops, 1 screw lock carabiner in galvanised steel with an opening of 17mm
- Also comes with 2 automatic hook locks with a large opening of 55mm

PRODUCT INFORMATION	
2m	
Polyester	
EN363 & EN364 & EN365 & EN355	
145-12-14	





Energy Absorber Lanyard 2m c/w 2 x Carabiners



Fall arrester with energy absorber in lanyard webbing

Features thimble loops

Complete with 2 screw lock carabiners with an opening of 17mm

PRODUCT INFORMATION

Length	2m
Lanyard Material	Polyester
EN Standard	EN363 & EN364 & EN365 & EN355
Product Shown	145-12-12

Energy Absorber Twin Rope Lanyard 2m



145-12-23

Product Shown

Energy Absorber Lanyard 2m c/w 1 x Carabiner & 1 x Hook



- Fall arrester with energy absorber in woven webbing with integrated crumple on the lanyard
- Comes with 1 screw lock carabiner with a 17mm opening and 1 automatic hook lock with a large opening of 55mm

PRODUCT INFORMATION	
Length	2m
Lanyard Material	Polyester
EN Standard	EN363 & EN364 & EN365 & EN355
Product Shown	145-12-13


Adjustable Energy Absorber Rope Lanyard 1.5m - 2m



Length	1.5m - 2m
Lanyard Material	Polyamide / Polyester
EN Standard	EN363 & EN364 & EN365 & EN355
Product Shown	145-12-22



Stranded Rope Lanyard - 1.5m



Adjustable Rope Lanyard 1.1m - 2m



145-12-07

148

Self Retractable Fall Arrester - 20m



PRODUCT INFORMATION	
Length	20m
Cable Material	Steel
Casing Material	Steel
EN Standard	EN363 & EN364 & EN365 & EN360
Product Shown	145-12-15

Miller Shock Absorbing Manyard - 2m



PRODUCT IN ORDATION	
Length	2m
Lanyard Material	Polyamide
EN Standard	EN355 & EN362
Product Shown	145-12-26

Steel Scaffold Hook

Breaking load

EN Standard

Product Shown



20kN

EN362

145-12-18

Minibloc Fall Arrester

EN Standard


Product Shown



Elastic Tool Lanyard with Choke Loop

145-12-16

EN363 & EN364 & EN365 & EN360






PRODUCT INFORMATION

Opening Size	17mm
Material	Zinc coated steel
Breaking load	23kN
EN Standard	EN362
Product Shown	145-12-19

PPE FALL ARREST EQUIPMENT



Tool Tethering





TOOL TETHERING Ш

HIGH VISIBILITY CLOTHING

0







633

0

a Dan

About High Visibility Clothing

High visibility clothing is made from conspicuous coloured materials and its primary use is to be noticed in low light and poor visibility conditions, predominantly around moving vehicles (cars, trucks and machinery – e.g. forklifts.)

Upon the garment is a stitched reflective material which causes light to reflect from the wearer back to the light source, therefore allowing the wearer to be noticed in low light conditions which gives more time to react thus increasing safety within the workplace. The amount of reflective material on the garments will place it into one of three class categories.

EN STANDARDS	MEANING
EN ISO 20471	This standard defines the minimum amount of reflective material a garment should have before it is deemed safe to the wearers needs. Increasing visibility during the day, in the twilight and in the dark. Only orange and yellow garments conform to EN20471.
EN343	This standard measures the resistance of water penetration and water vapour resistance (breathability) of the garment. Resistance to water penetration is measured and placed into a class out of 3 (3 being the best). Water vapour resistance is measured and placed into a class out of 3 (3 being the best).
EN ISO 14116 (supersedes EN533)	Protective clothing complying with ISO 14116 is intended to protect workers and staff against the occasional contact with sources of ignition and small flames. ISO 14116 sets the requirements for the limited flame spread properties of materials such as garments.
EN ISO 11612 (supersedes EN531)	The performance requirements for ISO 11612 are applicable for garments with a wide range of uses. ISO 11612 protects the wearer where there is a need for garments with flame retardant properties, also when the user is exposed to radiant or convective heat or to molten metal.

CLASS TYPES



CLASS 3

(Highest level of conspicuousness) Minimum background material 0.80m² Minimum retro reflective material 0.20m²



CLASS 2

(Intermediate protection) Minimum background material 0.50m² Minimum retro reflective material 0.13m²



CLASS 1

(Low level protection) Minimum background material 0.14m² Minimum retro reflective material 0.10m²





Custom Printed Garments

Tiger Supplies are proud to offer a bespoke printed garments service to its customers. We offer a no minimum order service and also have the facility to hold stock (subject to Stock Agreements) which gives garments a fast turnaround which is usually within 2-3 working days. Our high quality heat presses promise a professional result with every garment printed.

Custom printed garments allow for an increased perception of professionalism within your company and organisation. Enhances brand image and marketing immensely as well as increasing customers trust in staff.

PRINTING POSITIONS



Printing is most common on either breast, upper back and lower back, however hi vis garments can be printed anywhere not covered by reflective tape.

POPULAR PRINTING TITLES



Hi Vis Waist Coats

Hi Vis Full Spec Waist Coat - Yellow

- 2 band and brace
- 100% polyester fabric
- Yellow or black bias bound edging
- Velcro fastening

PRODUCT INFORMATION	
Fabric	Polyester
Weight	120gsm
EN Standard	EN ISO 20471 Class 2

PRODUCT OP	TIONS		
Size S 135-08-09	Size M 135-08-10	Size L 135-08-11	Size XL 135-08-12
	Size XXL 135-08-13	Size XXXL 135-08-14	



Hi Vis Full Spec Waist Coat - Orange

- 2 band and brace
- 100% polyester fabric
- Bias bound edging
- Velcro fastening

PRODUCT INFORMATION	
Fabric	Polyester
Weight	120gsm
EN Standard	EN ISO 20471 Class 2


F	PRODUCT OP	TIONS		
	Size S 135-16-73	Size M 135-08-15	Size L 135-08-16	Size XL 135-08-17
		Size XXL 135-08-18	Size XXXL 135-08-19	







Hi Vis Zip Front Waist Coat - Yellow



Full length zip fastening



PRODUCT INFORMATION	
Fabric	Polyester
Weight	120gsm
EN Standard	EN ISO 20471 Class 2

PRODUCT OPTIONS

Size M 135-07-93	Size L 135-07-94	Size XL 135-07-95	
Size 135-0		ze XXXL 35-13-19	

Hi Vis Zip Front & ID Pocket Waist Coat - Yellow, Orange & Orange/Blue



- 100% polyester fabric with Velcro fastening
- Retro reflective tape
- ID pocket on the left breast therefore no branding available on this area

PRODUCT IN	NFORMATI	ON	
Fabric		Polyester	
Weight		120gsm	
EN Standard	1	EN ISO 20471 Cla	ss 2
PRODUCT OF	PTIONS		
YELLOW	Size S 135-23-83	Size M 3 135-08-22	Size L 135-08-23
	Size XL 135-08-24	0.207.012	Size XXXL 135-08-26
ORANGE	Size S 135-23-7	Size M 1 135-23-72	Size L 135-23-73
	Size XL 135-23-74	0.207.012	Size XXXL 135-23-76
ORANGE & BLUE	Size S 135-23-72	Size M 7 135-23-78	Size L 135-23-79
	Size XL 135-23-80	0.207.012	Size XXXL 135-23-82

High visibility "Two Tone" vest No% polyester knitted fabrics Velcro fastened front Retro reflective bodybands and braces

PRODUCT INFORMATION	
Fabric	Polyester
Weight	120gsm
EN Standard	EN ISO 20471 Class 2

PRODUCT OPTIONS

Size S	Size M	Size L	Size XL
135-22-16	135-13-99	135-08-27	135-08-28
	Size XXL 135-08-29	Size XXXL 135-21-76	



Size L Size XL 901-06-86 901-06-87

Hi Vis Two Tone Waist Coat - Yellow/Navy


A lightweight executive vest with multiple pockets

Comes with ID holder, mobile phone holder, two flap pockets, a radio loop and a D-ring

PRODUCT INFORMATION	
Fabric	Polyester
Weight	125gsm
EN Standard	EN ISO 20471 Class 1

PRODUCT OPTIONS				
Size S 135-22-61	Size M 135-22-62	Size L 135-22-63	Size XL 135-22-64	
	Size XXL 135-22-65	Size XXXL 135-22-66		

Superior Hi Vis Waist Coat - Orange



LЕO Deeper arm holes and scooped sides allowing pocket access ID pocket, mobile phone pocket, 2 front bellowed storage pockets and double pen pocket with D-ring **PRODUCT INFORMATION** F ٧

LO

Fabric	Polyester
Weight	130gsm
EN Standard	EN ISO 20471 Class 2

Size S	Size M	Size L	Size XL
135-21-48	135-21-49	135-21-50	135-21-51
	Size XXL 135-21-52	Size XXXL 135-21-53	



High visibility reflective tape on the chest and shoulders



Zip front fastening Retromax reflective tape **Superior Hi Vis Waist Coat - Yellow**

HIGH VISIBILITY CLOTHING Ы



Hi Vis Waist Coat			Hi Vis Flame Retardant Waist Coat Yellow			9
100% Knitted Polyester Grey trim Velcro front fastener Features Retromax reflective tape			FR treated polyester fabric2 band and brace styleVelcro front fastening	A A A A A A A A A A A A A A A A A A A		
PRODUCT INFOR Fabric	Polyester		PRODUCT INFOR Fabric Weight EN Standard	Polyest 120gsm		2.8 ENEZZ
Weight	130gsm		EN Standard	ENISO	20471 Class	2 & EN555
EN Standard	Non EN ISO 2047	·	PRODUCT OPTION	IS		
PRODUCT OPTION	IS - PINK				Size XL 35-10-54	Size XXL 135-10-55
Size S 135-21-43		ze L -21-45	133-10-32 13	.5-10-55 1.	55-10-54	133-10-33
	ize XL Size XXL 5-21-46 135-21-47		Hi Vis Childı Waist Coat Yellow	ren's		
Size M	Size L Size XL 35-11-11 135-11-12	Size XXL 135-11-13	Polyester fabric			
PRODUCT OPTION	IS - RED		2 bands and bra with Velcro from fastening	ace style nt		
Size M 135-22-17		ze XL	PRODUCT INFOR			
133-22-17	155 21-50 155	21 33	Fabric	Polyest	er	
PRODUCT OPTION			Weight	120gsm		
			EN Standard	EN1150		
	Size M Size L 5-22-69 135-22-70	Size XL 135-22-71	PRODUCT OPTION	IS		
Si	ze XXL Size XXXL		4 - 6 Years	5 7 - 9 Year	s 10 - 13	S Years


DON'T FORGET YOUR HI VIS CLOTHING SIGNAGE Pages 546 & 549 for stock options.

Bespoke signs available on request.



Hi Vis Jerkins

Hi Vis Jerkin (Long Sleeved Waist Coat) - Yellow



Size S Size M 135-07-99 135-07-98 Size XL 135-08-01

135-07-97 Size XXL 135-08-02



Hi Vis Jerkin (Long Sleeved Waist Coat) Orange

- 2 band and brace
- 100% polyester fabric
- Bias bound edging
- Velcro fastening

PRODUCT INFORMATION Fabric Polyester Weight 120gsm **EN Standard** EN ISO 20471 Class 3


PRODUCT OPTIONS						
FRO						
S	ize S	Size M	Size L	Size XL		
135	-16-72	135-16-56	135-16-57	135-16-58		
		Size XXL	Size XXXL			
		135-16-59	135-16-60			







Hi Vis Flame Retardant Jerkin - Yellow



2 band and brace style

Velcro font fastening

PRODUCT INFORMAT	ION
Fabric	Polyester FR
Weight	120gsm
EN Standard	EN ISO 20471 Class 3 & EN533

PRO	PRODUCT OPTIONS				
	Size S 135-10-61	Size M 135-10-62	Size L 135-10-63		
	Size XL 135-10-64	Size XXL 135-10-65	Size XXXL 135-22-74		



Hi Vis Jerkin - Yellow c/w Red Braces

D N
OTH
Y CL
/ISIB
HIGH /
PPE

100%	polyester	tricot

Comes with red braces



PRODUCT INFORMAT	PRODUCT INFORMATION			
Fabric	Polyester			
Weight	120gsm			
EN Standard	EN ISO 20471 Class 3			

PRODUCT OPTIONS		
Size M 135-17-51	Size L 135-17-52	Size XL 135-17-53
Size X	XL Size	XXXL

135-17-54 135-17-55



Hi Vis Jackets





	Class 3:1
EN Standard	EN ISO 20471 Class 3, EN343
Weight	180gsm
Tablic	FO COALEU FOIYESLEI

FRODUCTOF				
Size S 135-07-58	Size M 135-07-59	Size L 135-07-60	Size XL 135-07-61	
	Size XXL 135-07-62	Size XXXL 135-07-63		

	reflective			F
	PRODUCT IN	FORMATION		
	Fabric	PL	J Coated Polyest	er
	Weight	18	Ogsm	
	EN Standard	EN	ISO 20471 Class	s 3, E
		Cl	ass 3:1	
	PRODUCT OP	TIONS		
XL	Size S	Size M	Size L	

Size S	Size M	Size L	Size XL
135-07-66	135-07-65	135-07-64	135-07-67
	Size XXL 135-07-68	Size XXXL 135-07-69	

Rapier Hi Vis Executive Jacket

- Extremely hard wearing
- Breathable material for comfort
- Lightweight mesh lining
- Fleece lined collar
 - Concealed hood which tucks into the collar

PRODUCT INFORMATION

Fabric	300	Denier Waterproc	of Breathable	
EN Standard	EN I	EN ISO 20471 Class 3 & EN343 Class 3:3		
PRODUCT OPTIONS				
Size S 135-22-20	Size M 135-22-21	Size L 135-22-22	Size XL 135-22-23	

Size XXXL

135-22-25

Size XXL

135-22-24







Pockets - 2 hip envelope with flap, 1 mobile with flap, all Velcro fastened

- Drawcord with toggles at waist
- Strap and Velcro adjustable cuffs
- Anti wicking cuffs and hem

PRODUCT INFORMATION

Fabric	PU Coated Polyester
EN Standard	EN ISO 20471 Class 3, EN343
	Class 3:2, EN1149 & EN533

I	PRODUCT OPTIONS	;		
	Size S 135-10-71	Size M 135-10-72	Size L 135-10-73	
	•		e XXL -10-75	





PE HIGH VISIBILITY CLOTHING

Hi Vis Breathable Jacket - Yellow

- Detachable hood with drawcord
 Two way heavy duty zip front with storm flap
 Two lower front patch pockets with Velcro fastening flap
 ID card 'D' ring and drawcord at hip
 Internal mesh lining with mobile phone pocket
 Two roomy 'poachers' pockets at lower front
 Deep left breast zipped security pocket under front flap
 Knitted storm cuffs and internal wicking strip
 - Fully taped seams and reflective tape


PRODUCT INFORMATION

Fabric	PU Coated Polyester
Weight	180gsm
EN Standard	EN ISO 20471 Class 3 & EN343
	Class 3:3

F	RODUCT OF	TIONS		
	Size S 135-21-21	Size M 135-07-74	Size L 135-07-75	Size XL 135-07-76
		Size XXL 135-07-77	Size XXXL 135-21-04	



Tacana Flexothane Winter Rain Coat - Yellow



HIGH VISIBILITY CLOTHING ШQ



Sealtex 490 Hi Vis



Hi Vis Two Tone

Hi Vis Bomber Jackets



P533 Executive Bomber Jacket - Yellow

- 3M™ Scotchlite™ Reflective Tape
 - Sports style waterproof zip pocket to right chest ideal for mobile phone
- Elasticated adjustable storm cuffs for superior fitting
- Reflective piping detail to all external pocket flaps
- Detachable lined arctic style hood with draw cord
- 100% Polyester mesh lining

PRODUCT INFORMATION

Fabric300 denier PU polyesterEN StandardEN ISO 20471 Class 3		
EN Standard EN ISO 20471 Class 3	Fabric	300 denier PU polyester
& EN343 Class 3:3	EN Standard	

PRODUCT OP	TIONS		
Size S 135-22-32	Size M 135-22-33	Size L 135-22-34	Size XL 135-22-35
	Size XXL 135-22-36	Size XXXL 135-22-37	





Hi Vis Breathable Super Bomber Jacket - Yellow

- 300 denier outer fabric with sewn on tape
- Two way heavy duty zip front with storm flap and cuffs Fleece lined collar and concealed hood
- Security and phone pockets and knitted storm cuffs

PRODUCT INFORMATION				
Fabric	Polyester with PU Coating			
Weight 180gsm				
EN Standard EN ISO 20471 Class 3				

PRODUCT OP	PRODUCT OPTIONS						
Size S 135-21-05	Size M 135-21-06	Size L 135-21-07	Size XL 135-21-08				
	Size XXL 135-21-09	Size XXXL 135-21-10					

Hi Vis Bomber Jacket - Yellow/Navy

- Detachable fleece liner and removable sleeves
- Unlined hood with draw cord
- Plastic zip with internal storm flap
- Mobile phone pocket to right breast

PRODUCT INFORMATION Fabric Polyester Weight 180gsm EN Standard EN ISO 20471 Class 3

PRODUCT OPTIONS					
Size S 135-21-37	Size M 135-21-38	Size L 135-21-39	Size XL 135-21-40		
	Size XXL 135-21-41	Size XXXL 135-21-42			

Hi Vis Bomber Jacket - Yellow c/w Red Braces

- 300 denier waterproof fabric
- Features a concealed hood and interior quilt lining

PRODUCT INFORMATION			
Fabric	PU Coated Polyester		
Weight	180gsm		
EN Standard	EN ISO 20471 Class 3 & EN343 Class 3:1		


PRODUCT OPTIONS						
Size S 135-17-45	Size M 135-17-46	Size L 135-17-47	Size XL 135-17-48			
	Size XXL 135-17-49	Size XXXL 135-17-50				







Hi Vis Trousers



HIGH VISIBILITY CLOTHING Ш



SEALTER

PRODUCT INFORMATION			
Fabric Sealtex			
EN Standard	EN ISO 20471 Class 1 & EN343 Class 3:1		

PRODUCT OPTIONS						
Size S 135-06-55	Size M 135-06-56	Size L 135-06-57	Size XL 135-06-58			
	Size XXL 135-06-59	Size XXXL 135-06-60				



High frequency welded seams

- Full elasticated waist
- Stud adjustable ankle
- 5cm heat applied hi vis tex tape

PCENTR Poly-cotton Work Trouser

- Yellow

PRODUCT INFORMATION					
PRODUCT INFORMATION					
Fabric		Po	lyester and Cotto	on	
Weight		27	5gsm		
EN Standard		EN	ISO 20471 Class	1	
PRODUCT OP	TIONS				
PRODUCT OP Size 30" R	TIONS Size 32	2″ R	Size 34" R	Size 36″ R	
			Size 34″ R 135-07-80	Size 36″ R 135-07-81	
Size 30" R	Size 32		•··•• • · · · ·		
Size 30" R	Size 32	-79	•··•• • · · · ·		



80% polyester and 20% cotton

- Reflective tape 2 Bands around each leg
- 2 slant Side pockets
- 1 hip Jetted with loop and button fastening
- Regular leg length 31.5″

Flame Retardant Anti-Static Hi Vis Over Trouser - Yellow

Fabric	CT INFORM <i>A</i>		ester FF	2	
EN Stan	dard		EN ISO 20471 Class 1, EN343		
		Clas	s 3:2, EN	1533 & EN1149	
PRODUC	T OPTIONS				
	Size S 135-10-81		M -82		
		9 XL 0-84			



PU coated breathable polyester with flame retardant lining

Flame retardant reflective tape 2 bands around each leg


Side access with stud adjustment at bottoms

Elasticated waistband

Hi Vis Coveralls

Etna Flexothane Hi Vis Coverall - Yellow

FLEXOTHANE



- High frequency welded seams
- Legs adjustable by press studs
- Elasticated waist
- Fixed hood
 - Zip closure under flap with press studs

PRODUCT INFORMATION				
Fabric	Flexothane			
Weight	180gsm			
EN Standard	EN ISO 20471 Class 3, EN343 Class 3:1, EN14786 & EN14605			

P	RODUCT OPTIONS				
	Size S 135-07-10	Size I 135-07	•	Size L 135-07-12	
	•	e XL •07-13	Size XX 135-07-		

Hi Vis Polycotton Coverall - Orange

- Reflective tape full configuration
- Elasticated waist
- Zip front fastening
- Pockets 2 chest, 2 slant and 1 rule

PRODUCT INFORMATION					
Fabric	Po	lyester and Cotto	on		
EN Standard	EN	EN ISO 20471 Class 3			
PRODUCT OPTIONS					
Size M Size L Size XL Size XXL 135-07-84 135-07-85 135-07-86 135-07-87					










Hi Vis T-Shirts & Polos





One Colour

BANKSMAN	VISITOR	FIRE WARDEN
PRODUCT INFORMATION	PRODUCT INFORMATION	PRODUCT INFORMATION
Product Shown 135-08-76	Product Shown 135-08-77	Product Shown 135-08-84
TRAFFIC MARSHALL PRODUCT INFORMATIONProduct Shown135-20-25	SITE MANAGERPRODUCT INFORMATIONProduct Shown135-20-29	FIRE MARSHALLPRODUCT INFORMATIONProduct Shown135-20-35
PROJECT MANAGER PRODUCT INFORMATION Product Shown 135-21-11	PRODUCT INFORMATION Product Shown 135-20-26	SUPERVISORPRODUCT INFORMATIONProduct Shown135-20-27

Reflective

Product Shown





PRODUCT INFORMATION Product Shown 135-08-80





135-08-78

Can't find what you're looking for?

Many bespoke options available including reflective logos, numbers and even personalisation.

RAIL HIGH VISIBILITY CLOTHING

pulsarail®



About Rail High Visibility Clothing

The construction and maintenance of railways warrants a different and more specific standard of high visibility clothing to be worn by workers. The high visibility clothing must be of satisfactory material, colour and reflectivity to be deemed suitable for any work being taken on railways.

Rail Industry Standard: RIS-3279-TOM

Rail industry standard 3279-TOM determines that high visibility clothing is an essential item of personal protective equipment, providing drivers of rail movements with a conspicuous warning of the presence of people within view on the lineside or on or near the line. High visibility clothing equally benefits those managing the safety of workgroups, by improving visibility of people when needing to account for them having moved to a place of safety.

According to RIS-3279-TOM high visibility clothing worn by people on the lineside or on or near the line should be orange in colour and within the colour range specified by EN ISO 20471 5.1.2. In addition, high visibility clothing should fully conform to EN ISO 20471.

RIS-3279-TOM also strongly advises the use of words or makings that help to quickly identify a company or an individual's roles or to support emergency services if required; for example, heat sealed company logos and titles such as "ROI" (Rail Incident Officer).



PRINTING POSITIONS

Printing is most common on either breast, upper back and lower back, however hi vis garments can be printed anywhere not covered by reflective tape.



pulsarai[®] Range



- Original Pulsarail® chevron design 3M™ Scotchlite™ reflective tape
- Full length YKK® 2 way zip concealed by Velcro double storm flap

PRODUCT INFORMATION

Material	Breathable 100% PU Coate	d
	Polyester, 300 Denier	
EN Standard	EN ISO 20471 Class 3, EN34 Class 3:3 and GO/RT 3279 (RIS-3279-TOM)	43
PRODUCT OPTIONS		
interest of fields		
Size S 135-08-93	Size M Size L 135-08-94 135-08-95	



Interacts with PR498 and PR508

comfort





pulsarail

A DESK

and the second

1000

PR498 Pulsarail[®] Hi Vis Body Warmer - Orange

- Original Pulsarail® chevron design 3M™ Scotchlite™ reflective tape
- Full length YKK[®] interactive zip fastening

Material	Breathable	100% PU Coated
	Polyester,	300 Denier
EN Standard	EN ISO 20	471 Class 2 and
	GO/RT 32	79 (RIS-3279-TOM)
PRODUCT OPTIONS		
PRODUCT OPTIONS Size S 135-08-98	Size M 135-08-99	Size L 135-09-01

- Microfibre detachable sleeves with knitted cotton cuffs
- Reverses to grey padded soft touch micro fibre lining
- Anchorage fastening points at cuffs and neck for a more secure fit
- Longer scalloped back length
- Interacts with PR499 unlined storm coat

PR497 Pulsarail[®] Hi Vis 7-in-1 Interactive Storm Coat - Orange

Original Pulsarail[®] chevron design 3M[™] Scotchlite[™] This is a reflective tape combination of the PR499 Storm Full length YKK® interactive zip fastening Coat and PR498 Body Warmer **PRODUCT INFORMATION** Large external Material 100% PU Coated Polyester, bellowed 300 Denier pockets with separate hand EN ISO 20471 Class 3, EN343 Class **EN Standard** warmer pockets 3:3 (Outer coat only) & GO/RT 3279 (RIS-3279-TOM) Neoprene cuffs PRODUCT OPTIONS pulsarai a state of the Size S Size M Size L 135-08-90 135-08-88 135-08-89 Size XL Size XXL 135-08-91 135-08-92

PR508 Pulsarail[®] Hi Vis Interactive Fleece - Orange

- Original Pulsarail® chevron design 3M™ Scotchlite™ reflective tape
- Full length YKK® interactive zip
- Fixed polyester mesh lining reduces wind chill

PRODUCT INFORMA	TION
Material	Double Anti-Pill Fleece Fabric
EN Standard	EN ISO 20471 Class 3
	and GO/RT 3279 (RIS-3279-TOM)

Ρ	RODUCT OPTIONS	;		
	Size S 135-09-19	Size M 135-09-2	Size L 0 135-09-21	
	•		Size XXL 35-09-23	

1 chest pocket and 2 lower hip pockets with zip closure

Stand up collar for a more professional look

Waistband with elasticated draw cord for optimum fit

Anchorage fastening points on back of neck and cuffs for a more secure fit

Interacts with PR499 Unlined Storm Coat



PR145 Pulsarail[®] Hi Vis Tear Apart Vest - Orange

V' style reflective tape front but vertical rear braces

Zip front fastening for a secure fit

- Triple press studded sides and shoulders for further adjustment
- Elasticated at sides and rear for a more precise fit

PRODUCT INFORMATION

Material	80% Polyester , 20% Cotton
EN Standard	EN ISO 20471 Class 2
	and GO/RT 3279 (RIS-3279-TOM)

PRODUCT OP	TIONS		
Size S 135-09-24	Size M 135-09-25	Size L 135-09-26	Size XL 135-09-27
	Size XXL 135-09-28	Size XXXL 135-09-29	



pulsarail®

PR176 Pulsarail[®] Hi Vis Polo Shirt - Orange Thermally applied stretchy 3M[™] Scotchlite[™] Fabric certified reflective tape to Solar Protection Bird eye knit fabric with added wicking treatment Factor rating to improve comfort 50+ ensuring total protection from harmful **PRODUCT INFORMATION** UV rays Material 100% Polyester **EN Standard** Stand up knitted EN ISO 20471 Class 2 collar and cuffs and GO/RT 3279 (RIS-3279-TOM) with contrast tipping for a professional look **PRODUCT OPTIONS** pulsarail Size S Size M Size L Traditional 3 135-09-30 135-09-31 135-09-32 button placket 111 Size XL Size XXL Extended back THE 135-09-33 135-09-34 length



PR503 Pulsarail[®] Hi Vis Over Trouser - Orange

- Original Pulsarail® chevron design 3M™ Scotchlite™ reflective tape
- Full length vertical stripes front and rear

Material	Breathable 100% PU Coated
	Polyester, 300 Denier
EN Standard	EN ISO 20471 Class 1, EN343 Class 3:3 and GO/RT 3279 (RIS-3279-TOM)
PRODUCT OPTIONS	
PRODUCT OPTIONS Size S 135-09-45	Size M Size L 135-09-46 135-09-47

- Rear and thigh pockets with reflective piping on flaps
- Elasticated waistband and draw cord
- Gusseted at hem of legs with waterproof zips
 - Slit access hip pockets

pulsarail



PR336 Pulsarail[®] Hi Vis Teflon Combat Trouser - Orange

- 3M™ Scotchlite™ reflective tape
- Genuine Teflon[®] coating ensures unrivalled resistance to dirt and grease
- Twin needle stitching and bar tacked at stress points

DDODUCT IN				
PRODUCT IN	FORMAI			
Material		80	% Polyester , 20%	6 Cotton
EN Standard		EN	ISO 20471 Class	1
		an	d GO/RT 3279 (R	IS-3279-TOM)
PRODUCT OP	TIONS			
Size 30" R 135-09-56	Size 32 135-09		Size 34" R 135-09-58	Size 36" R 135-09-59
Size 38" R 135-09-60	Size 40 135-09		Size 30" L 135-09-50	Size 32" L 135-09-51
Size 34" L 135-09-52	Size 30 135-09		Size 38" L 135-09-54	Size 40" L 135-09-55

- All pocket flaps have reflective piping detail
- Bellowed combat style pockets to both thighs
- Knee pad pockets (knee pads not included)
- Partially elasticated waistband for extra comfort
- Double press stud and button fastening with zip fly
- Rear patch pocket with flap
- Triple stitched inseam for added strength and durability

pulsarail®

NAMES AND A DOCUMENT

pulsarail

NA DESCRIPTION

IL BORDERO ZO

PR339 Pulsarail® Hi Vis Teflon Combat Coverall - Orange

- Original Pulsarail® chevron design 3M™ Scotchlite™ reflective tape
- Genuine Teflon[®] coating ensures unrivalled resistance to dirt and grease
- Twin needle stitching and bar tacked at stress points
- Two lower hip pockets

PRODUCT INFORMA	τιον		
Material	80% Polyes	ster, 20% Cotton	
EN Standard	EN ISO 204	471 Class 3	
	and GO/R1	T 3279 (RIS-3279-TOM	I)
PRODUCT OPTIONS			
PRODUCT OPTIONS Size S 135-09-62	Size M 135-09-63	Size L 135-09-64	

- Elasticated adjustable cuffs for a more precise fit
- Two Velcro sealed chest pockets with flaps
- Knee pad pockets (knee pads not included)
- Elasticated waistband at back for a more comfortable fit
- Rear patch pocket with flap
- YKK[®] 2 way front zip fastening with concealed studded storm flap
- Triple stitched inseam for added strength and durability





Padded Storm Coat



Tear Apart Rucksack

Amazon 2 Layer Benbecula Jacket

EN 471 Class 3 GO/RT 3279 (RIS-3279-TOM) 2 way zip fastening EN343 3:3 Interactive Zip Studded storm flap

Many more Gore-Tex products available

For more information please call our Sales Team



GORETEX

GORE



Hi Vis Rail Clothing

Heat stamped at stress points 2 way zip Detachable hood Studded storm flap Anti wicking cuffs and hem Pockets - 2 hip, 1 inner Velcro closing Warm quilt lining PCDUCT INFORMATION Material PU Coated Breathable Polyester En Standard PU Coated Breathable Polyester En Standard PU Coated Breathable Polyester Material PU Coated Breathable Polyester En Standard PU Coated Breathable Polyester Material PU Coated Breathable Polyester Size Size Mi ISO 20471 Class 3, EN343 Class 33 and GO/RT 3279 (RIS-3279-TOM) Size XL 135-10-16 Size XL 135-10-16 Size XL 135-10-16 Size XL 135-10-16 Material Size XL 135-10-16 Size XL 135-10-16 Size XL 135-10-16 Size XL 135-10-16 Size XL 135-10-16 Size XL 135-10-16 Size XL 135-10-16 Size XL 135-10-16 Material Material Rail Hi Vis Bib & Brace	Reflective tape full	configuration		
2 way zip Detachable hood Studded storm flap Anti wicking cuffs and hem Pockets - 2 hip, 1 inner Velcro closing Warm quilt lining Proceed the polyacity of the pol	Taped, stitched and	d welded seams	hudra	
Detachable hood Studded storm flap Anti wickling cuffs and hem Pockets - 2 hip, 1 inner Velcro closing Warm quilt lining Product INFORMATION Material PU Coated Breathable Polyester Existing the full with the full withe ful	Heat stamped at st	ress points		
Studded storm flap Anti wicking cuffs and hem Pockets - 2 hip, 1 inner Velcro closing warn quilt lining <u>Naterial Inner Velcro Closing Breathable Polyester</u> <u>Size XXL Inscitut Inner Velcro Closing Breathable Polyester</u> <u>Size Size XXL Inscitut Inner Velcro Closing Breathable Polyester</u> <u>Size Size XXL Inscitut Inner Velcro Closing Breathable Polyester</u> <u>Size XXL Inscitut Inner Velcro Closing</u> <u>Size XXL Inscitut Inner Velcro Closing</u> <u>Size XXL Inscitut Inner Velcro Closing</u> <u>Size Closing</u> <u>Closing</u> <u>Closing</u> <u>Size Closing</u> <u>Size Closing</u> <u>Size Closing</u> <u>Size Closing</u> <u>Closing</u> <th>2 way zip</th> <th></th> <th></th> <th>All and a second se</th>	2 way zip			All and a second se
Anti wicking cuffs and hem Pockets - 2 hip, 1 inner Velcro closing Warm quilt lining PODUCT INFORMATION Material EN 150 20471 Class 3, ENA343 (RIS-3279-TOW) PODUCT OPTIONE Size S Size M 135-10-13 Size XL 135-10-16 135-10-16 Size XL 135-10-16 Size S Size XL 135-10-16 Pocycotton Overall Orange Felfective tape full configuration Pelfective tape full configuration Felfective tape full configuration Pockets - 2 chest, 2 slant and 1 rule Orange Pockets - 2 chest, 2 slant and 1 rule Pockets - 2 slant slide, 2 patch hip, 11 el and 1 large Pockets - 1 NFORMATION Evolution 1 forge bib pocket Material Material Material Nov Polyester 20% Cotton Evolution	Detachable hood			
Pockets - 2 hip, 1 linner Velcro closing Warm quilt lining Product INFORMATION Material Out Coated Breathable Polyester Standard El ISO 2047/ Class 3, ENS432 Standard El ISO 2047/ Class 3, ENS432 Cource orticols Size S 33 and GO/RT 3279 Rest Size N Size L Size XL 135-10-13 135-10-14 135-10-15 135-10-16 135-10-15 135-10-16 Size XL 135-10-16 135-10-16 Size S ATT 135-10-17 135-10-17 135-10-17 Size S ATT 135-10-17 135-10-16 135-10-17 Size S ATT 135-10-17 135-10-14 135-10-16 Size XL 135-10-16 126 XXL 126 XXL Orange Product Net Source or Source	Studded storm flap)		
Name quilt lining PROJUCT INFORMATION Material EN So 2047 (class 3, EN43 (class 33 and GO/RT 3273) (class 33 and GO/RT 3273) (class 33 and GO/RT 3273) (class 37 and GO/RT 3	Anti wicking cuffs a	and hem	5 T 2 S 3	
PRODUCT INFORMATION Material PU Coated Breathable Polyester EN Standard EN ISO 2047 Class 3, EN343 Class 3:3 and GO/RT 3273 Class 3:3 and GO/RT 3273 (RIS-3279-TOM) Image: Size Liss 2:3 and GO/RT 3273 Size S Size N 135-10-16 Size Liss 2:3 and GO/RT 3273 Size S Size XL 135-10-16 Size XL 135-10-17 Size XL Crange Orange Polycotton Overall Polycot Not Size Action I (Size Ac	Pockets - 2 hip, 1 in	ner Velcro closing	1000	Den ber
Material PU Coated Breathable Polyester EN Standard EN Standard Size Standard Size Standard Size Standard Size XXL 135-10-13 Size XXL 135-10-16 Size XXL 135-10-16 Size XXL 135-10-17 Size XXL 135-10-17 Bil Hi Vis Polycotton Overall Orange Size XXL 135-10-17 Size XXL 135-10-17 Polycotton Overall Orange Fellective tape full configuration Size Standard Pockets - 2 chest, 2 slant and 1 rule Pockets - 2 chest, 2 slant and 1 rule Pockets - 2 slant Side, 2 patch hip, 1 rule and 1 large bib pocket ProDUCT INFORMATION Material 80% Polyester 20% Cotton Material 80% Polyester 20% Cotton	Warm quilt lining			0
Material PU Coated Breathable Polyester EN Standard EN Standard Size Standard Size Standard Size Standard Size XL ISS-10-13 Size XL ISS-10-14 Size XL ISS-10-16 Size XXL ISS-10-17 Size XL ISS-10-17 Reflective tape full configuration Size Standard Fellective tape full configuration Pockets - 2 chest, 2 slant and 1 rule Elasticated waist zip rockets Fellective tape full configuration Fellective tape full configuration Pockets - 2 chest, 2 slant and 1 rule Sixe Polyester 20% Cotton Pocket - 2 slant side, 2 patch hip, 1 rule and 1 large bib pocket PODUCT INFORMATION Material Sixe Polyester 20% Cotton EN ISO 20471 Class 3				No
Class 3:3 and GO/RT 3279 (RIS-3279-TOM) PRODUCT OPTIONS 135-10-13 135-10-14 135-10-15 135-10-16 135-10-16 135-10-17 Reflective tape Tull configuration Size XXL 135-10-16 Reflective tape Tull 135-10-16 Reflective tape Tull 135-10-16 Reflective tape full configuration Image: Configuration Image: Configuration Image: Configuration Reflective tape full configuration Image: Configuration Image: Configuration Image: Configuration Pockets - 2 chest, 2 slant and 1 rule Image: Configuration Image: Configuration Image: Configuration Product INFORMATION Image: Configuration Image: Configuration Image: Configuration Image: Configuration Product INFORMATION Image: Configuration Image: Configuration Image: Configuration Image: Configuration Product INFORMATION Image: Configuration Image: Configuration Image: Configuration Image: Configuration Product INFORMATION Image: Configuration Image: Configuration Image: Configuration Image: Configuration Image: Configuration Product Information Image: Configuration Image: Configuration Image: Configuration Ima			1	ASKE (
PRODUCT OPTIONS 135-10-13 135-10-14 135-10-15 135-10-13 135-10-14 135-10-15 135-10-16 135-10-17 Rail Hi Vis Olycotton Overall Orange Reflective tape full configuration Interview of the second of th	EN Standard	Class 3:3 and GO/RT 3279		**
Size S Size M Size L Size XL 135-10-13 135-10-14 135-10-15 Size XXL Size XXL Size XXL 135-10-16 Size XXL Size XXL 135-10-16 Size XXL Size XXL Polycotton Overall Configuration Image: Configuration Image: Configuration Elasticated waist zip front fastening pockets Pockets - 2 chest, 2 slant and 1 rule Image: Configuration Pockets - 2 chest, 2 slant and 1 rule Image: Configuration Image: Configuration Image: Configuration Pockets - 2 chest, 2 slant and 1 rule Image: Configuration Image: Configuration Image: Configuration Pockets - 2 chest, 2 slant and 1 rule Image: Configuration Image: Configuration Image: Configuration Pockets - 2 chest, 2 slant and 1 rule Image: Configuration Image: Configuration Image: Configuration Pockets - 2 chest, 2 slant and 1 rule Image: Configuration Image: Configuration Image: Configuration Image: Configuration Image: Configuration Image: Configuration Image: Configuration Image: Configuration Image: Configuration Image: Configuration Image: Configuration Image: Configuration <th>PRODUCT OPTIONS</th> <th>(RIS-3279-TOM)</th> <th></th> <th></th>	PRODUCT OPTIONS	(RIS-3279-TOM)		
Size XXL Size XXL 135-10-16 135-10-17 Relia Hi Vis Conange Relia Hi Vis Bali Ati Vis		M Size L Size XL		
135-10-16 135-10-17 Rail Hi Vis Polycotton Overall Orange Reflective tape full configuration Image: Configuration in the image: Configuration	135-11-14 135-10 ⁻	-13 135-10-14 135-10-15		
configuration Elasticated waist zip front fastening pockets Pockets - 2 chest, 2 slant and 1 rule Adjustable shoulder straps Pockets - 2 slant and 1 rule Pockets - 2 slant side, 2 patch hip, 1 rule and 1 large bib pocket PRODUCT INFORMATION Material 80% Polyester 20% Cotton EN ISO 20471 Class 3	135-10-		Rail Hi Vis	
pockets Pockets - 2 chest, 2 slant and 1 ruleAdjustable shoulder strapsPockets - 2 slant side, 2 patch hip, 1 rule and 1 large bib pocketPockets - 2 slant side, 2 patch hip, 1 rule and 1 large bib pocketPRODUCT INFORMATIONPRODUCT INFORMATIONMaterial80% Polyester 20% Cotton EN StandardEN ISO 20471 Class 3EN ISO 20471 Class 3	135-10- Rail Hi Vis Polycotton Ove	-16 135-10-17	Bib & Brace	
Pockets - 2 chest, 2 slant and 1 rule Pockets - 2 slant side, 2 patch hip, 1 rule and 1 large bib pocket PRODUCT INFORMATION PRODUCT INFORMATION Material 80% Polyester 20% Cotton EN Standard EN ISO 20471 Class 3	135-10- Rail Hi Vis Polycotton Ove - Orange Reflective tape full configuration	-16 135-10-17 erall	Bib & Brace - Orange Reflective tape, 1 band around torso and 2 bands around	
Material 80% Polyester 20% Cotton Material 80% Polyester 20% Cotton EN Standard EN ISO 20471 Class 3 EN Standard EN ISO 20471 Class 2	135-10- Rail Hi Vis Polycotton Ove - Orange Reflective tape full configuration Elasticated waist zi front fastening	-16 135-10-17 erall	Bib & Brace - Orange Reflective tape, 1 band around torso and 2 bands around each leg Adjustable	
	Rail Hi Vis Polycotton Ove Orange Reflective tape full configuration Elasticated waist zi front fastening pockets Pockets - 2 chest,	-16 135-10-17 erall	 Bib & Brace Orange Reflective tape, 1 band around torso and 2 bands around each leg Adjustable shoulder straps Pockets - 2 slant side, 2 patch hip, 1 rule and 1 large 	
and GO/RT 32/9 (RIS-32/9-TOM) and GO/RT 32/9 (RIS-32/9-	Rail Hi Vis Polycotton Ove Orange Reflective tape full configuration Elasticated waist zi front fastening pockets Pockets - 2 chest, 2 slant and 1 rule	rall	 Bib & Brace Orange Reflective tape, 1 band around torso and 2 bands around each leg Adjustable shoulder straps Pockets - 2 slant side, 2 patch hip, 1 rule and 1 large bib pocket 	
	Rail Hi Vis Polycotton Ove Orange Reflective tape full configuration Elasticated waist zi front fastening pockets Pockets - 2 chest, 2 slant and 1 rule	rall for a second secon	 Bib & Brace Orange Reflective tape, 1 band around torso and 2 bands around each leg Adjustable shoulder straps Pockets - 2 slant side, 2 patch hip, 1 rule and 1 large bib pocket 	N 80% Polyester 20% Cotton EN ISO 20471 Class 2



179

EN Standard EN ISO 20471 Class 2 EN Standard EN ISO 20471 Class 2	3 button placket Contrast collar		 Reflective tape 1 body band and braces Hi vis orange with tape reversing to grey 2 front pockets on both sides 	
and GO/RT 3279 (RIS-3279-TOM) and GO/RT 3279 (RIS-32 PRODUCT OPTIONS Size M Size L Size XL 135-10-23 135-10-24 Size XL Size XXL Rail Hi Vis Fleece Size K Size K Jacket Orange	Material	100% Polyester	Material	80% Polyester 20% Polycot
Size M Size L Size XL Size XXL 135-10-23 135-10-24 135-10-25 135-10-26 Rail Hi Vis Fleece Size L Size XL Jacket Orange			EN Stalldard	and GO/RT 3279 (RIS-3279
135-10-23 135-10-24 135-10-25 135-10-26 135-09-67 135-09-68 135-09-69 Rail Hi Vis Fleece Jacket	PRODUCT OPTI	ONS	PRODUCT OPTIONS	
Rail Hi Vis Fleece Jacket				
	- Orange			
Reflective tape full configuration		appe full configuration		
Renective tape, full configuration	Poflactiva to	Reflective tape, full configuration		
Eull zin front				
Full zip front	Full zip front			
2 zipped waist pockets	Full zip front 2 zipped wa	ist pockets	Reflective tape fu	ull configuration
2 zipped waist pockets Reflective tape full configuration	Full zip front 2 zipped wa Draw cord a	ist pockets nd toggles at hem		
2 zipped waist pockets Reflective tape full configuration Draw cord and toggles at hem PRODUCT INFORMATION PRODUCT INFORMATION PRODUCT INFORMATION	Full zip front 2 zipped wa Draw cord a PRODUCT INFO	ist pockets nd toggles at hem DRMATION		

Rail Hi Vis Polycotto Combat Trouser - Orange						Rail Hi Vi Over Frouser • Orange	S			
Mobile pho	one pocl	ket				Reflective	e tape 2 b	ands a	around each l	eg
1 large poo	cket on r	ight le	g			Side access				
			around each le	q		Zip adjusters on legs				
Combat st				.5		Elasticated waistband				
PRODUCT INI						PRODUCT IN	FORMAT			
Material	FORMAT		% Polyester 20%	Cotton		Material	FORMAT		Coated Breatha	ble Polyester
EN Standard			ISO 20471 Class			EN Standard			ISO 20471 Class	
		anc	1 GO/RT 3279 (R	IS-3279-TOM)					ss 3:2 and GO/R 5-3279-TOM)	T 3279
PRODUCT OP	TIONS									
Size 28" R	Size 30		Size 32" R	Size 34" R		PRODUCT OP Size M	TIONS Size	1	Size XL	Size XXL
135-09-91	135-09		135-09-93	135-09-94		135-10-08	135-10		135-10-10	135-10-11
Size 36" R 135-09-95	Size 38 135-09	-96	Size 40" R 135-09-97	Size 42" R 135-09-98				Size X 135-10		
Size 4 135-09		Size 40 135-10								
Rail Hi Vis	s Poly	cott	on Trous	er - Oran	ge			ET IVAN		
Swing poo	ckets									
PRODUCT INI	FORMAT									
Material			% Polyester 20%						100	
EN Standard			ISO 20471 Class GO/RT 3279 (R							
PRODUCT OP	TIO <u>NS</u>						1		10-00	
Size 30" R 135-10-27	Size 32 135-10		Size 34" R 135-10-29	Size 36" R 135-10-30						
Size 38" R 135-10-31	Size 40 135-10		Size 42" R 135-10-33	Size 44" R 135-10-34						
		Size 4	6" D							

Size 46" R 135-10-35

📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 🖾 sales@tiger-supplies.co.uk







F



0

1

KGS KGS 44.5 X 35CM



- Street

About Workwear

Choosing appropriate workwear goes beyond selecting garments for professional appearance; it's just as important, if not more so, to make choices based on comfort, practicability and durability. Workers wearing the garments are likely to be using them for extended amounts of time, so comfort and breathability whilst undertaking laborious and physical tasks is paramount.

We offer an extensive range of workwear suitable for all seasons and a variety of applications; from T-Shirts and polo shirts for the warmer days to fleeces and outerwear for the winter period. Our range is not restricted to the range we advertise within this brochure, we are constantly working with our customers and the industries best known brands to provide the best and most suitable workwear solution for all.

WHAT WORKWEAR IS AVAILABLE?



Sweatshirts





Fleeces







Overalls

WHAT BRANDS ARE AVAILABLE?



We only display a small range of workwear, however a vast range of garments are available on request. Please contact our sales team with your requirements.



CUSTOM PRINTED WORKWEAR

Printed workwear provides several additional benefits to otherwise plain garments including enhanced brand marketing and awareness for your business, improved levels of customer trust in your brand and a much improved professional corporate image for workers.



We offer a free artwork service using our in house design team with no minimum order requirement. We also have the facilities to hold stock to allow for quick order fulfilment.




PRINTING TYPES AVAILABLE



EMBROIDERY

Embroidery is the process of stitching the print into a garment; A high quality form of branding generally used on the left breast for small artwork such as a logo. It is long lasting, aesthetically pleasing and is best used on workwear worn every day for long durations.



HEAT SEALING

Heat sealing is more suitable for outwear such as waterproof jackets, hi vis garments etc. It is an economically friendly way to brand garments with a wide pallet of colours available to choose from.

T-Shirts





Polo Shirts







Fleeces



RK34 Deluxe Full Zip Fleece

- 100% polyester, 400 gsm
- Pill resistant
- Elasticated cuffs with self colour YKK zips
- Two zip pockets
- Full length matching front zip
- Internal mobile phone and pen pocket
- Available in sizes XS XXXXXL





Regatta TRA500 Sigma Fleece

380 series anti pill symmetry fleece
Fleece cuffs
2 zipped lower pockets
Interactive
Adjustable shockcord hem
Available in sizes S - XXXL





Jackets

Result R67 Multi Function Jacket



Result R105 Waterproof Jacket

Work Trousers



Tuffstuff Pro Work Trouser - Black and Navy Blue

Condor **Combat Trouser**

- 65% polyester, 35% cotton, 245gsm
- Multi functional, hardwearing trouser
- Internal kneepad pocket
- Combat style leg pockets, mobile phone pocket on thigh
 - Triple stitched on main seams for ultimate strength
 - Available in colours: Black, Bottle Green, Graphite, Navy and Royal Blue
 - Leg lengths S (29"), R (32"), T (35")
 - Waist sizes 28" 52"

Action Trouser - Navy Blue

- Polyester, cotton, 240 gsm Multi zipped pockets
- Leg pocket with flap and Velcro
- Features insert slot for knee pads
- Also Available in long leg and Black

PRODUCT OP	TIONS		
Size 30" R	Size 32" R	Size 34" R	Size 36" R
135-01-12	135-01-13	135-01-14	135-01-15
Size 38" R	Size 40" R	Size 42" R	Size 44" R
135-01-16	135-01-17	135-01-18	135-01-11



Size 40" L Size 42" L 135-14-04 135-14-05

PRODUCT OPTIONS - NAVY BLUE

Size 30" R 135-01-37	 32" R 01-38	 34" R 01-39	Size 36" R 135-01-40
Size 3 135-0	 Size 4 135-0	 Size 4 135-0	

Knee Pad Inserts - Black





Combat Style Work Trouser - Navy Blue

- Polyester, cotton, 240 gsm
- Six pocket continental style
- Drawstring bottom
- Leg length 32.5"
- Also available in Black and Olive Green

PRODUCT OPTIONS								
Size 30" L 135-01-19	Size 32" L 135-01-20	Size 34" L 135-01-21	Size 36" L 135-01-22					
	Size 38" L 135-01-23	Size 40" L 135-01-24						

Regatta TRJ334 Action Women's Trouser - Black

Size 14 L

135-17-76



Size 16 L

135-17-77

Size 18 L

135-17-78

Regatta TRJ330 Action Trouser - Black



- Multi pocketed with concealed zips
- 2 front large pockets and 2 back pockets
- Available in short leg lengths and in Dark Grey, Green, Lichen and Navy



PRODUCT OPTIONS - BLACK							
Size 30" R	Size 32" R	Size 34" R	Size 36" R				
135-16-96	135-16-97	135-16-98	135-16-99				
Size 38" R	Size 40" R	Size 42" R	Size 44" R				
135-17-01	135-17-02	135-17-03	135-17-04				
Size 30" L	Size 32" L	Size 34" L	Size 36" L				
135-17-06	135-17-07	135-17-08	135-17-09				
Size 38" L	Size 40" L	Size 42" L	Size 44" L				
135-17-10	135-17-11	135-17-12	135-17-13				

Adjustable Gel Knee Pad



- Heavy duty construction to resist abrasion and tear
- Adjustable hook and loop straps to ensure a secure fit
- Hard shell cap to ease swivelling
- An all round superior knee pad

PRODUCT INFORMATION Product Shown 135-21-59

WORKWEAR GENERAL WORKWEAR

Size 20 L

135-17-79



Bib & Brace Overall - Navy Blue Boiler Suit Polycotton Stud Front Polyester, cotton - Navy Access slits with press studs Two side pockets Polyester and cotton stud front Knee pad pocket boiler suit Large back Action back patch styling with pocket concealed stud front fastening 2 breast and side pockets 1 rule and hip pocket PRODUCT OPTIONS Size S Size M Size L Size XL 135-01-67 135-01-68 135-01-69 135-01-70 Size XXL Size XXXL 135-01-71 135-01-72 **Boiler Suit Polycotton Stud Front** - Royal Blue Polyester and cotton stud front boiler suit Action back styling with concealed stud front fastening 2 breast and side pockets 1 rule and hip pocket **PRODUCT OPTIONS** Size 34" Size 36" Size 38" 135-01-01 135-01-02 135-01-03 Size 40" Size 42" Size 44" 135-01-04 135-01-05 135-01-06 PRODUCT OPTIONS Size 46" Size 48" Size 50" Size M Size L Size XL Size XXL 135-11-70 135-01-09 135-01-07 135-01-08 135-11-69 135-11-71 135-11-72



Size 48" Size 50" 135-01-78 135-01-77



- Offers complete protection to workers exposed to heat
- Provides comfort and allows the worker to work unhindered, whilst offering ample storage space
- Hi Visability strips on shoulders, arm's and leg's

PRODUCT INFORMATION				
Fabric	Cotton with Bizweld 330 Finish			
Fabric Weight	330gsm			
EN Standard	EN ISO 11612 A1 + A2, B1, C1, F1 EN ISO 11611 Class 1			

Refer to Page 562 for EN Standards Explained

BLACK HI VIS COVERALL PRODUCT OPTIONS							
Size M	Size L	Size XL	Size XXL				
135-22-54	135-22-55	135-22-56	135-22-57				



Size XXL

135-01-82

135-01-83

Bizweld Flame Retardant Orange Overall

Concealed s	tud front	Available Siz
Two chest p stud flap	ockets with concealed	Other colour
Mobile phon	e and rule pocket	Offering ma
Flame retard		Anti Static f discharge
PRODUCT INFORMAT	ION	Anti static p
Fabric	Cotton with Bizweld 330 Finish	Flame retar
Fabric Weight EN Standard	330gsm EN ISO 11611:2007 Class 1, A1+A2 EN ISO 11612:2008 A1+A2 B1 C1 F1	enhanced v Extended co throat prote
Refer to 1	Page 562 for EN Standards Explained	PRODUCT INFO
PRODUCT OPTIONS		Fabric
Size S Size 135-22-38 135-22		Fabric Weight EN Standard

Size XXL

135-21-28

Size XXXL

135-21-29

Dickies FR5404 Pyrovatex® Flame Retardant Anti Static Coverall



320 gsm

EN 1149-5:2008

EN ISO 11611: 2007 Class 1 A1

EN ISO 11612:2008 (A1 B1 C1 F1)

THERMAL CLOTHING

IN THE REAL PROPERTY OF T



Thermal Clothing





WET WEATHER CLOTHING

FLEXCTHANE



TEXOPICX

Wet Weather Clothing



Montreal Flexothane One Piece Wet Suit

100% waterproof, windproof, stretchable, comfortable, lightweight and protection against liquid chemicals

High frequency welded seams

PRODUCT INFORMATION				
Colour	Khaki Green			
EN Standard	EN343 +A1 Class 3:1			
	EN14605 Type 4 and EN14786			

PRODUCT OPTIONS

		Size M 135-06-05	Size L 135-06-06	Size XL 135-06-07	
		Size XXL 135-06-08	Size XXXL 135-06-09		

Dortmund Flexothane Rain Jacket

- 100% waterproof, windproof, stretchable, comfortable and lightweight
- High frequency welded seams
- Straight collar with foldaway hood
- Zip closure under flap with press studs

PRODUCT INFORMATION

Colour	Khaki Green
EN Standard	EN343 Class 3:2

PRODUCT OPTIONS

	110145		
Size S 135-05-35	Size M 135-05-36	Size L 135-05-37	Size XL 135-05-38
	Size XXL 135-05-39	Size XXXL 135-05-40	

Rotterdam Flexothane Rain Trouser

100% waterproof, windproof, stretchable, comfortable and lightweight

PRODUCT INFORMATION			
Colour	Khaki Green		
EN Standard EN343 Class 3:2			

P	PRODUCT OPTIONS					
	Size S Size M 135-18-15 135-18-16		Size L 135-18-17	Size XL 135-18-18		
		Size XXL 135-18-19	Size XXXL 135-18-20			

FLEX CLASSIC Straight collar with

- foldaway hood
- Zip closure under double flap with press studs
- Sleeve and ankle narrowing by press studs
- Elasticated waist in the back and wind cuffs in sleeves
- Made from FLEXOTHANE® Classic: 100% polyamide knitting with PU coating, 3 180 g/m²








6

FLEXOTHANE

High frequency welded seams Leg narrowing by press studs

FLEXOTHANE® Classic: 100% polyamide knitting with PU coating, 3 180 g/m² Compatible with Dortmund Rain Jacket



Two Piece PVC Rain Suit

- Taped seams
- Elasticated waisted trousers
- Zip fastening on jacket
- Front flap pockets
- Adjustable ankle poppers
- Concealed hood
- Inner elasticated cuff
- Mesh lined back
- Conforms to EN343

PRODUCT OPTIONS - ORANGE

Size S 135-22-10	Size M 135-22-11	Size L 135-22-12	
Size XL 135-22-13	Size XXL 135-22-14	Size XXXL 135-22-15	

PRODUCT OPTIONS - NAVY				
Size M	Size L	Size XL	Size XXL	
135-20-67	135-05-94	135-05-95	135-05-96	



PRODUCT OP	TIONS - YELLO	w	
Size M	Size L	Size XL	Size XXL
135-11-39	135-21-54	135-21-55	135-21-56

Hi Vis Polyester /PVC Rain Suit Lightweight fabric and reflective bands - 2 band and brace 771 2 bands of retro-reflective tape per leg Taped seams and adjustable ankle poppers Concealed hood M **PRODUCT OPTIONS - ORANGE** Size M Size L Size XL 135-22-43 135-22-41 135-22-42 **PRODUCT OPTIONS - YELLOW** Size M Size L Size XL 135-22-44 135-22-45 135-22-46





RKWEAR WET WEATHER CLOTHING


DISPOSABLE CLOTHING

2000






Disposable Clothing



Type 5/6 Coverall



DISPOSABLE CLOTHING RKWEAR



Disposable Co - White	overall		Supertex Typ Coverall - W	
General purpose disposable covera	all	6	Type 5/6 protec	
Used for decoratin construction and labouring	ng,		offers particle p Elasticated wrist	rotection
Protects wearer from day to day		12	ankle closure Elasticated hood	d and
dirt and grime			zip front	oped
		BEST		
		29	Colour EN Standard	White EN13982-1, EN13034 & EN1149
PRODUCT OPTIONS			PRODUCT OPTIONS	5
	ze L Size XL 26-23 135-06-24	Size XXL 135-06-25		ize L Size XL Size X 5-21-01 135-21-02 135-22
			Disposable	
Micromax Reusable Anti Slip Overshoes	opening		Overshoes	and to help
Reusable Anti Slip Overshoes Elasticated ankle of PVC anti slip texto	ured sole		Overshoes Compressed pol Elasticated ankle Ideal for visitors keep environme Textured for grip	e opening and to help nts clean
Reusable Anti Slip Overshoes Elasticated ankle of PVC anti slip texto Will fit securely ov	ured sole		Overshoes Compressed pol Elasticated ankle Ideal for visitors keep environme Textured for grip Heat sealed sear	e opening and to help nts clean p ms
Reusable Anti Slip Overshoes Elasticated ankle of PVC anti slip texto	ured sole		Overshoes Compressed pol Elasticated ankle Ideal for visitors keep environme Textured for grip	e opening and to help nts clean p ms
Reusable Anti Slip Overshoes Elasticated ankle of PVC anti slip textu Will fit securely ov PRODUCT INFORMA	ured sole ver all footwear		Overshoes Compressed pol Elasticated ankle Ideal for visitors keep environme Textured for grip Heat sealed sear PRODUCT INFORM	e opening and to help nts clean p ms



PRODUCT OPTIONS					
Red	Green	Blue	Yellow		
135-12-56	135-12-57	135-12-58	135-12-59		

EC1935/2004

and Yellow.



Latex Disposable Gloves		Gloves	wder Free Examine	
PRODUCT INFORMAT Box Quantity	The Proposed and the Pr		PRODUCT INFORM Box Quantity	
and dexterity	Natural med with fantastic s in cardboard disper orn starch			Natural fit, sensitivity and versatilit es in cardboard dispenser
PRODUCT OPTIONSSize SSize120-05-05120-05		Size XL 120-05-08		ize L Size XL -05-09 120-05-10
Vinyl Disposal	Cover		Gloves	er Free Disposal

PRODUCT INFORMAT	ION
Box Quantity	Box of 100 Pieces (50) Pairs
Colour	Clear

Offers protection during a range of activities Each pack comes in cardboard dispenser box Powdered with corn starch with smooth finish


Latex Powder Free Disposable



PRODUCT INFORMATION		
Box Quantity	Box of 100 Pieces (50) Pairs	
Colour	Natural	

- lity
- er box

able





📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 🖾 sales@tiger-supplies.co.uk

CORPORATE CLOTHING



0000





0000

00

Poos

About Corporate Clothing

Corporate clothing usually consists of items such as smart shirts, blouses, ties, trousers and skirts. Corporate clothing is a vital aspect of work through numerous sectors of industry and can help businesses in a variety of ways. For example it creates and maintains a smart and professional look in an affordable approach.

Corporate clothing can:

- Introduce equality within the workplace
- Give staff a sense of belonging
- Allows for constant marketing when out of the work environment

BESPOKE GARMENTS



Numerous styles of garment can be customised such as ties, shirts and jumpers. Bespoke garments allow for different business attributes to be reinforced, for example:

- Increased trust
- Increased professionalism
- Pushes corporate image and marketing

 WILLIAM TURNER
 KUSTOM KIT

 CLUBS & CORPORATEWEAR
 KUSTOM KIT

 RUSSELL
 COLLECTION

 RUSSELL
 COLLECTION

 RUSSELL
 HENBURY

We only display a small range of corporate clothing, however a vast range of garments are available on request. Please contact our sales team with your requirements.





FIRST AID EQUIPMENT

à

i

-

LIFEPAK

0/8

RELIANCE MEDICAL 'Leading First Aid'

2

υ

1

WALLACECAMERON

About First Aid Equipment

The Health and Safety (First Aid) Regulations 1981 require all construction sites to have:

- A first aid box with enough equipment to cope with the number of workers on site
- An appointed person to take charge of first-aid arrangements
- Information telling workers the name of the appointed person or first aider and where to find them. A notice in the site hut is a good way of doing this

RECORDING ACCIDENTS:

Details of all reportable incidents, injuries, diseases and dangerous occurrences must be recorded and sent to RIDDOR including:

- The date when the report is made
- The method of reporting
- The date, time and place of the event and personal details of those involved
- A brief description of the nature of the event or disease

Records can be kept in any form but must conform to data protection requirements. Site safety books can be purchased from Tiger Supplies.

IN AN EMERGENCY:









Step 1 Assess the situation

Step 2 Make the area safe

Step 3 Assess all casualties

Step 4 Send for immediate help

EMPLOYERS' LEGAL DUTIES

Employers are required to carry out assessments for first-aid needs within the workplace. This involves careful consideration of workplace hazards and risks, the overall size of the organisation and other relevant factors, to determine what equipment, facilities and personnel should be provided.

BS 8599 FIRST AID KITS

British Standard BS 8599 is not a regulatory requirement under the Health and Safety regulation of 1981. Instead the contents of a first aid boxes are dependent on an employer's first aid needs assessment.


HAZARD TYPE	EMPLOYEES	FIRST AID KIT REQUIRED
LOW HAZARD		
e.g. Shops, offices, libraries etc.	< 25	Small size kit
	25 - 100	Medium size kit
	> 100	1 Large kit per 100 employees
HIGH HAZARD		
e.g. Light engineering and assembly work,	< 5	Small size kit
food processing, warehousing etc.	5 - 25	Medium size kit
	> 25	1 large kit per 25 employees



Mezzo

Mezzo First Aid Kits

Mezzo



drns nt, inimum de of

PRODUCT INFORMATION	
Guidance Leaflet	1
Burn dressings	2
Burn gels	2
Burn/Wound lint pad	5
Conforming bandage	3
Gloves (pair)	2
Non Adherent dressings	7
Scissors (blunt 12.5cm)	1
Sterikool burn roll	3
Product Shown	155-12-35



Mezzo First Aid Kits

- Integrated spacing for contents for ease of use
- HSE compliant, meets the minimum approved code of practice
- Wall mountable



PRODUCT INFORMATION	10 Person	20 Person	50 Person
Guidance Card	1	1	1
Safety Pins	12	12	12
HSE 18 x 18 Dressing	2	3	4
HSE 12 x 12 Dressing	6	9	12
Sterile Adhesive Plasters	20	40	60
Triangular Bandage	4	6	8
Moist Cleaning Wipes	10	10	20
Latex Glove	2	4	6
Eye Pad Dressing	2	4	6
Product Shown	155-12-29	155-12-30	155-12-31







First Aid Kits

G first aid **First Aid Kits** BEST SELLER First Aid Kit - 1 Person First Aid Kits - 10-50 Person Satisfies minimum Standard economic legal requirement durable carry case Ideal for glove Protects from dust compartment and moisture Water resistant soft HSE basic workplace 10 PERSON FIRST AID KIT 155-12-43 vinyl pouch kit Essential for lone Content based on 1997 ACOP offsite employees 0 1 PERSON FIRST AID KIT 155-12-42 20 PERSON FIRST AID KIT 155-12-44 50 PERSON FIRST AID KIT 155-12-45

PRODUCT INFORMATION	1 Person	10 Person	20 Person	50 Person
Cleansing Wipes	2	6	10	20
Eye Pad Dressings	0	2	4	6
Gloves (Pair)	1	1	2	3
Guidance Leaflet	1	1	1	1
HSE Large Dressings	1	2	3	4
HSE Medium Dressings	0	6	9	12
Plasters, Assorted Washproof	20	20	40	60
Safety Pins	6	6	12	16
Triangular Bandages	2	4	6	8
Product Shown	155-12-42	155-12-43	155-12-44	155-12-45

First Aid Refill Kits

Refill for first aid kits	Refill kits contain the same quantitie	es as displayed in table above
10 PERSON KIT REFILL	20 PERSON KIT REFILL	50 PERSON KIT REFILL

PRODUCT INFORMATION	10 Person	20 Person	50 Person
Product Shown	155-12-49	155-12-50	155-12-51

BS8599 First Aid Kits



Refill for BS8599 First Aid Kit

Refill kits contain the same quantities as displayed in table above





Van & Truck First Aid Kit



Dimensions	
(H) 20 x (W) 20 x (D)	6cm

Fits neatly into a van or car

This kit can also be wall mounted

PRODUCT INFORMATION

Guidance Leaflet	1
Large Dressing	1
Non Adherent Dressing Pads	5
Assorted Washproof Plasters	20
Conforming Bandages	2
Triangular Bandages	2
Eye Wash Pods 20ml	5
Finger Stalls	2
Microporous Tape	1
Moist Cleansing Wipes	6
Gloves (Pairs)	2
Safety Pins	6
Scissors	1
Product Shown	155-12-39

First Response Kit



Designed for major incidents and emergencies Multi compartment bag with adjustable strap

Extensive range of essential products

Provides for multiple incident scenarios

PRODUCT INFORMATION

r Koboer Ini OkhArion	
Ambulance Dressings No.1	2
Ambulance Dressings No.2	2
Ambulance Dressings No.3	2
Ambulance Dressings No.4	2
Cleansing Wipes	10
Eye Pad Dressings	4
Eye Wash 500ml Bottle	1
Foil Blankets (Adult)	2
Gloves (Pairs)	2
Guidance Leaflet	1
Pen Torch	1
Plasters, Washproof Assorted	40
Resuscitation Devices	2
Safety Pins	12
Scissors	1
Trauma Dressing, Large	1
Trauma Dressings, Medium	1
Triangular Bandages	4
Universal Shears	1
Product Shown	155-12-40

DON'T FORGET YOUR FIRST AID SIGNAGE

Page 543 for stock options.

Bespoke signs available on request.



Eye Pod Station with Mirror







Eye Wash Station in Plastic Case

- Deluxe version with eye pods and insert
- Durable, stylish polypropylene box
- Wall mountable with integrated bracket
- Meets current HSE regulations
- Fast and effective treatment

PRODUCT INFORMATION	
Eye Wash 500ml Bottles	2
Eye Wash 20ml Pods	2
Eye Pad Dressings	2
Mirror	1
Product Shown	155-12-67

Eye Wash Station with Mirror

- High visibility eye wash station
- Holds two 500ml sterile saline solution eye wash bottles
- Features two eye pad dressings
- Also features amirror for easy application
- The panel comes complete with printed instructions





PRODUCT INFORMATION

Eye Pad Dressings	2
Eye Wash 500ml Bottles	2
Mirror	1
Product Shown	155-12-68

Eye Wash Solution - 500ml

Mandatory under HSE regulations
 Sterile, safe, and nontoxic
 Twist seal cap
 Sodium Chloride 0.9%w/v Ph.Eur. suitable for boxed first aid kits

PRODUCT INFORMATION Product Shown



155-12-71

First Aid Essentials







Bandages



PRODUCT INFORMATION	Description / Size	Product Code
Eye Pad No 16 & Bandage Green FW	Thick, comfortable sterile eye pad dressings	155-12-52
Bandage - Small - No 7	5cm x 5cm	155-12-53
Bandage - Medium - No 8	7.5cm x 10cm	155-12-54
Bandage - Large - No 9	10cm x 12cm	155-12-55
Bandage - XL - No 3	24cm x 16cm	155-12-56
Triangular Bandage	Multi functional bandage for slings and splinting	155-12-57
Conforming Bandage	7.5cm x 4.5cm	155-12-90
Finger Dressing	5cm	155-12-91
Safety Pins	Pack of 6	155-12-94







About Fire Safety Equipment

The need for fire safety is more now apparent than ever, we recognise that every situation is different therefore we stock numerous styles of fire safety and accessories. Our fire safety equipment is suitable for both home and work use as we stock various classes of extinguisher and accessories.

KITEMARK


The Kitemark is the symbol that gives consumers the assurance that the product in question conforms to the appropriate British Standard and should therefore be safe to use and reliable. When a product is given the Kitemark this means BSI have independently tested it and it has conformed to the relevant standards and legislation. Manufacturers are not legally required to display the Kitemark on their products, but many products choose to have them.

TYPES OF FIRE

FIRE CLASS	FIRE TYPE	COMMENTS
А	Paper, Wood, Textiles and Fabrics	Not recommended for fires with electricity involved
А, В	Flammable Liquids such as Parafin, Petrol, Methane etc Paper, Wood, Textiles and Fabrics	Not recommended for fires with electricity involved
A, B, C + Electrical Equipment	Paper, Wood, Textiles & Fabrics Flammable Liquids such as Parafin, Petrol, Oil etc. Flammable Gases such as Propane, Butane, Methane etc	Use with caution in enclosed spaces
B + Electrical Equipment	Flammable Liquids such as Parafin, Petrol, Oil etc. Flammable Gases such as Propane, Butane, Methane etc	ldeal for fires involving electrical equipment
A, F	Cooking Oil & Fats, Paper, Wood, Textiles and Fabrics	Kitchen use
D	Metals or Powdered Metals	Use with caution in enclosed spaces

TYPES OF EXTINGUISHER

water powder Foam Carbon Dioxide chemical	Water	Dry powder	Foam	CO ² Carbon Dioxide	Wet chemical
---	-------	---------------	------	--	-----------------






Fire Alarm Systems

Fire Alarm Systems are available in a variety of different types; dependant on the type and structure of the location, you may require one of 3 main types of howler as displayed below.









Unlinked (Standalone) Most suitable for small areas / buildings

Linkable (Via Cable) Most suitable for large areas / buildings

Linkable (Wirelessly) Most suitable for large areas / buildings, without the need to connect via cable

FIRE SAFETY PROCEDURES



Don't delay to save valuables



Don't investigate the fire



Crawl on the floor if there is smoke air is cleaner near the floor



On the floor, put your nose as low as possible - remember, smoke is toxic



As you go out, only open the doors you need to and close any open doors you can to slow the spread of fire



Feel the doors with the back of your hand before you open them. If they're warm, don't open them - the fire is on the other side



If you're escaping with others, stay together if you can



Once you are out of the danger area, call 999



Do not go back into the fire

Burning a single candle could consume 2% of the oxygen out of the air

When Oxygen levels are at	a person experiences:
21 percent	Normal outside air
17 percent	Impaired judgement and coordination
12 percent	Headache, dizziness, nausea, fatigue
9 percent	Unconsciousness
6 percent	Respiratory arrest, cardiac arrest, death

FIRE EXTINGUISHER SERVICING

Service and maintenance

Employers have a legal responsibility under the Fire Safety Order (FSO) to ensure that fire extinguishers within the workplace are regularly serviced, so that they are kept in good condition and working order also giving the opportunity for appropriate repair.

To ensure compliance with this legislation, a "responsible person" within your organisation should carry out a visual inspection to confirm that the extinguishers have not been damaged or accidentally discharged. These inspections should ideally be carried out in monthly intervals, no more than quarterly.

If your organisation employs five staff members or more, you must also hold written records of all service, maintenance and inspections. This should be recorded in a Fire Log Book.

- Our extinguishers are sold as new
 Fire extinguishers can only be commissioned / serviced once in their final destination
- Tiger Supplies offer commissioning and servicing of extinguishers
- Initial and annual commissioning or servicing should evaluate;
 - Suitability of location
 - Accessibility
 - Visibility
 - Pressure gauge level
 - Extinguishers are in working order
 - It is advised that basic checks are carried out monthly

Fire and Rescue Services in Great Britain attended 212,500 fires in 2013-2014





Fire Extinguishers

Fire Extinguisher Co2

- Approved to BSEN3
- Kitemark and LPCB approved
- Harmless to machinery
- Corrosion resistant finish
- Squeeze grip operation
- Includes wall hanging bracket

PRODUCT INFORMATION

Casing Material	Aluminium
Fire Class	B + Electrical Equipment
Product Shown	160-12-77 - 5kg
	160-12-78 - 2kg

Fire Extinguisher Foam

- Approved to BSEN3
- 35kV dielectric test
- Kitemark, LPCB and MED approved
- Corrosion resistant finish
- Internal polyethylene lining
- Includes wall hanging bracket
- Squeeze grip operation
- Spray nozzle

PRODUCT INFORMATION Casing Material Steel Fire Class A & B

Fire Class	A & B
Product Shown	160-12-79 - 6ltr
	160-12-80 - 9ltr

Dry Powder, Foam, Water Extinguisher Wall Mounting Bracket

Wall hanging bracket for 6 and 9 litre/kg fire extinguishers

PRODUCT INFORMATION Product Shown

Co2 Extinguisher Mounting Bracket Wall hanging bracket for Co2 fire extinguishers PRODUCT INFORMATION

160-13-03

& SAFETY FIRE SAFETY EQUIPMEN HEALTH

Product Shown

160-13-01

Fire Extinguisher Dry Powder



Fire Trolleys and Stands



Savex Wheeled Fire Point Site Stand



PRODUCT INFORMATION	
Dimensions	(H) 1280 x (W) 850mm
Weight	15.5kg
Product Shown	160-12-92 without Rotary Hand Bell
	160-13-35 c/w Rotary Hand Bell



Fire Extinguisher Stand

STAND

ONLY

Features a skirting board cut out to allow this to be

(H) 760 x (W) 300 x (D) 270mm

(H) 760 x (W) 565 x (D) 270mm

Stand can take any size of portable extinguisher

1ka

1.5kg

6kg/6ltr Fire Extinguisher Cover

160-13-08 - Single

160-13-09 - Double

Manufactured as a non-GRP construction

Can hold extinguishers up to 12kg

Fire extinguishers sold separately

put right up to the wall

PRODUCT INFORMATION

PRODUCT INFORMATION

Dimensions

Dimensions

Product Shown

Weiaht

Product Shown

Weiaht

Fire Extinguisher Cabinet



- Holds 6kg/6l or 9kg/9l extinguishers
- Neoprene seal
- Polypropylene vision panels in door
- Internal equipment retaining straps
- Fire extinguishers sold separately

PRODUCT INFORMATION	
Dimensions	(H) 700 x (W) 300 x (D) 255mm
Weight	4kg
Product Shown	160-13-11 - Single

PRODUCT INFORMATION	
Dimensions	(H) 720 x (W) 585 x (D) 270mm
Weight	9kg
Product Shown	160-13-12 - Double

9kg/9ltr Fire Extinguisher Cover







Fire Alarm Systems

Synergy Wireless Call Point with Battery



- Interlinkable wirelessly and connects up to 40 units
- IP55 rated
- 110dB sounder and xenon strobe combined
- Low battery warning
- Can be used with or without the base station

PRODUCT INFORMATION	
Dimension	(H) 275 x (W) 165 x (D) 85mm
Shell Material	ABS Plastic
Product Shown	160-13-52

Synergy Wireless Base Station with Battery




PRODUCT INFORMATION	
Dimension	(H) 275 x (W) 165 x (D) 85mm
Shell Material	ABS Plastic
Product Shown	160-13-53

Evacuator Battery Operated Alarm System



HO1 Howler Battery Operated Alarm



Well known for its build quality and reliability

Largely used as temporary alarm system, they can be used on sites throughout their lifetime

Suitable for indoor and outdoor applications

IP65 rated swite

118dB at 1m

Includes a PP9 battery

s man s ir		FIRE	FIRE AL
bat	tery		THE AM

PRODUCT INFORMATION	
Dimension	(H) 300 x (W) 200 x (D) 120mm
Shell Material	Robust ABS Plastic
Product Shown	160-13-06

PP9 Heavy Duty Battery for Fire Alarms




1.5mm 2 Core Fire Alarm Cable - 100m





Fire Safety Accessories





MARINE SAFETY





Marine Safety

Life Jacket




YKK quick burst zip

PRODUCT INFORMATION Product Shown

150-12-06

Metre Floating Line - 30mtr





- Fulfills the HSE implied duty of care to protect people for whom you have responsibility Retains greater than 90% of radiated body heat
- Can be used in all weather conditions



PRODUCT INFORMATION Product Shown

150-12-20



51

13

Cale S

1 1





THE REAL PROPERTY.

-

Winter Care

Grit Bin - 6 cu ft and 10 cu ft

Rota moulded grit bin Stackable within it's design Heavy duty structure to withstand heavy contents Produced from UV stabilised polyethylene Fork liftable from the base STORAGE CAPACITY 6 cu ft Grit Bin holds approx 7 x 25kg bags rock salt

> 10 cu ft Grit Bin holds approx 13 x 25kg bags rock salt








PRODUCT INFORMATION	
Dimension	(H) 750 x (L) 790 x (W) 500mm
Capacity	6 cu ft (169 Litres)
Product Shown	815-11-97

PRODUCT INFORMATION	
Dimension	(H) 730 x (L) 1085 x (W) 500mm
Capacity	10 cu ft (285 Litres)
Product Shown	815-11-98

Brown Rock Salt - 25kg






Product Shown



Product Shown

815-11-99

815-12-09



Hessian - 54" x 50 yards



Mainly used for curing of concrete, wall covering, upholstery, carpet backing and brick covering

795-10-71

PRODUCT INFORMATION	
Product Shown	

Sea Boot Socks



Thermal wool blend socks provide warmth and are hard wearing

Ideal for use with our range of work boots

PRODUCT INFORMATION	
Colour	White
Product Show	125-19-14

Kara Fleece Cap



Fabric	100% Polyester with Thinsulate
Colour	Black
Product Shown	135-04-61

Koolgrip Thermal Glove

Excellent insulating capacities to keep hands warm in cold environments

Crinkle latex improves durability and grip performance

Contact heat level 2 tested for up to 250°C

PRODUCT INFORMATION

Material of Dip	Crinkled Latex
Cut Resistance	Level 2
EN Standard	EN388 - 2242, EN511 - 02X & EN407

100

PRODUCT OPTIONS

Size 9	Size 10
120-20-44	120-20-45

Thinsulate™ Fingered Black Glove

Thinsulate

3M thinsulate fully fingered glove	
100% acrylic knitted black glove	
Offers excellent cold protection	
Glove size universal	

PRODUCT INFORMATION

Material of Glove	Knitted Acrylic
Colour (Glove)	Black
Product Shown	120-07-02

Polyco Matrix Yellow Hi Vis Glove

🏠 Polyco[.]

- Seamless thermal high visibility liner with crinkle latex coating Fleecy lining keeps hands
- warm in cold conditions
- Excellent wet and dry grip
- Elasticated knit wrist for a snug fit

PRODUCT INFORMATIONMaterial of DipCrinkled LatexCut ResistanceLevel 2

EN Standard	EN388 - 2241
PRODUCT OPTIONS	

Size 9	Size 10
120-05-60	120-06-



TRAFFIC MANAGEMENT







About Traffic Management

The prevention of injuries on site or during road works is easily supported by using the correct traffic management products; whether that's pedestrian barriers, traffic separators, speed bumps or signage.

Each year within the construction industry, approximately ten people die as a result of being struck by vehicles on site. In addition, there are hundreds of preventable accidents and injuries. The law states that construction sites must be organised in a way that vehicles and pedestrians using them can move around safely. The term 'vehicles' includes: cars, vans, lorries, low-loaders and mobile plant such as excavators, lift trucks and site dumpers.

EN STANDARDS

BS8442

Specifies requirements and tests for rigid and flexible portable signs, barriers, self supporting portable signs, "Stop/Go" signs, school crossing patrol signs, flat traffic delineators, flap signs, pedestrian crossing and refuge beacons, internally illuminated posts, twin amber flashing light units, non retro reflecting road studs and retro reflective self righting bollards.

EN12899-2

Gives performance requirements and test methods for new trans illuminated traffic bollards (TTBs). Applicable to Type 1 and Type 2 TTBs.


BE EN 1317

Road restraint products which have been put through rigorous testing and are available for use on the Highways Agency Trunk Road Network.

Chapter 8

Successfully qualifies as a traffic safety measure and signs for road works and temporary situations in accordance with the Department for Transport – Traffic Signs Manuals.

TYPES OF TRAFFIC MANAGEMENT PRODUCT





TRAFFIC SIGNAGE



TRAFFIC CONE



PEDESTRIAN BARRIER

 \frown



SAFETY LIGHTING





TRAFFIC MANAGEMENT BRANDING

Branding opportunities are available on many of our traffic management products, giving our customers the opportunity to stamp their identity on the products they purchase – helping with brand marketing and declaring ownership of products (which can also act as an anti theft feature).

BENEFITS OF BRANDING

BRAND MARKETING



An opportunity for you to display your brands logo and company information which may result in more enquiries for your business.

PROFESSIONAL IMAGE

Printed items are generally much more professional looking than standard and invoke more trust and reliability in a brand.

THEFT DETERRENT



Branded products also declare ownership, meaning they are likely to deter thieves due to the difficulty of resale.

TRAFFIC MANAGEMENT BRANDED PRODUCTS



To find out if your traffic management products can be branded when purchased from Tiger Supplies, enquire with our sales team who will be more than happy to advise you.

The price of branding varies from product to product, generally an initial cost of plate set up is required, but any branding costs thereafter are consistent, there's no need to pay for a plate again!

Minimum order quantities apply and lead times are likely to be longer than non-printed products.

PRODUCT INFORMATION

Product Shown

Zeus Barrier[™] - 2m Pedestrian Barrier



1ENT | TRAFFIC MANAGEMEN 900

710-03-57



JSP Titan[™] Barrier - 2m



PRODUCT INFORMATION	
Dimensions	2000mm (L) x 1000mm (H)
Weight	15kg
Rating	BS8442, EN12899-2, Chapter 8
Product Shown	705-01-67






JSP Titan™ Barrier c/w Anti-Trip Feet - 2m

- As description above Designed to prevent pedestrian and worker accidents
- Painted in a high visibility yellow with two reflectors per foot

PRODUCT INFORMATION	
Dimensions	2000mm (L) x 1000mm (H)
Weight	15kg
Rating	BS8442, EN12899-2, Chapter 8
Product Shown	705-01-68

Oxford Avalon Barrier - 2m



- Ideal for event management and pedestrian control
- Linkable
- Barrier available with Anti trip feet on request
- Designed for secure stacking and easy transportation
- Recycled and 100% recyclable
- Branding available



PRODUCT INFORMATION	
Dimensions	2030mm (L) x 1000mm (H)
Weight	9kg
Rating	BS7818, Chapter 8
Product Shown	705-01-99

Dxford

RB2000 Heavy Duty Barrier - 2m

- Water or ballast fillable heavy duty road barrier
- Can be weighted to 400kg when water filled creating a solid flat walled secure system
- Interlocking system allows the barriers to flow around corners or uneven surfaces
- MIRA Wind Speed Test: 3 x RB2000 Barriers (water filled to fill line) withstood wind speeds of up to 71 mph

PRODUCT INFORMATION

Dimensions	2000mm (L) x 400mm (W)
	x 1000mm (H)
Weight	32kg
Products Shown	705-02-10 - Red
	705-03-13 - White



RB2000 Mesh Fence Panel

RB2000 Barrier End Stop

Front and end stops can be added to the RB2000 barrier system to prevent trip hazards

Sold Individually

PRODUCT INFORMATION	
Products Shown	705-03-26 - Red
	705-02-11 - White

 For added safety a security anti climb panels can be adder RB2000 barrier system Produced from galt tube and powder callow for a highly v system Fully stackable and deployed with ease Panels are connect a standard fence complexity for a highly of the system Align A wind Speed mph 1 clip supplied per panels and the system 	mesh d the stem vanised oated to isible can be ed using bupler Test: 70 banel	
Hoarding panels av on request		
PRODUCT INFORMAT	ΓΙΟΝ	
Dimensions	1525mm (L) x 1100mm (H) Total Height - 2100mm	
Product Shown	705-02-12	





GB2 Heavy Duty Barrier - 2m

Water filled barrier

- Ideal for highway or site delineation for pedestrian and vehicle safety
- Pin locking device allows each barrier to have a 35 degree configuration allowing for angles and curves
- Stackable for transport and storage
- Fully compatible with GB2 Mesh and Hoarding Panels creating a 2m height system
- MIRA Wind Speed Test: 2 x GB2 Barriers (water filled to fill line) withstood wind speeds of up to 78 mph

PRODUCT INFORMATION Dimensions 2000mm (L) x 500mm (W) x 900mm (H) Weight 35kg Products Shown 705-02-13 - Red 705-03-14 - White

GB2 Mesh Fence Panel



Evo Road Barrier - 1m

- Can be water filled or for a more permanent requirement sand filled
 - Designed to create a solid wall leaving no gaps between each barrier
 - Produced from UV stabilised prime polyethylene
 - Fully stackable for ease of transport and storage
- Evo Barrier is fully compatible to fit reflective post and plank


MIRA Wind Speed Test: 3 x 1 Metre EVO Barriers (water filled to fill line) withstood speeds of up to 55 mph

PRODUCT INFORMATION	
Dimensions	1000mm (L) x 400mm (W)
	x 550mm (H)
Weight	7kg
Products Shown	705-02-99 - Red
	705-02-07 - White

- Instanting

Evo 80 Barrier - 1.2m

- Can be water filled or for a more permanent requirement sand filled
- Designed to create a solid wall leaving no gaps between each barrier



- Fully stackable for ease of transport and storage
 - Evo Barrier is fully compatible to fit reflective post and plank
- MIRA Wind Speed Test: 3 x 1 Metre EVO Barriers (water filled to fill line) withstood speeds of up to 55 mph

NAME

PRODUCT INFORMATION	
Dimensions	1200mm (L) x 400mm (W)
	x 800mm (H)
Weight	9.5kg
Products Shown	705-02-09 - Red
	705-03-22 - White




Evo Post and Plank

- For low level delineation awareness
- Reflective Plank Panel can be fitted to the Evo Road Barrier and Evo 80 Barrier
- Includes 1 post and 1 reflective plank panel

PRODUCT INFORMATION

Dimensions	1000mm (L) x 1000mm (H)
	Total Height - 1000mm
Rating	Reflective Strip Compliant with
	Chapter 8
Product Shown	705-02-08





- Manufactured from prime UV stabilised polyethylene
- Versatile yet strong, flexible one piece system
- MIRA Wind Speed Test: $1 \times RB22$ Barrier (water filled to fill line) withstood wind speeds of up to 78 mph

PRODUCT INFORMATION	
Dimensions	2000mm (L) x 500mm (W)
	x 800mm (H)
Weight	60kg - When Full 600kg
Rating	BS EN1317 - N1 50 mph Crash Test
Products Shown	705-03-15 - Red
	705-03-16 - White



RB22 Mesh Fence Panel

- Anti climb mesh panels for RB22 Crash Barrier
- Can be securely fitted to the separator barrier. The upper panels are connected using a standard fence coupler
- Panels are produced from galvanised tube and are powder coated
- Fully stackable and deployed with ease requiring no heavy lifting machinery
- MIRA Wind Speed Test: 77.9 mph
- Unit complete with 1 mesh fence panel, 1 post and 1 clip

PRODUCT INFORMATION		
Dimensions	1990mm (W) x 1270mm (H)	
	Total Height - 2050mm	
Product Shown	705-03-17	



JSP RoadBloc Barrier - 1m



Manufactured from Solathene™ HD


Unique hinge allows it to form a mini roundabout with just eight units

Also able to bend upwards so that they can stand firm on uneven ground

Branding bespoke colours to suit corporate identities are available

PRODUCT INFORMATION

Dimensions	1000mm (L) x 450mm (W)
	x 600mm (H)
Weight	6kg
Products Shown	705-01-65 - Red
	705-01-72 - White



JSP RoadBloc Reflective Board




An additional RoadBloc reflective board helps to raise the visible height of the RoadBloc barrier system

Supplied with collars for affixing to RoadBloc support posts

PRODUCT INFORMATION		
Dimensions	1000mm (L) x 25mm (W)	
	x 150mm (H)	
Product Shown	705-01-75	





JSP RoadBloc Barrier - Reflective - 1m

Product specification as above

Reflective strips sit within a recessed area on each unit

Branding bespoke colours to suit corporate identities are available

PRODUCT INFORMATION

Dimensions	1000mm (L) x 450mm (W)
	x 600mm (H)
Weight	6kg
Products Shown	705-01-64 - Red
	705-01-73 - White

JSP RoadBloc Support Post



Helps to raise the visible height of the RoadBloc barrier system



705-01-74

PRODUCT INFORMATION
Product Shown

Oxford Strongwall Barrier

- Heavy recycled base of 18kg
- High density (HD) moulded top section can be water filled
- Anti tamper linking system, prevents unauthorised dismantle
- Also available in red and white on request
- Performs well in windy conditions
- Recycled and 100% recyclable
- MIRA Wind Tunnel Test: Maximum sideways force: 400 Newtons

Oxford Wall MKII Barrier



Can be personalised with corporate colour and logo

PRODUCT INFORMATION		
Dimensions	1000mm (L) x 520mm (W)	
	x 1000mm (H)	
Weight	22kg	
Rating	Chapter 8	
Product Shown	705-02-04 - Orange	



- Manufactured from blow moulded UV stabilised polythene
- Easy to assemble and interlink
- Can be filled with water or stand for extra stability
- Designed to stack efficiently for easier and cheaper transport
- Comes in red and white as standard
- Ideal for use at docks, airports and construction sites

PRODUCT INFORMATION		
Dimensions	1100mm (L) x 395mm (W)	
	x 600mm (H)	
Products Shown	705-03-24 - Red	
	705-03-25 - White	

*Uxford

Safety Goal Post System





HSE GS6 Compliant	Solid	Cross Bar to suit Goa	al Post
Made from non-conducting GRP	98.		
Max height 7.53m / min height 1.8	33m		a see to
Capped ends for bunting			
Quick release hand operated clar easy erection	mps for	A state	SHE A
Red and white pole sections for h levels of visibility	nigher		
Ballast blocks are 100kg each wh (6.8kg empty)	hen filled		
1 person assembly - no tools requ	uired	and the second second	and the second
System includes 2no. telescopic 2no. ballast base and bunting	poles,		5-2-
Solid crossbar option also availab separately	CIUSS	Bar to suit Safety Goal Post Syste Post System sold separately	em only. Safety
PRODUCT INFORMATION Product Shown			705 07 47
Froduct Shown	705-03-46 Product	SHOWH	705-03-47




Plastic Expanding Barrier - 2m



- Made from HDPE making the barriers lightweight and 100% recyclable
- Integral locking clamp to aid stability when the barriers are deployed in a straight line
- Hinged clips enable fast assembly in 3-way or 4-way configurations
- Modular design means the barrier can be configured in a number of different ways

PRODUCT INFORMATION		
Dimensions	Single Gate 750mm (L)	
	x 1000mm (H)	
Weight	Single Gate 2kg	
Rating	Chapter 8	
Product Shown	705-02-01	

Steel Expanding Barrier Red/White - 2m



Ideal for fencing off hazardous areas Distinctive red and white with reflective safety panels Manufactured from 100% recycled plastic Expands to a maximum length of 2100mm Folds to 155Wmm End coloumns are 1065mm high and barrier is 960mm high Plastic expandable barrier weighs only 7kgs Water fillable for stability PRODUCT INFORMATION 705-03-41 **Product Shown**

Temporary Scissor Barrier





📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 🖾 sales@tiger-supplies.co.uk



Trench Covers

Oxford Safe Cover 1200mm x 800mm


- Complies with the UK's DETR Safety at Streetworks and Roadworks Code of Practice
- Moulded from a single piece of glass reinforced composite
- Slip resistant surface and chamfered edges to prevent tripping
- Underside has ribbed framework for added strength
- Can take the distributed weight of a vehicle of up to 2000 kg
- Lighter than a steel cover but stronger than a wooden plate
- Complies with T/SP/E/42 National Grid
- Can be embossed with company name or logo

PRODUCT INFORMATION Product Shown



GRP Road Plate - 1400mm x 1200mm

705-02-24



Oxford 15/5 Road Plate



- Compliant with Safe Working Practice
- Easy two man lift, no need for expensive lifting equipment

Flexible edge dampens any unwanted sounds making the product ideal for use in residential areas

Tested to a vehicle weight of 44 tonnes

Anti slip surface provides a secure pedestrian access

PRODUCT INFORMATION

Dimensions	1500mm (L) x 500mm (W)
Weight	44kg
Product Shown	705-02-15

Oxford Safekerb Ramp - 250kg





Oxford 15/5 Road Plate End



Sold Individually

PRODUCT INFORMATION	
Dimensions	1500mm (L) x 500mm (W)
Weight	44kg
Product Shown	705-02-93

Oxford Clearpath Mat







Road Cones





- Non Photocell

PRODUCT INFORMATION

Product Shown



JSP Microlite

JSP Maxilite

TRAFFIC MANAGEMEN EQUIPI

705-03-20

PRODUCT INFORMATION


Product Shown

705-02-49



Temporary Traffic Signs





EQUIPMENT | TRAFFIC MANAGEMENT



Road Closed Access Only

575-05-35


Zintec Sign



575-05-36









Speed Ramps



266

Line Marking

Survey Spray Line Marking Paint - 750ml



Fast drying and guaranteed not to clog

Does not contain lead or CFC's


Designed to wear more quickly than semi permanent paints

Suitable for asphalt, concrete, wood, gravel and composites

PRODUCT OPTIONS

Black 825-12-59	Blue 825-12	-	Gre 825-1		Orange 825-12-60	
Box of 12 010-01-35	Box of 010-01		Box 0 010-0		Box of 12 010-01-38	
Re 825-1			nite 12-65	Yell 825-1		
Box (010-0			of 12 01-40	Box (010-(-··-	

Spray Line Marking Paint - 750ml



Spray Line Applicator - Hand Held



825-12-67

825-12-66



Road Pin

- Smooth steel road pins
 - Made from carbon steel
 - High strength pins are ideal for road forming applications

Fencing Pin




Quality steel fencing pin for marking temporary fencing lines

8 mm diameter x 1370mm length with a lamp hook for easy fastening of temporary fencing

PRODUCT OPTIONS

Standard Fencing Pin 705-02-43 Insulated Fencing Pin 835-13-62

Heavy Duty Fencing Pin





PRODUCT OPTIONS

PRODUCT OPTIONS

12mm x 450mm

825-12-69


8-16mm 825-12-91 16-32mm 825-12-72


16mm x 600mm

825-13-02

Barrier Fencing - 1m x 50m







SETTING OL EQUIPMENT | MARKING &

SITE LIGHTING & POWER



Defender POWER AND LIGHT

About Site Lighting & Power

Sufficient lighting on site is paramount to the health and safety of everyone on or nearby the site. The quicker and easier someone on site can see a hazard, the more likely it can be avoided – and with a construction site full of potential hazards; everything must be visible.


Poor lighting on site can also can lead to unnecessary costs to employers:

Injury from poor lighting can lead to employee time off work

Employees are less productive due to limited vision in poor light

HOW MUCH LIGHTING IS REQUIRED ON SITE?


Construction site lighting should have at least an average lighting level of 50 Lux (luminance) which is the equivalent to an internal domestic ceiling light. Although lighting should be judged based on the task in hand, for jobs requiring a higher perceived level of detail, the level of lighting should be significantly greater.








Site Lighting






EQUIPMENT | SITE LIGHTING & POWER







LED Site Lighting



LED Single Cobra Task Light - 110v

Super bright LED - Daylight (5500K)

Durable aluminium die-cast housing

Single 10w LED bulb, Twin head 2 x 10w

Tempered glass diffuser

LED bulb

Product Shown

PRODUCT INFORMATION

Rotate and swivel function



LED Twin Cobra Task Light - 110v

-	Intege	
	Super bright LED - Daylight (5500K)	•
	Durable aluminium die-cast housing	
	Tempered glass diffuser	
	Rotate and swivel function	5
	Single 10w LED bulb, Twin head 2 x 10w LED bulb	*
	100° beam angle & 20,000 hours rated life	RODUCT
	PRODUCT INFORMATION	
I	Product Shown 700-01-94	

700-01-93

LED 8W Single Rechargeable Cobra Task Light

Super bright LED - Daylight (5500K) Durable aluminium die-cast housing Tempered glass diffuser Rotate and swivel function Supplied with twin mains charger 100° beam angle 20,000 hours rated life **PRODUCT INFORMATION** 700-01-95 **Product Shown**



Power Distribution

Spider Ball Splitter Box - 110v

- 4 way high tech power splitter
- Durable nylon rubber casing provides extra protection



700-01-43

- Recessed outlets prevent them from being sheared off in harsh environments
- Features a visible power on indicator and cable tidy
- Supplied with 3m cable and fitted 16amp plug

PRODUCT INFORMATION Product Shown



Splitter Box - 110v

- Classic 4 way 16amp distribution box
- Hard steel case for protection against knocks and drops
- For use with 110v power tools and site lighting

700-01-44

Supplied with 5m cable and fitted 16amp plug

PRODUCT INFORMATION

Product Shown

Spider Pod - 110v

- 3 way high tech power splitter
- Unique flexible distribution unit for portable generators and extension leads
- 3 multi directional 16amp outlets and 1 flexible 16amp inlet
 - Lightweight design that is water resistant
- Constructed using tough rubberised components

```
PRODUCT INFORMATION
Product Shown
```




700-01-36

Defender




















Heating & Cooling Products



Rhino RD48 Dehumidifier - Dual Voltage



- Highly versatile compact portable dryer
- Built tough to stand up to the rigours of construction environments
- Integrated dual voltage operating system
- Complete with onboard overload protection and an interchangeable 16amp plug in cord
- Anti clog design features including easy replacement filters and double width coil spacing
 - Dimensions, 500 x 510 x 850mm

PRODUCT INFORMATION Product Shown

345-05-78

Rhino TQ3 Infra-Red 2.8kw Heater - 110v

	and not the atmosphere Contains twin 1400W infrared and lockable wheels for total	
	and safety Ideal for temporary heating a drying paintwork and plaster	nd for
	Plastic body resists dents and	l scrapes
PR	ODUCT INFORMATION	
Pre	oduct Shown	345-05-75

230v 2.8KW **Ceramic Heater**




- Twin 1400W ceramic elements provide a constant, comfortable heat for offices. warehouses and canteens
- Each unit has 2 heat setting controls and an LED power on indicator

PRODUCT INFORMATION Product Shown

345-05-69







- Adjustable thermostat
- Overheat protection system
- Switch controls and power indicator light
- Green environmental conducting oil
- Castors for easy movement
- Mains lead storage
 - Safety trip over switch

PRODUCT OPTIONS





2KW Convector Heater - 240v



1.2KW Portable Halogen Heater - 240v





PRODUCT INFORMATION	
Product Shown	





345-06-14



SPILL CONTROL





stil.

About Spill Control


Within many sectors of work there is a constant focus on the reduction of waste and the role of waste management from environmental agencies; which has inescapably made the regulations of spill control very strict. Construction sites must not only adhere to regulations but also be seen to comply throughout inspections from the relevant authorities.

Spill control is a vital aspect of the workplace and should always be kept in the vicinity of where spills are most likely to take place. This minimises waste and protects the environment by utilising the most suitable products, materials and techniques.

	White in colour and absorbs only oil-based spills ie. Oils and fuels
OIL-ONLY	These products are referred to as hydrophobic due to the fact they will repel water based solutions
	Products available in a range of shapes and sizes
	Suitable for internal and external use
	Yellow in colour and absorbs unknown toxic, flammable, corrosive and aggressive chemical spills
CHEMICAL	Chemical spills should not be cleaned up without the correct training and protective equipment
	Products available in a range of shapes and sizes
	Chemical spills require tougher inert absorbents resulting in "chemical" only being suitable
	Grey in colour and absorbs both oil-based spills and water-based spills
MAINTENANCE	Most suitable for spills indoors to absorb both water-based substances and oil-based substances left on the floor
Products available in a range of shapes and sizes	
	Technically referred to as hydrophilic

ABSORBENT TYPES

SPILL CONTROL PRODUCT TYPES







THE ULTIMATE SOLUTION FOR ALL-WEATHER ON-SITE SPILL PROTECTION

- Lightweight
- Easy to deploy
- Fully washable base unit
- Unique Filtatech filtration liners
- Heavy duty design



Variations

Simply deploy under site machines or small equipment to prevent fuel and oil leaks or drips contaminating the environment

Site Mat Accessories

Rigid Platform Machine Location Pegs Site Mat Holdall Smart Liner Plus



Site Mat Base Unit

- The Site Mat Base Unit has been developed to provide a quality on site solution to meet the increasing demand for the protection of the environment
- Allows the free flow of filtered water through the products side walls, eliminating the requirement of regular decanting of secondary containment trays when deployed outdoors
- Non absorbent and washable unit for repeat applications
- Polyethylene foam sidewall for ultimate memory rebound following compression
- Highly durable for demanding environments
- Lightweight and folds in half for easy handling

Site Mat Liner



- Ideal for small site equipment storage, service and refuelling, site pumps, generators and plant servicing
- Absorbent Capacity:
 - 600mm x 400mm 3 Litres
 - 1000mm x 600mm 6.5 Litres
 - 2000mm x 1400mm 30 Litres



PRODUCT OPTIONS

Must be used with a Site Mat Liner

600mm x 400mm 1000mm x 600mm 355-07-69 355-07-71

2000mm x 1400mm 355-07-73



355-07-72

Best used with a Site Mat Base Unit

PRODUCT OPTIONS

600mm x 400mm 355-07-70

2000mm x 1400mm 1000mm x 600mm 355-07-74

Site Mat Accessories Available on Request





Oil Spill Products

Oil Spill Kit - 15 Litre



- Supplied in a clip top bag
- Suitable for absorbing oils, fuels and solvents, but will reject water
- This kit is perfect for vehicles and on hydraulic plants

PRODUCT INFORMATION	
Contents	11 x Pads, 1 x Sock, a Disposal Bag and Cable Tie
Absorbent Capacity	15 Litre
Product Shown	355-06-17

Oil Spill Pads - Pack of 100



355-06-19

Product Shown

Oil Spill Kit - 30 Litre



- Suitable for absorbing oils, fuels and solvents, but will reject water
- This kit is perfect for vehicles and on hydraulic plants

PRODUCT INFORMATION	
Contents	18 x Pads, 3 x Sock, a Disposal Bag and Cable Tie
Absorbent Capacity	30 Litre
Product Shown	355-06-18

Oil Socks - Pack of 25







Oil Spill Kit - 90 Litre



- Supplied in a 90 litre dust bin complete with lid
- Absorbs oils, fuels and solvents, but will reject water
- This kit is perfect for workshops, oil storage areas and areas where hydraulic plant is in use
- Suitable for external and internal use

PRODUCT INFORMATION	
Contents	50 x Pads, 4 x 3m Socks, 2 x Pillows, 3 x Disposal Bags and Cable Ties
Absorbent Capacity	90 Litre
Product Shown	355-06-25

Oil Spill Kit - 120 Litre

- Supplied in a 120 litre wheelie bin
- Absorbs oils and fuels but will reject water
- This kit is perfect for workshops, oil storage areas and areas where hydraulic plant is in use
- Suitable for external and internal use

PRODUCT INFORMATION	
Contents	70 x Pads, 5 x 3m Socks, 2 x Pillows, 3 x Disposal Bags and Cable Ties
Absorbent Capacity	120 Litre
Product Shown	355-06-27

Oil Spill Kit - 240 Litre

- Supplied in a 240 litre wheelie bin
- Absorbs oils and fuels but will reject water
- This kit is perfect for workshops, oil storage areas and areas where hydraulic plant is in use
- Suitable for external and internal use

PRODUCT INFORMATION	
Contents	140 x Pads, 10 x 3m Socks, 2 x Pillows, 4 x Disposal Bags and Cable Ties
Absorbent Capacity	240 Litre
Product Shown	355-06-26







Eco Friendly Oil Spill Kit - 20 Litre

- Supplied in a clip top bag
- 93% of this spill kit is made from recycled materials
 - Larger size makes it ideal for use in workshops and on larger hydraulic plant

PRODUCT INFORMATION	
Contents	12 x Eco-Pads, 2 x 1.2m Eco-Socks, a Disposal Bag and Cable Tie
Absorbent Capacity	20 Litre
Product Shown	355-06-29



Eco Friendly Oil Spill Kit - 40 Litre



- Supplied in a clip top bag
- 93% of this spill kit is made from recycled materials
- Larger size makes it ideal for use in workshops and on larger hydraulic plant

PRODUCT INFORMATION

Contents	24 x Eco-Pads, 4 x 1.2m Eco-Socks, a Disposal Bag and Cable Tie
Absorbent Capacity	40 Litre
Product Shown	355-06-30

natura

SPILL

KI1

Eco Friendly Oil Spill Kit - 90 Litre

- Supplied in a 90 litre dust bin complete with lid
- 93% of this spill kit is made from recycled materials
- Perfect size for plant workshops and oil storage areas

PRODUCT INFORMATION	
Contents	50 x Eco-Pads, 4 x 3m Eco-Socks, 3 x Disposal Bag and Cable Ties
Absorbent Capacity	90 Litre
Product Shown	355-06-31



Chemical Spill Kit - 15 Litre



- Supplied in a clip top bag
- Chemical spill kit suitable for all acids and caustic materials
- Perfect for battery recharge areas and small chemical storage cabinets

PRODUCT INFORMATION

Contents	11 x Pads, 1 x Sock, a Disposal Bag and Cable Tie
Absorbent Capacity	15 Litre
Product Shown	355-06-33

Chemical Image: Chemical Spill Kit • Iso Litre Image: Chemical Spill Kit • Supplied in a 120 litre wheelie bin Image: Chemical Spill Kit suitable for all acids and caustic materials • Perfect for battery recharge areas and large chemical storage areas Image: Chemical Spill Kit suitable for all acids and caustic materials • Suitable for external and internal use Suitable for external and internal use

PRODUCT INFORMATION	
Contents	80 x Pads, 6 x 3m socks, 2 x Pillows, 4 x Disposal Bags and Cable Ties
Absorbent Capacity	150 Litre
Product Shown	355-06-35

Oil Spill Kit - 30 Litre



Perfect for battery recharge areas and small chemical storage cabinets

PRODUCT INFORMATION		
Contents	18 x Pads, 3 x Socks, a Disposal Bag and Cable Tie	
Absorbent Capacity	30 Litre	
Product Shown	355-06-34	

Chemical Spill Granules - 20 Litre




PRODUCT INFORMATION	
Contents Chemical Granules	
Absorbent Capacity	10 Litre
Product Shown	355-06-40

Spill Containment





Armorgard Drumbank™ - DB2



- Strong gas struts
- 2 x 5-lever deadlocks
- Meets relevant regulation for storing fuel or chemicals
- Weight, 178kg
- Dimensions, (W) 1320mm x (D) 980mm x (H) 1400mm







Full Range of Maintenance Spill Control Products Available


Please contact the sales office for any enquiries.



Drain Spill Protection



Bentonite Clay Drain Mat - Pack of 2



Filtatech Sediment Filter Sock - 1.2m



355-07-60









About Building Supplies

The Tiger Supplies range of building supplies covers a variety of product types including sealants, adhesives, concrete testing equipment, painting and decorating supplies and much more.

Our range of building supplies is suitable for a variety of trade tasks and certain to provide tools to make your job easier. Whether you're a painter, plumber, contractor, carpenter or just working on home improvement; our products will support your every need.

SEALANTS AND ADHESIVES

Tiger supplies stock a wide range of sealants and adhesives to suit every customer's need. Ranging from decorators caulk to high strength adhesives to facilitate and support all customers regardless of their job.

SEALANTS / SILICONE

A substance used for sealing numerous surfaces fashioning an air and water tight seal, commonly used in bathrooms to seal showers, baths and other fittings including both window and door frames. These are also sometimes referred to as 'Mastics'.

CAULKS

Used by numerous decorators for a wide range of jobs for example lining and sealing skirting boards. The drying time of caulk is generally between 20 minutes to two hours and can be painted over when dry.

FOAMS


Generally found in canisters with spray nozzles, designed to expand and harden upon contact with air making it ideal for minor repairs around windows and doors to create a tight seal. Flame retardant options are also available.

CONCRETE SLUMP TESTING


Slump testing is a measure of concrete consistency and is vital as problems can occur down the line in builds if the quality of concrete isn't exactly as it should be.



1. Place the slump cone on a rigid base and fill with fresh concrete regularly rodding the concrete with a tamping bar.



2. When the slump cone is filled, slowly lift it upwards and place it upside down beside the concrete, rest the tamping bar on top of the slump cone base.



3. The concrete should not collapse, nor form a rigid shape; it should 'slump' slightly. The slump can then be measured and have its purpose determined.

Class	Туре	Slump Range	Target Slump
S1	Semi Dry Mix	10-40mm	20mm
S2	Moist Mix	50-90mm	70mm
S3	Wet Mix	100-150mm	130mm



Sealants and Fillers




Building Mastic - White - 300ml



AC95 Intumescent Acoustic - White - 900ml


ERFI coust ealant dhesiv 780-08-24 White 780-08-26

Gripfill Gunnable Adhesive





Weather Mate Multi Use Adhesive - Black - 300ml



- Provides the ultimate weather proofing technology for adhesion to all surfaces
- Can be applied in wet weather, and will even stick to wet surfaces
- Adheres to surfaces such as bitumen, lead, galvanised steel and roofing felts

PRODUCT INFORMATION

Product Shown




780-08-59

Griptite Multi Use Adhesive - Buff Green



- 5 Litre High performance,





📞 0844 848 3444 🖳 www.tiger-supplies.co.uk 📧 sales@tiger-supplies.co.uk

Gorilla PVA Wood Glue	Gorilla Polyurethane Glue
<image/> <image/> <image/> <image/> <image/> <image/> <image/>	 Open working time of 20 minutes Brown in colour, but dries a tan colour 100% waterproof Incredibly strong, bonding all types of wood, stone, metal, ceramics, foam, glass leather and more Once dried it can be sanded, stained, painted and varnished Unaffected by hot / cold temperatures and poor weather
532ml 1 Litre 121-095 121-096	500ml 1 Litre 121-097 121-098
Gorilla Super Glue - 15g	CORILLA No clamping necessary
	Impact- resistance and strength to handle everyday use
	Dries in just 30-60 seconds
	GORILLA

DIN 4102-1 fire test to building material - Classification

When the material's fire behaviour has bee determined in accordance with the standard, it divides into:

Building material class	Designation
CLASS A	
A1	Non-combustible materials
A2	Non-combustible materials
CLASS B	
B1	Not easily flammable
B2	Flammable
В3	Easily flammable

Gun to Suit 750ml

HDPE plastic handle

PRODUCT INFORMATION

Expanding Foam

Cleaner - 500ml

uncured PU foam

component

applicators

Product Shown

B2 Expanding

PRODUCT INFORMATION

Fire Foam - 750ml

Quick setting expanding

foam that bonds to all

B2 fire classifcation to DIN 4102 part 1

Hand Held

780-08-43

standard building

Cream in colour

PRODUCT OPTIONS

materials

Product Shown

Durable foam applicator gun

with a metal frame and a strong

Supplied with a range of nozzles

Unique multi functional cleaner

Designed to digest and remove

Comes with threaded collar and integral sealing valve and gasket

Compatible with the majority of PU

"All in one" plastic moulding

fisc

fisch

Gun Grade

780-08-44


Gun Foam

-10

B1 Fischer FireStop Expanding Foam - 750ml









Adhesive Tapes and Fixings



Industrial Double Sided Tape - 50mm x 50m



Double Safe Tape - 50mm x 33m



Double sided tape where one side is low tack for adhering to most sensitive surfaces

The other side is high tack for adhering to protection products

121-022

Size: 50mm x 33m

PRODUCT INFORMATION Product Shown

Protecta Screen Joining Tape - 50mm x 66m



Site Tape - 50mm x 33m



High tack tape for use in cold conditions

Ideal for joining protection materials to various surfaces

PRODUCT INFORMATION	
Product Shown	121-068

Glass Safe Tape - 100mm x 100m



- Specially formulated tape to adhere protection materials directly to glass
- Leaves no residue upon removal

PRODUCT INFORMATION 121-084 Product Shown

Carpet Safe Tape - 100mm x 100m



- Leaves no residue upon removal
- Made UV protected polythene

PRODUCT INFORMATION

Product Shown



Masking Tape







Hazard Tape - 50mm x 33m

Self adhesive hazard warning tape Made from a highly visible PVC material Used for marking off secure areas

PRODUCT OPTIONS

Red/White 121-038

Black/Yellow 121-040

Packaging Tape







Helps provide a water tight seal that is heat resistant

PRODUCT INFORMATION Product Shown PRODUCT OPTIONS

	Electric	Wa
-94	785-08-92	785-C

Ш Н С

785-08-68


Gas

785-08

Cable Ties



Standard Staple Gun



Manufactured from heat resistant nylon 66

Cable ties are suitable for workshop, industrial and electrical applications

PRODUCT OPTIONS	
Black, 200mm x 4.8mm 785-09-08	Black, 300mm x 4.8mm 785-08-95
Black, 370mm x 4.8mm 785-08-96	Black, 430mm x 4.8mm 785-09-16
Black, 430mm x 9mm 785-08-97	White, 300mm x 4.8mm 785-08-98



- For staples, nails and cable staples
- Durable steel body with impact pressure adjuster, safety loop and integral staple remover
- Staples boxed in 5000

PRODUCT OPTIONS - STAPLES


Staple Gun	Size 10mm	Size 12mm	Size 14mm
785-09-11	785-09-13	785-09-14	785-09-15

Arrow T-50 Heavy Duty Staple Gun and Staples



Decorating Supplies
















SITE EQUIPMENT | BUILDING SUPPLIES


Pas

SITE FIXINGS

FOR THE FULL RANGE OF SITE FIXINGS PLEASE CONTACT OUR SALES TEAM

SALES@TIGER-SUPPLIES.CO.UK










About Access Equipment

Access equipment is a sensible and practical option for low risk tasks when working at height. The important thing is to make sure you use the right type of access equipment and you know how to use it safely. All equipment should be used by a competent person in its erection, use, dismantling and operation for the safety and wellbeing of everyone nearby.

TYPES OF ACCESS EQUIPMENT



TIPS FOR WORKING AT HEIGHT VIA ACCESS


- Eliminate risk of falls by selecting the right equipment
- Where the risk of fall can't be eliminated, use other means or equipment to minimise the falling distance and consequences, should one occur (fall arrest PPE etc.)
- Plan how to complete the task safely before ascending access equipment
- Ensure the task is completed by a competent person
- Ensure that the task is supervised

HOW TO SAFETY CHECK LADDERS

For the user's safety, a "pre-use" check should be carried out on any ladder:


- By the user;
- At the beginning of the working day;
- After something has changed, e.g. a ladder has been dropped or moved from a dirty area to a clean area (check the state or condition of the feet).

WHAT SHOULD BE CHECKED FOR DAMAGE?










5 Tread Fibreglass Step Ladder



- 3m x 7.1m



GRP Heavy Duty Trade Step Ladder

Offers a long lifespan and excellent build quality

Non conductive fibreglass stiles, ideal for working around electricity

"H-spreaders" offer single handed operation and adds strength and stability

Slip resistant treads and feet

Generous 298mm aluminium tread pitch

Duty rating 110kg (materials and user)

Non conductive to 25,000 volts

Complete with an integral tool tray

Approved to EN131

PRODUCT OPTIONS

4 Tread 6 Tread 8 Tread 710-02-93 710-02-94 710-02-95

Extension Ladder

- Exceptional torsional rigidity premium quality industrial grade ladder
- Made from aluminium, it combines rugged strength and durability with unrivalled sturdiness and rigidity
- Extra large slip resistant feet provide additional safety

Push up operation

Large wall wheels for easy ladder extension

- Wrap around top clips have smooth glide
- Nylon runners which reduce wear and tear
- Duty rating 130kg and maximum static vertical load 175kg
- Rubber serrated feet tagged into end of stile
- Approved to BS 2037:1994 Class 1 (British standard for trade ladders)

PRODUCT OPTIONS - 2 Section Ladders










Trade Extension Ladder



- Made from lightweight aluminium and built to last
- Push up operation
- High performance box section alloy stiles
- Wrap around top clips have smooth glide nylon runners
- Duty rating 110kg (materials and user)
- Sections interlocked by top and bottom clips
- Rubber serrated feet tagged into the end of stiles
- Slip resistant square rungs (30mm sq) ends expand into riveted sides
- Available in 2 or 3 sections
- Approved to EN131

PRODUCT OPTIONS - 2 Section Ladders

2.5m - 3.95m	3.08m - 5.11m	3.66m - 6.27m
710-02-96	710-02-97	710-02-98
4.24m - 7.43m	4.82m - 8.59m	5.40m - 9.75m
710-02-99	710-03-01	710-03-02

RODUCT OPTIONS - 3 Section Ladders			
	2.50m - 5.69m 710-03-03	3.08m - 7.43m 710-03-04	
	3.66m - 9.17m 710-03-05	4.24m -10.91m 710-03-06	

Telescopic Extendable Ladder - 3.8m



- required height Max load of 150kg
- Dimension, Open (H) 3800mm
- (W) 440mm, Closed (H) 870mm x (W) 470mm
- Built to GPSD & EN131-1, EN131-3 & EN131-3 & EN131-6 for soft close action




PRODUCT INFORMATION Product Shown 710-03-83

Double Extension Ladder - 3m x 5.1m









Can be padlocked for extra security Fits ladder sections up to 380mm wide Can secure up to three 2 - section or two 3 - section ladders Threaded hook offers approximately 270mm of adjustment PRODUCT INFORMATION Product Shown 710-03-17 Ladder Tags - Box of 10 710-03-90 A robust and highly visible set of tags Ø Helps you to comply with legislative requirements and good practices Inspecting and maintaining equipment at suitable periods as deemed appropriate by a risk assessment Dimensions 356mm x 91mm (Holder) and 208mm x 85mm (Insert) Contents include, 10 holders, 10 inserts and 1 pen PRODUCT INFORMATION Product Shown 590-05-98 Ladder Tag Inserts - Single Single replacement insert for ladder inspection tags Designed to operate alongside Ladder Tag holder

PRODUCT INFORMATION

Product Shown

Aluminium Workstand - 600mm x 600mm

600mm x 600mm

square work platform

Lightweight but very

work platform

and windows

Product Shown

sturdy aluminium folding

Ideal working height of

500mm (20") when

carrying out painting,

PRODUCT INFORMATION

Ensures safe and easy transportation of most ladders on motor vehicles

Reduces the risk of theft

and frees up interior vehicle space

Ladder Rack Clamp Set

wallpapering and preparation work on ceilings, walls

710-03-91

590-05-99

Ideal for preparation, painting, wallpapering

A low level general purpose access platform
Duty rating (maximum safe working load - user and tools) 110kg
Maximum static vertical load 150kg
Compact - folds for easy storage and transportation
Broad base and splayed legs for stability
Platform height 0.51m

Lifting Equipment





📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 🛛 sales@tiger-supplies.co.uk

SITE SECURITY PRODUCTS





5 LEVER

PADLO

温

LOCKS






About Site Security

The UK construction industry is a multi million pound industry. UK based insurance companies revealed that theft alone accounts for over 800million pounds of insurance pay outs. Theft of vehicles and machinery is a prime target for criminals as well as metal with over 7,000 metal related crimes per month.

Over 90% of burglaries go unsolved which means without the correct security in place the chance of getting your property back is very slim. Adapting your security plans and implementing new tactics and techniques increases the chance of your site or property to be safe from thieves.

CONSTRUCTION SITE SECURITY TIPS

A range of techniques are available to customers to improve site security for example, purchasing CCTV, utilising high security padlocks and using high quality fencing.















STANDARD

I AMINATED

COMBINATION

ARMOURED BOLT

PADLOCK MATERIALS

Brass: Padlocks are more durable than plastic but are not as tamper resistant as heavier steel padlocks. However, they do hold up to the elements and are often used as an inexpensive, weather resistant light security lock.

Stainless steel: Like solid steel locks, these are very durable locks but stainless steel generally holds up to the elements better than solid steel.

Titanium: Extremely durable metal resists corrosion and is lightweight in comparison to solid and stainless steels. These are typically used in higher security applications.

Solid steel/case hardened steel: Padlocks are very durable, cut resistant materials. These types of locks are typically used in higher security applications and are often chrome or zinc plated to help resist corrosion.





Padlocks and Chains









High Security Heavy Duty Sleeved Chain - 1m



SECURITY PRODUCTS EQUIPMENT | SITE

Security Chain & Bolt Lock in

845-16-94



ABUS Container Lock ABUS Granit Floor Anchor ConLock Granit 215/100 VdS Fits most common transport and storage containers Can also be used for sliding doors, gates and truck wings Anchor to secure valuable bikes and equipment in garages, cellars, carports and public areas Manufactured from extremely resistant steel with a superior welding technology Shackle made from hardened steel Completely corrosion resistant Weatherproof for indoor or outdoor installation Comes complete with a CEN5 approved Granit padlock Complete with fixings **PRODUCT INFORMATION PRODUCT INFORMATION** 845-17-02 **Product Shown Product Shown** 845-17-03 **ABUS Wall Anchor** Internal Security Mirror Vandal-resistant acrylic mirror, ideal for shops and warehouses Superior optical quality 1.5mm acrylic face Grey PVC protective edge and plastic backing Anchor to secure valuable bikes and equipment in garages, cellars, carports and public areas Heavy duty zinc plated fixings included for wall mounting Shackle made from hardened steel Viewing Distances: Weatherproof for indoor or outdoor installation 845-17-06 - 10metres; 845-17-07 - 13 metres Complete with fixings PRODUCT OPTIONS

845-17-04

PRODUCT INFORMATION

Product Shown

450mm Diameter

845-17-06

600mm Diameter

845-17-07



Metal Key Cabinet



- Powder coated steel cabinet supplied with 2 access keys
- Includes a sheet of numbered labels and screw fixings for mounting the cabinet to a wall

Tags sold separately

- Dimensions: **40 Key Cabinet** 200mm (H) x 160mm (W) x 80mm (D)
- **60 Key Cabinet** 250mm (H) x 180mm (W) x 80mm (D)

93 Key Cabinet 300mm (H) x 240mm (W) x 80mm (D)

60 Key

845-16-50

93 Key

845-16-51

PRODUCT OPTIONS

40 Key	
845-16-49	

Jailers Ring - 150mm



<section-header>

Standard Key Tags - Pack of 100



SECURITY PRODUCTS EQUIPMENT SITE

Wireless CCTV Surveillance Kits









3D Cell Rubber Torch



SECURITY PRODUCTS Ш EQUIPMENT SI



E. a Life Batteries

		Radio Set	
AGFAPHOTO Heavy Duty Premium	AGFAPHOTO y Duty Premium	Up to 5km range, compact design without compromising communication range	Scales Sc
AGFA-MOTO Heavy Day Internation () Kerteney Lity	AGFA Heavy Duty Premium AGFA Heavy Duty Premium	Roger beep to confirm indication of when its clear to talk	
Heavy Duty	AUTA Mayo Day Prentan AUTA Mayo Day Prentan Mayo Day Prentan	Power saving circuitry, unique circuit design extends battery life when not transmitting or receiving	
	innere ingel folder	Call alert provides a recognisable alert	for incoming
AAA RO3	AGFAPHOTO	Micro USB Charging - rechargeable b charged inside the radio	oatteries can b
More Designed	AGFA	PRODUCT INFORMATION Product Shown	825-12-9
AGFA	Heavy Duty Promium Cital Ben 137 Heavy Duty Promium Heavy Duty Promium Cital Ben (159	AA Rechargeable Batteri	
Heavy Duty CO	(Duty	(LY0110) - Pack of 4	
E-Blo W27/19		4 x longer lasting	
Long life batteries Heav	AGFAPHOTO You Duty Premium	Can be recharged up to 1000 times great for digital product use	2016 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -
of popular sizes For use in a variety of electrical products	AGFA- Have Duty Freman	Accu Ready – precharged means ready to use straight from the pack	adurpay adurpay adurpay adurpay
of electrical products		Added benefit of an extended lifespa	an once recha
Heavy	Duty (Duty	PRODUCT INFORMATION	
PRODUCT OPTIONS		Product Shown	845-16-8
Pack of 2 Pack of 4	AAA Batteries Pack of 4	AAA Rechargeable Batte	eries
845-16-26 845-16-26 C Batteries 9V B Pack of 2 Pac		(LY0009) - Pack of 4 4 x longer lasting	4000 AD
845-16-26 845-16-26 C Batteries 9V B Pack of 2 Pac	Pack of 4 845-16-26 atteries ck of 1	(LY0009) - Pack of 4	4000 AD
845-16-26 845-16-26 C Batteries 9V B Pack of 2 Pac 845-16-25 845	Pack of 4 845-16-26 atteries ck of 1	(LY0009) - Pack of 4 4 x longer lasting Can be recharged up to 1000	4000 AD
845-16-26 845-16-26 C Batteries 9V B Pack of 2 Pac 845-16-25 845 6v Battery PJ996 6v Heavy Duty Battery	Pack of 4 845-16-26	 (LY0009) - Pack of 4 4 x longer lasting Can be recharged up to 1000 times great for digital product use Accu Ready - precharged means ready to use straight 	
845-16-26 C Batteries 9V B Pack of 2 Pac 845-16-25 845 6V Battery PJ996 6v Heavy Duty Battery each sold singly	Pack of 4 845-16-26	 (LY0009) - Pack of 4 4 x longer lasting Can be recharged up to 1000 times great for digital product use Accu Ready - precharged means ready to use straight from the pack 	
845-16-26 845-16-26 C Batteries 9V B Pack of 2 Pac 845-16-25 845 6v Battery PJ996 6v Heavy Duty Battery	Pack of 4 845-16-26	 (LY0009) - Pack of 4 4 x longer lasting Can be recharged up to 1000 times great for digital product use Accu Ready - precharged means ready to use straight from the pack Added benefit of an extended lifespand 	
845-16-26 845-16-26 C Batteries Pack of 2 845-16-25 9V B Pack 845 6v Battery 845 PJ996 6v Heavy Duty Battery each sold singly 845 Long lasting powerful battery for use with hazard lighting and security torches 845	Pack of 4 845-16-26	 (LY0009) - Pack of 4 4 x longer lasting Can be recharged up to 1000 times great for digital product use Accu Ready - precharged means ready to use straight from the pack Added benefit of an extended lifespatient PRODUCT INFORMATION Product Shown 	ALLOYTRO
845-16-26 845-16-26 C Batteries Pack of 2 845-16-25 9V B Pack 845 6v Battery 845 PJ996 6v Heavy Duty Battery each sold singly 845 Long lasting powerful battery for use with hazard lighting 845	Pack of 4 845-16-26	 (LY0009) - Pack of 4 4 x longer lasting Can be recharged up to 1000 times great for digital product use Accu Ready - precharged means ready to use straight from the pack Added benefit of an extended lifespation PRODUCT INFORMATION Product Shown 	ALLOYTRO
845-16-26 845-16-26 C Batteries Pack of 2 845-16-25 9V B Pack 845 6v Battery 845 9 90 B PJ996 6v Heavy Duty Battery each sold singly 90 B Long lasting powerful battery for use with hazard lighting and security torches 90 B PRODUCT INFORMATION 90 B Product Shown 90 B	Pack of 4 845-16-26 atteries ck of 1 5-16-26	 (LY0009) - Pack of 4 4 x longer lasting Can be recharged up to 1000 times great for digital product use Accu Ready - precharged means ready to use straight from the pack Added benefit of an extended lifespation PRODUCT INFORMATION Product Shown 	ALLOYTRO CULOYTRO Concertant Ready to Use an once rechart 845-16-8
845-16-26 845-16-26 C Batteries Pack of 2 845-16-25 9V B Pack 845 6V Battery 845 PJ996 6v Heavy Duty Battery each sold singly 845 Long lasting powerful battery for use with hazard lighting and security torches 845	Pack of 4 845-16-26 atteries ck of 1 5-16-26	 (LYOOO9) - Pack of 4 4 x longer lasting Can be recharged up to 1000 times great for digital product use Accu Ready - precharged means ready to use straight from the pack Added benefit of an extended lifespation Added benefit of an extended lifespation PRODUCT INFORMATION Product Shown AAA, AAA, 9v Battery Charger (LYO460) Charges up to 2 AA's or 4 AAA's and one 9v battery Plugs into any standard 	ALLOYTRO CULOYTRO Concertant Ready to Use an once rechart 845-16-8
845-16-26 845-16-26 C Batteries 9V B Pack of 2 Pack 845-16-25 845 6v Battery PJ996 6v Heavy Duty Battery each sold singly Long lasting powerful battery for use with hazard lighting and security torches PRODUCT INFORMATION Product Shown Classic Big Thunderer	Pack of 4 845-16-26	 (LYOOO9) - Pack of 4 4 x longer lasting Can be recharged up to 1000 times great for digital product use Accu Ready - precharged means ready to use straight from the pack Added benefit of an extended lifespation PRODUCT INFORMATION Product Shown AAA, AAA, 9v Battery Charger (LYO460) Charges up to 2 AA's or 4 AAA's and one 9v battery 	ALLOYTRO CULOYTRO Concertant Ready to Use an once rechart 845-16-8
845-16-26 845-16-26 C Batteries Pack of 2 845-16-25 9V B Pac 845 6V Battery 945-16-25 9V Battery 945-16-25 9096 6v Heavy Duty Battery 945-16-25 90 Jong lasting powerful bat	Pack of 4 845-16-26	 (LYOOO9) - Pack of 4 4 x longer lasting Can be recharged up to 1000 times great for digital product use Accu Ready - precharged means ready to use straight from the pack Added benefit of an extended lifespation of the pack Added benefit of an extended lifespation of the pack Added benefit of an extended lifespation of the pack Added benefit of an extended lifespation of the pack Added benefit of an extended lifespation of the pack Added benefit of an extended lifespation of the pack Added benefit of an extended lifespation of the pack Charges up to 2 AA's or 4 AAA's and one 9v battery Plugs into any standard wall socket 	ALLOYTRO CULOYTRO Concertant Ready to Use an once rechart 845-16-8
845-16-26 845-16-26 C Batteries Pack of 2 845-16-25 9V B Pack 945-16-25 6v Battery PJ996 6v Heavy Duty Battery each sold singly Long lasting powerful battery for use with hazard lighting and security torches PRODUCT INFORMATION Product Shown Classic Big Thunderer - Polycarbonate constructio with a bite resistant casing Gives a loud, deep tone ideal for	Pack of 4 845-16-26	 (LYOOO9) - Pack of 4 4 x longer lasting Can be recharged up to 1000 times great for digital product use Accu Ready - precharged means ready to use straight from the pack Added benefit of an extended lifespation of the pack Added benefit of an extended lifespation of the pack Added benefit of an extended lifespation of the pack Added benefit of an extended lifespation of the pack Added benefit of an extended lifespation of the pack Added benefit of an extended lifespation of the pack Added benefit of an extended lifespation of the pack Added benefit of an extended lifespation of the pack Charges up to 2 AA's or 4 AAA's and one 9 v battery Plugs into any standard wall socket Charging LED'S 	ALLOYTRO CULOYTRO Concertant Ready to Use an once rechart 845-16-8

Warning and Measuring Devices



Van Vaults

Van Vault Mobi

Made from 1.5mm sheet steel Includes a dual locking 70mm disc lock and lid Secure vault with integrated single pin hinges and a solid lock 'lid stay' system VAN VAULT Fully coated with a phosphated anti corrosion coating Dimensions: 780mm (L) x 450mm (W) x 380mm (H) Weight empty, 28kg **PRODUCT INFORMATION** Product Shown 820-12-14 Made from 2mm sheet steel Includes a 70mm disc lock and low visibility matt black lid with a fully phosphated anti corrosion coating A secure high tensile storage box suitable for any

Van Vault 2

- commercial vehicle
- Excellent security is provided by an integrated single pin hinge and solid lock 'lid stay' system
- Dimensions: 920mm (L) x 555mm (W) x 490mm (H)
- Weight empty, 46kg

PRODUCT INFORMATION	
Product Shown	820-12-15

1 1 VAN VAULT VIIII VAN VAULT

۲

VAN VAULT

Outback Van Vault



Armorgard Site Storage








Armorgard Strongbank[™] - SB1



- Robust constructed tool safe
- 3mm heavy duty steel plate throughout
- Deadlocks both sides with chubb-style keys
- Strong gas struts
- Reinforced lid including corner brace for extra security
- Unique external and internal anti-jemmy systems
- Weight, 59kg
- Dimensions, (W) 1030mm x (D) 565mm x (H) 480mm

PRODUCT INFORMATION	
Product Shown	820-12-35

Armorgard Tuffbank[™] - TB1



Armorgard Strongbank[™] - SB2



 3mm heavy duty steel plate throughout Deadlocks both sides with chubb-style keys Strong gas struts Reinforced lid including corner brace for extra security Unique external and internal anti-jemmy systems Weight, 98kg Dimensions, (W) 1310mm x (D) 690mm x (H) 665mm 	Pr	oduct Shown	820-12-36
 3mm heavy duty steel plate throughout Deadlocks both sides with chubb-style keys Strong gas struts Reinforced lid including corner brace for extra security Unique external and internal anti-jemmy systems Weight, 98kg 	PR	ODUCT INFORMATION	
 3mm heavy duty steel plate throughout Deadlocks both sides with chubb-style keys Strong gas struts Reinforced lid including corner brace for extra security Unique external and internal anti-jemmy systems 		Dimensions, (W) 1310mm x (D) 690mr	m x (H) 665mm
 3mm heavy duty steel plate throughout Deadlocks both sides with chubb-style keys Strong gas struts Reinforced lid including corner brace for extra securit 		Weight, 98kg	
3mm heavy duty steel plate throughoutDeadlocks both sides with chubb-style keysStrong gas struts		Unique external and internal anti-jemm	iy systems
3mm heavy duty steel plate throughout Deadlocks both sides with chubb-style keys		Reinforced lid including corner brace f	or extra security
3mm heavy duty steel plate throughout		Strong gas struts	
		Deadlocks both sides with chubb-style	keys
		3mm heavy duty steel plate throughou	ıt
Robust constructed tool safe		Robust constructed tool safe	


Armorgard Tuffbank™ - TB12







Armorgard Flambank[™] - FB1





flambank"



Armorgard Flambank[™] - FB2

- Ultra-tough lockable vault for storing hazardous chemicals and flammables
- 30 minute fire resistance
- Deadlocks both sides with chubb-style keys
- Strong gas struts
- High and low level ventilation to prevent build up of fumes
- Weight, 82kg
- Dimensions, (W) 1275mm x (D) 665mm x (H) 660mm

PRODUCT INFORMATION	
Product Shown	820-12-32

Armorgard Flambank[™] - FBC4 Ultra-tough lockable vault for storing hazardous chemicals and flammables 30 minute fire resistance Deadlocks both sides with chubb-style keys Strong gas struts High and low level ventilation to prevent build up of fumes Weight, 153kg Dimensions, (W) 1275mm x (D) 675mm x (H) 1270mm



Armorgard Powerstation[™] - PWS6

Secure powered locker for safe and segregated battery charging and storage

- 6 separate compartments with individual locks
- Double socket in each compartment
- Perforated for ventilation and visibility
- Unit complete with 230v RCD breaker
- Weight, 27kg

3 point locking

Bright zinc finish

Dimensions, (W) 300mm x (D) 450mm x (H) 1800mm










Workwear Lockers

Top compartment used for serviced laundry items. Only user access to personal compartments Hanging compartment plus shoe storage Lock options Sloping top option

MANY LOCKER STYLES AVAILABLE ENQUIRE TODAY!



Vehicle Support





AGRICULTURAL







Pressure Washers

Karcher HD High Pressure Washer - Cold Water

KÄRCHER

- Integrated carrying handle, compact design & lightweight enable easy loading and transportation
- Large ergonomic carry handle and sculpted sides make carrying easy
- Vertical and horizontal operation possible allowing the user to choose the best position for each individual job
- Can be used horizontally, reducing the risk of tipping during use and offering maximum stability
- High quality trigger gun offers soft-start operation, protecting components on start-up of machine
- Built-in storage to store nozzles and lance securely
- Short gun and long lance enable the fitting of many accessories
 - 110v power supply for safe site use
- Compatible with quick release system for fast accessory changeover

PRODUCT OPTIONS

HD 4/9 110v 800-10-97 HD5/11 230v 800-10-98








Hoses and Accessories





EQUIPMENT | AGRICULTURA











Water Saving

PRODUCT INFORMATION

Rainsaver Water Butt - 100 Litre

- Supplied complete with stand, rain diverter and tap
- Compact rain saver kit ensures collection of rain water for using in the garden or houseplants
- Slim line design is ideal for using in gardens where space is limited
- Use downpipe diverter for increased effectiveness when collecting water
- Manufactured from 100% recycled plastic, making it a truly economically friendly product





Water Butt - 350 Litre

- Supplied complete with childsafe lid and standard hose connector tap
- Suited to sizeable gardens
- Manufactured from at least 75% recycled content
- Dimensions, 780mm (Dia) x 1200mm (H)

PRODUCT INFORMATION
Product Shown



Water Butt - 200 Litre Supplied complete with a child safe locking lid and a tap Durable water butt with a ribbed plastic design for added strength Rain diverter kit and water butt stand are both sold separately Dimensions, 680mm (Dia) x 900mm (H) x 1230mm (H with Stand) **PRODUCT INFORMATION** Product Shown 305-01-86

364

305-02-18

Water Butt Down Pipe Kit

- Kit supplied with a down pipe clamp and rain water feed tube
- Made from a flexible UV stabilised polyurethane
- To suit 100, 200 and 350 litre water butt

PRODUCT INFORMATION	
Product Shown	305-01-71





Water Butt Stand

- Strong moulded polyurethane stand
- Capable of supporting a overfilled water butt
- For use with 100 and 200 litre water butt

PRODUCT INFORMATION Product Shown

305-01-72

Green Composter c/w Lid - 220 Litre

- Compost converter is strong, simple and rigid in construction
- Extra wide hatch allows for easy removal of finished compost
- Push fit wind proof lid
- Made from recycled plastic
 - Dimensions, 740mm (Dia) x 900mm (H)

PRODUCT INFORMATION Product Shown





305-01-87



Bins, Bags and Buckets

Wheelie Bin



Made from high density polyethylene (HDPE)

Dimensions:

120Litre: 935mm (H) x 480mm (W) x 560mm (D) 240 Litre: 1065mm (H) x 580mm (W) x 735mm (D) 660 Litre: 1160mm (H) x 1370mm (W) 770mm (D) 1,100 Litre: 1385mm (H) x 1380mm (W) 1045mm (D)

PRODUCT OPTIONS

120 Litre Black	120 Litre Green
305-01-94	305-02-14
240 Litre Black	240 Litre Green
305-02-15	305-01-98
660 Litre Green	1,100 Litre Green
305-01-96	305-01-97



Plastic Dustbin with Lid Plastic Heavy Duty Dustbin with Lid - 95 Litre - 80 Litre Robust, large capacity bin complete General with a tight sealing rubbish bin complete waterproof lid with a tight Manufactured sealing waterproof lid from HDPE plastic with twin moulded handles for ease of movement Manufactured from polyethylene with twin moulded Easy to empty and clean handles for easily handling Max capacity, 80 litre Max capacity, 95 litre PRODUCT INFORMATION **PRODUCT INFORMATION Product Shown** 305-02-06 305-02-07

Product Shown

Tuff Tub







36" x 48" Asbestos Bag - Red and Clear

- External asbestos removal bag with a 30kg capacity
- For use with clear asbestos removal bags to remove hazardous asbestos material

PRODUCT OPTIONS

Red Clear 330-04-13 330-04-14

Polypropylene Sandbag 30" x 13"



- Polypropylene sandbags resist splitting when being filled
- Helps to provide a watertight barrier when filled with sand
- Size, 680 x 340mm

Builders Bag

PRODUCT INFORMATION Product Shown

A CONTRACTOR OF CONTRACTOR OF

Hessian Sandbags 30" x 13"




Size, 680 x 320mm

PRODUCT INFORMATION	
Product Shown	330-04-16

Rubble Sacks 20 x 30" - Box of 100




330-04-11






Drain Equipment







372

Wheelbarrows







Floor Protection

Protecta Board[™]



- A fluted polypropylene for multi surface impact protection
- Extremely versatile, it can be cut, formed and shaped to protect even the most unusual of surfaces
- Can be used in many protection applications across the construction process
- Constructed to provide excellent impact protection
- Various thicknesses are available from stock
- 100% waterproof, holds spills and protects against wet foot traffic
- Flame Retardant option to meet requirements of the Joint Code of Practice issue 9
- Full customisation service available

Protecta Board™ - 2.4m (L) x 1.2m (W)	2mm (D)	3mm (D)	4mm (D)
Standard - Black	106-042	106-034	106-038
Standard - Translucent	106-046	n/a	n/a
Flame Retardant (LPS1207) - Black	130-318	n/a	n/a
Flame Retardant (LPS1207) - White	106-076	106-016	106-018

	2mm (D)
Standard - Black	106-050

Protecta Board™ Rolls - 1m (W) x 50m (L)	2mm (D)	3mm (D)
Standard Roll - Black	106-008	106-010
Flame Retardant (LPS1207) Roll - White	106-004	n/a





Protecta Carpet[™] - Standard



- Adhesive carpet protection film
- Quickly applied using either a Protecta Carpet™ Dispenser or by hand
- Doesn't ruck or travel, avoiding trip hazards
- Adhesive wont transfer to the carpet upon removal
- Puncture and tear resistant
- Can be swept or vacuumed prior to removal which avoids the spread of contamination
- Protecta Carpet[™] is only suitable for use on carpet
- Flame Retardant option to meet requirements of the Joint Code of Practice issue 9 (carpet flammability)

Protecta Carpet™ - Heavy Duty

- Details as per Protecta Carpet Standard™ but 65% thicker for longer lasting carpet protection
- Provides greater protection for your working environment

PRODUCT OPTIONS

600mm x 25m 103-014

600mm x 50m 103-016 1200mm x 50m 103-018



P	RODUCT OPTIONS		
	600mm x 100m 103-020	600mm x 25m 103-022	
-	800mm x 100m 103-024	1200mm x 100m 103-026	



Protecta Carpet™ - Dispenser

- Hand held roller dispenser with a long handle
- Allows Protecta Carpet™ to be quickly applied to floors with ease

PRODUCT OPTIONS 600mm 103-012

1200mm 103-010




Carpet Safe FR[™] - 600mm x 100m

Reverse wound flame retardant adhesive carpet protection film Embossed surface provides excellent slip resistance Rolled out smoothly and easily by hand Doesn't ruck or travel, avoiding trip hazards 100% waterproof Puncture and tear resistant Can be swept or vacuumed prior to removal which avoids the spread of contamination Flame Retardant option to meet requirements of the Joint Code of Practice issue 9

PRODUCT INFORMATION Product Shown


103-006

Protecta Shield[™] - 1.82m x 55m





Breather-Poly FR[™] - 1m x 100m



- Specially designed for use on newly laid floors allowing the floor to breathe
- Flame Retardant to meet requirements of the Joint Code of Practice issue 9
- Custom printing available, we can add your company logo and contact details

PRODUCT INFORMATION

123-004





- A floor protection film specially granulated to give a non abrasive, anti slip surface
- Simply roll out, cut to length and join with tape where required
- Granulated material creates an excellent anti slip surface
 - Puncture and tear resistant

Waterproof so provides a complete barrier against spills and wet foot traffic

PRODUCT INFORMATION Product Shown

104-024

Protecta Floor™

- Slip resistant 'floor hugging' backing ensures it stays in place providing you with an unequalled level of protection in a 'roll out' product
- Simply roll out, smooth into place and trim
- Requires no additional taping or fixing
- Thick fibre layer creates excellent impact protection
- 100% water resistant, holds spills and protects against wet foot traffic
- When cleaned can be rolled up and reused time and time again
- Supplied in medium, heavy and extra heavy duty grades

PRODUCT OPTIONS - 150 g	jauge - Medium
1m x 25m 105-008	1m x 50m 105-010
PRODUCT OPTIONS - 300	
1m	x 25m

105-012

PRODUCT OPTIONS - 500 gauge - Extra Heavy Duty

1m x 25m 105-016

Multi Guard[™] - 1m x 25m

One of the most versatile temporary protection products on the market
 Self-adhesive, hard wearing material, created from nonwoven synthetic fibres
 Protects floors, internal windows, internal walls, doors, ceiling and stairs
 A self-adhesive residue-free PE film is applied to the underside to keep Multi-Guard[™] in place
 When cleaned can be re-rolled and reused numerous times
 Made from 100% recycled packaging and can be completely recycled after use **PRODUCT INFORMATION Product Shown 107-004**










Recyclo Card[™]





104-032

PRODUCT INFORMATION Product Shown - 1.25m x 40m

Floor Card

- Used widely throughout the house building industry to protect most surfaces Ideal for protecting newly laid screed floors as it will allow the floor to breathe during the curing process
- Provides an excellent anti slip surface
- Water resistant, durable and provides outstanding impact protection
- Simply roll out, trim where necessary and tape all joints
- Secure using the appropriate adhesive tape
- Strong and durable once in place, will provide excellent protection
- Safe to use on finished surfaces

PRODUCT OPTIONS - Standard - 1m x 100m 1m x 100m 116-028


PRODUCT OPTIONS - Heavy Duty - 1m x 50m 1m x 50m 116-054

Building Paper - 900mm x 220m

- Building paper supplied in rolls
- Provides protection from dust and foot traffic
- Keeps floor clean ready for hand over

PRODUCT INFORMATION Product Shown

795-10-72







Protecta Fleece[™] - Standard - 1m x 50m

- A waterproof, impact resistant 'roll out' self adhesive protection material
- Simply roll out, smooth into place and trim
- Stays securely in place, does not require tape or additional fixing
- Being self adhesive, once applied Protecta Fleece™ doesn't ruck or travel
- Special technology ensures that the adhesive remains on the product and doesn't transfer to the protected surface upon removal
- Thick fibre layer creates excellent impact protection
- 100% waterproof, holds spills and protects against wet foot traffic

PRODUCT INFORMATION
Product Shown



Protecta Fleece[™] - Flame Retardant - 1m x 50m

108-008

- As Protecta Fleece™ Standard
- BS2782: Part 1: Method 141: 1986 EN2825 & EN2826
- Flame Retardant to meet requirements of the Joint Code of Practice issue 9



Protecta Fleece™ - Breathable - 1m x 50m

108-004

As Protecta Fleece™ - Standard
A breathable, water and impact resistant 'roll out' protection material

PRODUCT INFORMATION

Product Shown

Specially designed for use on newly laid floors allowing the floor to breathe


PRODUCT INFORMATION
Product Shown 123-002



ENT | TEMPORARY PROTECTION

Protecta Mat[™] - Heavy Duty - 600 x 900mm





Will remove heavier 'contamination' even if damp

Significantly reduces 'clean up' time

Creates an excellent image and obvious duty of care to your client



Coco Door Mat



PRODUCT INFORMATION Product Shown

Protecta Mat[™] - Standard - 1150 x 450mm



- A tacky, dust removing mat which prevents dry debris from being walked or wheeled into a sensitive area
- Each mat has 30 pressure sensitive tacky sheets which are easily replaced by peeling away when each one becomes 'full'

Simply remove the protective layer and press into place

- Low profile mat enables door when opened to pass over it without any hindrance
- Significantly reduces 'clean up' time
- Creates an excellent image and obvious duty of care to your client



PRODUCT INFORMATION Product Shown 117-012

Rubber Door Mat



EQUIPI

117-002

795-10-02



Interior Protection

Flame Retardant Door Sleeves - Pack of 20



- Provides instant protection against scratches, dust, dirt, paint and mortar splashes
- Simply slide over the door and cover remains in place
- Fits all standard door sizes
- Sealed on three sides thus completely enveloping the door
- Flame Retardant to meet requirements of the Joint Code of Practice issue 9

114-012

Full customisation service available

PRODUCT INFORMATION Product Shown

Protecta Door™



Foam Jamb Guard[™] FR - 2000mm

- Foam Jamb Guard™ FR is a high impact foam profile that provides exceptional protection from accidental collisions
- Designed to fit most jamb widths and heights it is very quickly applied by simply pushing into place
- Can be cut to length and is also completely reusable
- Completely non marking and in most cases requires no additional taping or fixing.
- Flame Retardant to BS 476, Part 12 : 1991 No ignition source A & B.



102-002

PRODUCT INFORMATION
Product Shown

Door Protection Sheets



Product Shown

795-10-53

TEMPORARY PROTECTION EQUIPMENT

Protecta Stair™ Universal



- A versatile impact protector which can be cut and shaped to required size to suit all types of stairs
- Constructed from fluted polypropylene it provides excellent protection to the riser, nosing and going of stairs
- Simply push into place over the stair and nosing, pin or tape into place
- 100% waterproof, holds spills and protects against wet foot traffic
- Completely reusable, move from plot to plot, site to site
- 1.2m x 200mm x 200mm

PRODUCT INFORMATION Product Shown

Joinery Protector





113-017

- A completely versatile, high impact protection foam
- Designed for the protection of newel posts, handrails, spindles, and all sensitive fixtures and fittings
- Grips simply by pushing into place
- Requires no additional taping or fixing and easily cut to size
- Thick foam construction gives excellent impact protection Easily stored and reusable

PRODUCT OPTIONS

Small 9mm x 22mm x 2m 102-008 Large 13mm x 114mm x 2m 102-006

Protecta Stair™ Square Nosing



- An anti slip, PVC, reusable profile for the protection of square nosed stairs
- Securely fixed by pinning or taping
- Provides excellent protection whilst providing a safe surface to walk upon
- Push into place over the stair and nosing
- Special 'ribbed' profile provides excellent grip
- Hard wearing PVC provides excellent protection
- 100% waterproof, holds spills and protects against wet foot traffic
- Completely reusable, move from plot to plot, site to site
- 760mm (L) x 185mm (D)

PRODUCT INFORMATION Product Shown

113-016

Foam Hand Rail Protection



- Specially created impact resistant foam protector which self grips to handrails
- Quickly applied, by simply clipping into place
- Requires no additional taping or fixing
- Thick foam profile prevents impact damage
- Keeps handrails clean for final coating
- Product is completely reusable

PRODUCT OPTIONS

35mm - 45mm x 2m	60mm - 80mm x 2m
115-008	115-010



Protecta Cover™ - 2m x 3m



- Protects against light impact, dust and dirty marks
- Protects against impact damage
- Easily removed for repeated use, machine washable
- Non abrasive soft touch finish masking it ideal for use on sensitive surfaces

Product Shown		126-080
Polythene Sheeting • 4m x 25m		
Heavy duty pol	ythene sheeting	
	ythene sheeting r many protection pu	rposes
Can be used fo	r many protection pu revent the passage of	
Can be used fo Also used to pr floors from bel	r many protection pu revent the passage of	damp in concrete
Can be used fo Also used to pr floors from belo	r many protection pu revent the passage of ow ground rting also available in a	damp in concrete

Protecta Wall Film[™] - 2.1m x 30m



- A low tack self adhesive strip which can be applied to the top of any surface
- Lightweight film which will offer a general purpose protection to your doors, windows and walls
- Can leave in place for up to 3 week with no risk of residue
- Hangs to the surface without the need of any additional fixing

127-015

116-044

PRODUCT INFORMATION Product Shown


TPS Protection Polythene - 4m x 25m



Can easily be transported from site to site

PRODUCT INFORMATION Product Shown

Cotton Dust Sheets - 12' x 9'



Protect many surfaces from paint and dust etc Ideal when decorating or carrying out DIY work Made from hardwearing cotton twill Stable under normal condition


PRODUCT INFORMATION Product Shown

Foam Corner Protection - 50mm x 50mm x 2m



130-305

Laminated Dust Sheet - 3.6m x 2.7m



- Laminated non woven dust sheet
- Lightweight and has a double protection offering protection against spills and dust
- They are tear resistant and easy to clean so you can reuse

PRODUCT INFORMATION

Product Shown


130-006

Cardboard Corner Protection - 50mm x 50mm x 2m









386

Exterior Protection





A self-adhesive temporary glass protection film

Will save not only on replacement glass costs but will also significantly reduce your clean up time

- Can be applied by either hand or with our specially designed applicator
- Once smoothed into position Protecta Window™ will not 'fall away'
 - Specially formulated adhesive will not leave residue
 - UV Protected, safe to use both internally and externally

PRODUCT OPTIONS

600mm x 100m - Blue 111-008 600mm x 100m - Clear 111-010

Stone Sill Protector



- it's protecting
- Super thick foam protects against all types of site damage
- 100% reusable, move from plot to plot, site to site

PRODUCT INFORMATION Product Shown



Protecta Window[™] Dispenser

- A purpose made dispenser enabling quick and easy application of Protecta Window™
- Complete with shoulder strap

PRODUCT INFORMATION	
Product Shown	111-006

UPVC Sill Protector - Foam




102-004





Scaffold Sheeting



- A high quality reinforced eyeleted scaffold sheeting
- Easily attached by using our elasticated bungee ties
- Reinforced low density polyethylene with 2400 denier polyethylene reinforcement spaced 9mm x 9mm
- Eyelets punched out in webbing only at 10cm intervals
- Available in standard or flame retardant
- Flammability Test (BS 5867-2 : 2008 TYPE "B"/BS EN ISO 150265 : 2002 PROCEDURE "A") Must lay print side up
- Full customisation service available

ODUCT OPTIONS - STANE	DARD	Designed to provide impact protection for when applied to ground level scaffold po	
2m x 45m 118-032	3m x 45m 118-034	Pre slit so are quick and easy to install	
		Lightweight and reusable	
ODUCT OPTIONS - FLAME 2m x 45m	3m x 45m	PRODUCT INFORMATION	
118-028	118-030	Product Shown	115-022
affold Tube End ack of 200	l Caps	Scaffold Nipple Caps - Pack of 1000	
	I Caps		

Elasticated Bungee Ties - Pack of 100



Elasticated Scaffold Ties are high quality elasticated 'bungee' ties

Used for securing scaffold sheeting and debris netting

PRODUCT INFORMATION	
Product Shown	118-020

Hi Vis Scaffold Tubes - 2m



Debris Netting









Tarpaulin

- A strong, flexible waterproof tarpaulin withstands the wear and tear of daily use on construction sites
- Manufactured from woven polypropylene with reinforced eyelets
- Laminated both sides to create a waterproof covering
- Suitable for almost any application

PRODUCT OPTIONS

2.7m x 3.6m	3.5m x		4.5m x 6m
118-044	130-		118-050
÷	x 7m 052	9m x 118-0	

Reinforced Tarpaulin

- A heavy duty tarpaulin manufactured from top quality polyethylene sheeting material
- These tarpaulins are 60% heavier than our standard polyethylene tarpaulin
- Provides excellent protection in rough weather conditions

PRODUCT OPTIONS		
5m x 4m	8m x 4m	10m x 4m
795-10-97	795-10-98	795-10-99

Temporary Down Pipe





PRODUCT OPTIONS

Man Hole Cover

12' x 9' 795-09-81	15' x 9' 795-09-82	18′ x 12′ 795-09-80	

ene 4.0.x.5.0m



- Additional weight can be added by placing rubble or rocks within the cover to provide a secure hold
- The cover is extremely lightweight, can be flat packed and is very easy to install
- Can be reused and 100% recyclable

PRODUCT OPTIONS

Man Hole Cover	Meterbox Cover	Drain Cover
118-010	118-002	118-006

Surface Protection



Multi Use Red™







600mm x 50m

110-006

- Self adhesive multi purpose protective film
- Quickly and simply applied to most hard surfaces such as worktops and kitchen units
- Protects against scratches, dirt, dust, spills and splashes
- Removes clean leaving no residue
- Obvious colour provides a clear signal that it's protecting finished surfaces

Kitchen Protection Worktop Protector - 600mm x 2.4m



- Constructed from impact resistant fluted polypropylene
- Waterproof so protects from liquid and mortar splashes

PRODUCT INFORMATION

Product Shown

795-10-64

Oven and Hob Protector



PRODUCT INFORMATION Product Shown





Can be swept or vacuumed prior to removal

Puncture and tear resistant

600mm x 100m

110-002

Waterproof

PRODUCT OPTIONS



- Constructed from impact resistant fluted polypropylene
- Waterproof so protects from liquid and mortar splashes
- Supplied pre cut and creased for quick site assembly

PRODUCT INFORMATION

Shower Tray Protector (780 x 780 x 4mm)	795-10-61
Toilet Protector (Concealed Cistern)	126-021
Toilet Handover Covers - Pack of 10	126-028
Sink Handover Covers - Pack 10	126-030
Protecta Cover Pedestal	126-048
Toilet Protector With Cistern	115-016
Sink Protector With Pedestal	115-018
Bath Protector	115-020



Temporary Screening

Quickprop™

- Telescopic aluminium props
- Used for supporting temporary screening materials
- Lightweight and strong
- Quickly installed, dismantled and removed
- Removes the need for tools or fixings
- 100% reusable and no waste
 - Available in various lengths

PRODUCT OPTIONS 1.7m - 3m 1.7m - 4m 1.7m - 5m 1.7m - 6m 101-002 101-004 101-006 101-008

Quickprop™ Tape Free Dust Seal - 1675mm



Simply attaches to any size Quickprop™ and creates an extremely tight seal between the screening material and the ceiling

Fits all sizes of Quickprop™



PRODUCT INFORMATION
Product Shown



Protecta Screen Door Kit for use with Quickprops™

- The Protecta Screen Door Kit allows you to quickly and easily establish a dirt trap between rooms
- Simply installed in minutes



PRODUCT INFORMATION
Product Shown 101-034

Protecta Screen L Shape Door Kit

- The Protecta Screen L Shape Door Kit allows you to quickly and easily establish a dirt trap between rooms
- Stitched on zipper ensures a permanent assembly
- Suitable for all doors up to a height of 2.1m and a width of 1.1m
- Film can be cut to size with scissors


PRODUCT INFORMATION Product Shown



101-032


101-012

Standard Screening Material





Flame Retardant Screening Material



- 100% reusable
- Sections off areas of internal works
- Polythene material
- Can be cut to size with scissors


PRODUCT OPTIONS

4m x 25m 101-036



Light Duty Translucent Screening Material







Adhesive Tapes



394

Double Safe Tape - 50mm x 33m



Double sided tape where one side is low tack for adhering to most sensitive surfaces

The other side is high tack for adhering to protection products

PRODUCT INFORMATION	
Product Shown	121-022

Protecta Screen Joining Tape - 50mm x 66m



Joining tape is designed for joining protection materials together

121-086

It can be custom printed with you own logo

PRODUCT INFORMATION Product Shown

Super Low Tack Tape - Black



Glass Safe Tape - 100mm x 100m



- Specially formulated tape to adhere protection materials directly to glass
- Leaves no residue upon removal

Product Shown 121-084	PRODUCT INFORMATION	
	Product Shown	121-084

Carpet Safe Tape - 100mm x 100m



Specially formulated to adhere to protection materials directly to carpet

Leaves no residue upon removal

Made UV protected polythene

PRODUCT INFORMATION	
Product Shown	121-076

Tape Applicator Gun



50mm 121-080 75mm 121-082



Packaging Supplies

Double Wall Boxes

Our range of packaging supplies gives you options to protect your goods during storage and when they are being despatched from one location to another, providing cost-effective solutions for your everyday requirements.

н

- Our double wall cartons have immense strength and sturdiness
- Two rows of internal fluting are incorporated to make sure your goods are thoroughly protected within resilient board whilst in transit or in storage
- Supplied as a pack of 10 boxes

116-108

116-106

Document Enclosed Wallets



Document Enclosed Envelopes will protect your documents when sending them with a courier or through the postal service

PRODUCT OPTIONS				
A5	225x160mm	Box of 500	116-110	
A6	160x110mm	Box of 1,000	116-112	
A7	110x95mm	Box of 1,000	116-114	

Bubble Lined Bags



Featuring a self seal strip for efficient
closure, this paper bonded to bubble will
give great performance and security

PRODUCT OPTIONS				
В/00	125x210mm	Box of 100	116-116	
D/1	180x245mm	Box of 100	116-118	
F/3	215x320mm	Box of 100	116-120	
H/5	275x345mm	Box of 100	116-122	

Polypropylene Strapping and Supplies



POLYPROPYLENE STRAPPING PRODUCT SHOWN				
12mmx0.9mmx1000m	300kg Breaking Strain	116-124		
STRAPPING SEALS PRODUCT SHOWN				
12mmx25mm Seals	Semi Open	116-128		
STRAPPING TOOL PRODUCT SHOWN				
Combination Strapping Tool		116-126		
	12mmx0.9mmx1000m NG SEALS PRODUCT SHO 12mmx25mm Seals NG TOOL PRODUCT SHON	12mmx0.9mmx1000m 300kg Breaking Strain NG SEALS PRODUCT SHOWN 12mmx25mm Seals Semi Open Open		






The UK's Market Leader in Temporary Fencing


About Temporary Fencing

Temporary fencing is a vital aspect of any construction site securing a constant perimeter to act as a boundary between the working environment and public access to keep both staff and the public safe from injury as well as deter theft and vandalism to the sectioned off location. Further to temporary fencing, pedestrian barriers are also an effective way of creating a quick and effective divide for public safety.

Fencing is available in numerous styles with a wide variety of accessories available to suit most panels all intended to either provide higher levels of stability, security and workers accessibility.

TYPES OF TEMPORARY FENCING








TEMPORARY FENCING

PEDESTRIAN BARRIERS

INTERNAL HOARDING

ANATOMY OF STANDARD TEMPORARY FENCING



1 Fence Panel

- Mesh dividers usually available with rounded or square corners - creates the site perimeter

2 Bracing

- Bracing can increase the stability of a fencing run by up to 300%, it is recommended to brace a run of fencing at least every 3 panels

3 Blocks

- Rubber or concrete weighted blocks are used for mounting panels to the floor for stability

4 Fencing Coupler

- Used for joining two fencing panels together securely

5 Anti Lift Brace


- Anti theft and anti lift brace to prevent panels being removed from blocks





Fencing and Accessories

Vector Panel




Galvanised HS(G) 151 standard temporary fence panel


Dimensions, 2m (H) x 3.5m (W)

PRODUCT INFORMATION		
Product Shown	710-03-49	
c/w Rubber Block & 2 x Couplers	710-03-82	

Gladiator Panel





Guardian Heavy Duty Panel





1m Pedestrian Gate in 3.5m Panel







Fencing Support Brace c/w 2 Pegs



Brace Blok[™] - Plastic Coated







 $\mathsf{BraceBlok}^{\mathsf{M}}$ is a 'specially moulded' ballast block designed to fit onto temporary fencing and increase stability and wind loading.

BraceBloks™ are stackable, so multiple blocks can be placed together to increase wind loading on exposed sites. Two BraceBloks™ enable standard temporary fencing to withstand wind speeds in excess of 65mph.

PRODUCT INFORMATION Product Shown





- A steel security bracket that prevents fence panels from being removed from the block
- Provides additional stability and security

Product INFORMATION Product Shown Xerb Lifter - 700mm

- Made from tubular steel
- Designed for easy handling of kerbs, brace blocks, edging stones, paving and guttering
- Length 700mm and tong width 150mm
- Can also be used to lift BraceBlok™

PRODUCT INFORMATION Product Shown 710-06-68



710-03-76



Acoustic Shield[™] - Noise Reduction Tarpaulin - 3.5m x 2m







Weather resistant Easily stored and transported High visibility reflective strip



- Specifically designed for use on temporary fencing panels
- Up to 30db noise reduction
- Easily rolled, handled and stored
- Connects to fencing panels via bungee ties and cable ties
- Weatherproof construction via a unique hydrophobic manufacturing process



Acoustic Shield[™] provides up to 30db noise reduction subject to site conditions. Tested in various 'real life' applications in accordance with ISO 1996 - BS4142 assists with UK Construction Section 61 Notice Applications (Control of Pollution Act 1974). Independently Laboratory Tested To: BS EN ISO 354:2003 and BS EN ISO 10140-2:2010

PRODUCT INFORMATION			
Product Shown	710-03-78		

Printed Mesh Fencing Tarp - 1780mm x 3375mm





FREE ARTWORK SERVICE

Unlimited colours at no extra cost! Add photos, graphics and text of your choosing, printed digitally in full colour.



ON-SITE MARKETING

A unique marketing opportunity to advertise your completed project, services or your corporate branding.



FULL COLOUR DIGITAL PRINT

Unlimited colours at no extra cost! Add photos, graphics and text of your choosing, printed digitally in full colour.

Utilise your site perimeter with a unique marketing opportunity in the form of full colour digitally printed mesh tarpaulins, manufactured to suit standard temporary fencing panels. This vented material will add privacy to site works and provide an opportunity for branding and marketing your new site. Add your logo, photos, contact details or any advertising of your choosing!


- 3375mm x 1780mm
- Eyeleted for fast and easy installation
- Installed with cable ties or bungee ties
- Full colour digital print
- Free artwork service provided
- For more details please contact our Sales Department on 0844 848 3444






Metal Pedestrian Barriers

Bar Barrier - 2.3m x 1.1m





Crossing Point Barrier

Single Foot 710-06-73



Double Foot

710-06-74




Reuse-A-Wall[™] - Modular Internal Hoarding System



- Innovative PVC modular hoarding system
- Bespoke manufactured to your exact height, length and design requirements
- Reuse-A-Wall[™] has been developed to provide cost effective, safe, flexible and reusable internal hoarding
- Precisely suits the demands of shop fitting, refurbishment and fit out projects
- Ideal for use in supermarkets, shopping centres, airports, hospitals, schools and public buildings





TOOLING & EQUIPMENT





About Tooling & Equipment

If suitably chosen, quality tools will last for several years provided that they are maintained and treated with respect. One of the most common problems with damage to tools and accidents to workers is tooling being used for improper applications. Manufacturers design tools for specific applications, and as such that's what they should be used for. For instance if a screwdriver is used as a chisel or a pry bar and damage has been sustained, it can't be expected to correctly drive a screw.

Shovel Guide

SHOVEL TYPES



Open Socket

Open socket shovels are used for moving loose earth, sand, gravel and grain etc. They are hot pressed from pre cut sheets of either hot rolled heavy gauge Carbon Steel or aluminium sheet. They are not primarily designed for digging or levering. This type of shovel is easily identified as Open Socket by the fact that the end of the handle (normally wood) can be seen protruding through the bottom of the pressed socket.



Solid Socket

Solid socket tools have their blades and sockets hot, double roll formed from one single piece of best quality steel. The socket is forged as an integral part of the blade. This type of tool is readily identified by the fact that the handle fits into a 'blind' socket. Solid socket tools are preferred for heavy shovelling out, back filling trenches, mixing concrete, tarmac and ballast work.

SHOVEL HANDLE TYPES



T Handle

Plain and economical type of T-Grip. The handle top is mortised, tenoned and glued possessing good strength characteristics.



Fibreglass

Designed for extremely heavy duty industrial use. Chemically bonded into solid socket tools, these shafts are over 30% stronger than 'all metal' types.



Polypropylene YD

'Y' or 'D' shaped grip, moulded from high impact polypropylene to comfortably fit the hand. Totally weatherproof and easy to clean.



Polyfibre Designed to produce high degree of strength and comfort with a profile moulded PYD hand grip. Fibreglass core is coated with polypropylene sheathing.



Metal MYD

Used for contractors and heavy industrial tools. Manufactured from a tough steel frame and fitted with a robust wooden hilt with rivets to resist twisting.



Shaped Long Shafts

Designed to give a longer reach on a tool, so that the user does not have to bend. The wooden handle has a 'waisted' diameter for easier manipulation and a 'knobbed' end.



All Steel MYD

Used for contractors and heavy industrial tools. Steel handles are often welded into the body of the shovel socket for extra strength and rigidity, producing a very strong tool for digging.




All Steel


For heavy duty industrial work including digging or lifting material out of trenches - giving a much longer reach for the more arduous tasks. Manufactured in steel or fibreglass.





Contractors Tools







JOLING TOOLING & EQUIPMEN















FOOLING TOOLING & EQUIPMEN












```
📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 🖾 sales@tiger-supplies.co.uk
```



Insulated Tooling

BS8020:2012 is an exacting specification that demands full adherence to detailed manufacturing and testing procedures for safe working practices to be maintained by the user when working on or in close proximity to live conductor cables. Every single tool is flash detected to 10,000 Volts before the issue of a certificate, unique to each implement.





JOLING TOOLING & EQUIPMEN

Product Shown

of BS8020

835-14-08





VDE Approved Tools





Wheelbarrow - 85 Litre

- Comfort grip handle
 - Made from a strong tubular steel frame with a toughened metal lining
- Supplied with a thick rubber pneumatic tyre or solid tyre
- Designed to withstand general site use

PRODUCT OPTIONS


Pneumatic Tyre 830-13-50 Solid Tyre 830-13-51

830-13-52

Wheelbarrow - 90 Litre - Pneumatic Tyre


A quality wheelbarrow with pneumatic tyre supported by a durable HDPE hub


Product Shown




FOOLING TOOLING & EQUIPMEN


Hand Tools















Retractable Knife

- Tough metal cased knife with soft grip inserts to prevent slips
 - Blades are loaded via an easy twist mechanism
 - 152mm retractable knife supplied with blade

PRODUCT INFORMATION Product Shown 840-14-50

840-16-78

Stanley 99E Original Retractable Knife

840-14-51

- Made from a die-cast metal body with a comfortable grip
- 5 blade positions allows a wider usage for a variety of cutting applications
- Supplied with 3 blades, stored in the handle for safety and convenience

Automatic Reloading Retractable Knife

6" retractable knife with an automatic blade change mechanism

Strong aluminium body that withstands daily use

Knife handle holds a five blade magazine, each auto retractable knife is supplied with five blades

PRODUCT INFORMATION Product Shown

Irwin Professional Retractable Knife






PRODUCT INFORMATION Product Shown

Auto Retractable Knife Lightweight knife with strong zinc alloy body and extra-safe Automatically retracting blade




TOOLING & EQUIPMENT





VOLING TOOLING & EQUIPMEN

























DOLING TOOLING & EQUIPMEN



Hultafors SM Silver Spirit Level

SM 60 cm

Large horizontal vial is easily read from

One horizontal and two plumb solid block

Horizontal vial has luminous backing plate

1200mm

840-15-94

UV and anti static resistant vials

and magnifying lens

900mm

840-16-51

PRODUCT OPTIONS

600mm

840-15-93

all angles

Hultafors

1800mm

840-15-95




O A Hultafors

- Suitable for all standard site exterior and interior work
- Smooth anodised profile is resistant to cement build up
- Accuracy +/- 0.5mm/m = 0.029° in standard position (+/- 0.75mm/m when inverted)

Stanley FatMax Pro Box Beam Spirit Level - 24"

- Solid-block acrylic vials to provide an accuracy of 0.5mm/m in eight orientations
- Lightweight aluminium body and sturdy bi-material handgrips
- Precision engineered, dual-machined levelling surfaces ensure maximum accuracy

STANLEY .




- Vials are magnified by 20% for improved all round visibility
- Shock absorbing end caps protect the level even if it is dropped

PRODUCT INFORMATION Product Shown 840-16-94

Stanley FatMax Torpedo Level - 10"

- Complete with 3 vials and has a V groove machined in the magnetic base
- Magnetic base allows it to fit firmly on pipe work, ideal for scaffolders, plus it is also perfect for installing machinery, air conditioning ducting or shelving
 - Has an accuracy of 0.5mm/m






TOOLING & EQUIPMEN



Measuring







Power Tools



PLEASE CALL FOR LATEST PRODUCT RANGE AND SPECIAL OFFERS

Black & Decker Cordless Combi Hammer Drill 18v



PRODUCT INFORMATION	
Product Shown	715-03-91









PLEASE CALL FOR LATEST PRODUCT RANGE AND SPECIAL OFFERS

Dewalt Jigsaw 701w - 240v **Dewalt 165mm Compact Circular** Saw 1200w - 240v DEWAT DEWALT DEWALT Lightweight and easy to use Dewalt compact Top Handle Jigsaw with rugged motor and full variable circular saw speed control High power 1,200 watt motor for increased cutting Delivers fast cutting action of up to 3,100/min performance Accepts T-shank blades Efficient dust extraction port minimises airborne dust particles 3-position orbital action that controls cut smoothness and bevels up to 45° Supplied with: 24 tooth saw blade, rip fence, dust extraction spout, and a blade spanner Anti-vibration mechanism and rubber grip provides Weight: 3.6kg comfort Comes with a Vacuum Adaptor, Allen Key and a TSTAK Blade: 165mm x 20mm bore 24 teeth **PRODUCT INFORMATION** PRODUCT INFORMATION Product Shown Product Shown 715-03-87 715-03-85 Einhell Variable Speed Jigsaw Einhell 210mm Mitre Saw 1600w 800w - 240v - 240v Lightweight, compact and perfect for carrying out minor tasks Ideal for making crosscuts and mitre cuts in workpieces made of wood, laminated panels and plastics Electronic Jigsaw with adjustable saw plate High-quality work table made of die-cast aluminium Electronic speed control with a 4-setting pendulum Has an exact angle adjustment facility Transparent guard adds safety and provides clear view Easy to read scale from the cutting position of the cutting blade Secure fastening and supports on both sides and a LED work light and it offers dust extraction sturdy clamping device Supplied with 1 x wood jigsaw blade and 1 x parallel Capacity: 90°/90°: 120 x 55mm, 90°/45°: 80 x 55mm, guide 45°/90°: 120 x 32mm, 45°/45°: 80 x 32mm PRODUCT INFORMATION **PRODUCT INFORMATION Product Shown** 715-03-86 **Product Shown** 715-03-88

PLEASE CALL FOR LATEST PRODUCT RANGE AND SPECIAL OFFERS






Diamond Blades and Abrasives

BLADE APPLICATION CHART Highly suited Suitable with reservations Not Suitable Blade Specification	GLASS / REINFORCED PLASTIC	POLYURETHANE	FIBREGLASS	MARBLE - DRY CUTTING	STEEL BARS, PIPE & SECTIONS	SG & GREY IRON	PORCELAIN & HARD TILES	CERAMIC TILES	INDIAN STONE	GRANITE	SLATE	CLASS A ENGINEERING BRICKS	CLAY PAVIORS / PIPES / TILES	FLINT AGGREGATE PRODUCT	CLASS B ENGINEERING BRICKS	HEAVILY REINFORCED CONCRETE	MEDIUM REINFORCED CONCRETE	LIGHTLY REINFORCED CONCRETE	CONCRETE	HARD YORK STONE	QUARTZITE	LONDON BRICK	ONCRETE F	KERBS / LINTELS / BEAMS	CAST PIPES	BRICKS / CONCRETE FLAGS	HAND MADE BRICKS	FACING BRICKS	CONCRETE ROOF TILES	SOFT CONCRETE PAVIORS	SAND BASED PAVIORS	GREEN CONCRETE	CEMENT SCREED	LIGHTWEIGHT CONCRETE BLOCK	HOT ROLLED ASPHALT	ABRASIVE SAND / GRITSTONE	ASPHALT OVER CONCRETE	ASPHALT	ABRASIVE MORTAR
Multiple Applications Civil Eng DA/C																																							
Multiple Applications Construction DCM-T																																							
Construction Materials DCM																																							
Universal Concrete & Building Materials DSBM																																							
Universal Concrete & Building Materials DU/C																																							







(5") 125mm

x 22.2mm

720-04-74

(12") 300mm


x 20mm

720-04-76

(9") 230mm

x 22.2mm

720-04-75











SDS Plus Drill Bit and Chisel Set







Tooling Accessories





OOLING TOOLING & EQUIPMEN



About Industrial Skin Care

Keeping the skin in good condition whilst at work is vital to avoid skin problems later in life. Good skin care can be defined by protecting the hands to minimise risk of skin problems and regularly washing hands to minimise the risk of spreading harmful germs.

A work site's failure to provide adequate skincare can lead to unnecessary costs in the form of illness via the spread of germs from the workforce. Germs can be passed on from person to person very easily if correct skin hygiene is not applied.

4 STEPS TO BETTER SKIN CARE



Protect your skin from the elements and work that causes irritation to the skin.



Wash your skin / hands to avoid the spread of germs and the risk of contamination.



be used without water to kill germs and provide a higher level of hand hygiene and skin disinfection



Condition the skin back to a repaired state by using moisturising / rehydrating solutions.

SKIN PROTECTION FACTS

- Skin disorders are the most common form of occupational disease (13.5%)
- Up to 40% of workers will suffer skin issues in their working life
- Hands are the most effective at spreading germs
- At least 40% of workers do not wash their hands often, or long enough, to protect against the spread of germs
- 65% of maintenance and construction workers wash their hands less than five times a day
- Average hand washing duration is less than 10 seconds, missing vital areas where germs are commonly found e.g. under finger nails and the backs of hands
- Workers performing good hygiene can reduce illness, absence and associated costs by between 18% 40%

SUN PROTECTION FOR OUTDOOR WORKERS

The sun's rays can be very harmful to the skin especially when frequently exposed without adequate protection. Construction workers are particularly prone to damaged skin from the sun due to long periods of outdoor working.



Outdoor Workers Can Protect Themselves from the Sun by:







Deb[®] Stoko[®] Skin Safety Centres

Deb[®] Stoko[®] 3-Step Skin Safety Centre

- Robust, light weight boards come with Deb dispensers to suit. Small board comes with dispensers pre-assembled
- For use with Deb products to create a tailored skin care system

Convenient – everything needed for clean healthy skin in one location

Instructional encourages compliance with a full skin safety regime

Easy maintenance – wipe clean surface

Robust – durable, lightweight material ideal for busy wash area environments

PRODUCT OPTIONS

Large 310-02-88 Small 310-03-12

Spare Keys to Suit Deb®1 Litre Dispenser

PRODUCT INFORMATION	
Product Shown	



Dimensions, 800mm (W) x 570mm (H)

Contains, 1 x Deb Protect 1 Litre, 1 x Deb Cleanse Light 2 Litre, 1 x Deb Cleanse Heavy 4 Litre and 1 x Deb Restore 1 Litre dispensers



Dimensions, 590mm (W) x 510mm (H)

Contains, 1 x Deb Protect 1 Litre, 1 x Deb Cleanse Heavy 2 Litre and 1 x Deb Restore 1 Litre dispensers

Spare Keys to suit Deb[®] 2 Litre and 4 Litre Dispenser

PRODUCT INFORMATION	
Product Shown	310-02-91

310-02-90

Step 1: Protect









Deb® Stoko® Cleanse Light Dispenser







Deb[®] Stoko[®] Cleanse Heavy Dispenser





Step 3: Restore
















Hand Sanitisers





Deb[®] Stoko[®] Cutan Sanitiser 1 Litre Dispenser



For use with Deb Cutan 1 Litre Sanitiser Cartridges

PRODUCT INFORMATION	
Product Shown	310-02-55

Deb® Instant FOAM 1 Litre



Deb® Cutan Gel Hand Sanitiser




- 99.999% of many bacteria
- Alcohol gel for disinfection of physically clean hands
- 1 litre cartridges suit the Deb Stoko Cutan Sanitiser 1 Litre Dispenser

PRODUCT OPTIONS

1 Litre Cartridge	400ml Pump Top	50ml Pump Bottle
310-02-41	310-02-56	310-02-57
510-02-41	510-02-50	510-02-57

Deb® Instant FOAM Sanitiser







Swarfega® Lemon

- Solvent free lemon hand cleaner which includes natural cornmeal hand scrub
- Removes oil, grease and general soilings quickly and effectively
- Contains moisturiser to help care for skin
- The pump encourages controlled dosages, one push is enough for a hand wash and prevents product from cross contamination



Swarfega® Heavy

- Heavy duty gel formula hand cleaner containing non abrasive micro polymer granules
- Added conditioner to quickly remove deeply ingrained oil and grease soilings
 - Leaves skin feeling smooth after use

PRODUCT OPTIONS

4.5 Litre Tub 310-02-83 15 Litre Pail 310-02-82



Swarfega



Swarfega® Original Classic

- Rapid action classic smooth green gel formula hand cleanser
- Added conditioner which is easy to apply and quick rinsing to remove ingrained oil, grease and general grime
 - Leaves skin feeling smooth after use

PRODUCT OPTIONS

4.5 Litre Tub 310-02-85 15 Litre Pail 310-02-84



Industrial Wipes







Hand Cleaners





EQUIPMENT | INDUSTRIAL SKIN CARE

PAPER PRODUCTS





Toilet Rolls



Toilet Rolls 180 Sheet - Pack of 36



- Washroom toilet roll with a 180 sheet per roll, 2 ply tissue paper
- Sold in sealed packs of 36 rolls
- Excellent value for everyday washroom use

PRODUCT INFORMATION
Product Shown


Maxima Eco Toilet Rolls - 320 Sheet - Pack of 36



320-03-65

Toilet Rolls 320 Sheet - Pack of 36






Hand Towels







Absorbent Wipes







About General Cleaning Supplies

Our range of general cleaning supplies boasts a variety of products to suit most cleaning and sanitary requirements. The use of any cleaning chemicals must be done with a degree of care. Excessive exposure to chemicals could result in skin irritation and other issues; as such we are able to provide our customers with COSHH safety data sheets for any cleaning chemical within our range, providing information on the hazards of chemical substances used.

WHAT IS COSHH?

COSHH is the law that requires employers to control substances that are hazardous to health.

You can prevent or reduce workers exposure to hazardous substances by:

- Finding out what the health hazards are
- Deciding how to prevent harm to health (risk assessment)
- Providing control measures to reduce harm to health
- Keeping all control measures in good working order
- Providing information, instruction and training for employees and others
 - Planning for emergencies



If you require any COSHH safety data sheets for cleaning chemicals within our range, please enquire with the sales team.

ECO FRIENDLY CLEANING CHEMICALS AND ISO 14001

ISO 14001 suggests that companies should use necessary provisions to manage their environmental responsibilities, we ensure a wide range of environmentally friendly cleaning chemicals (and other products) are available to our customers to meet these standards.








Wipes, Cloths and Rags







Cleaning Chemicals





- CLEANING GENERAL - SUPPLIES **DRIA**



Toilet Duck Mr Muscle Citrus Cleaner Toilet Cleaner Bathroom Cleaner - 750ml - 1 Litre - 750ml Strong lime Ideal for All in one spray scale remover cleaning and that effectively and toilet descaling cleans **P** supplies cleaner that ceramic bathroom kills 99.99% washroom surfaces of germs facilities KEMPHOS Leaves a OILET CLEAN Cleans and Suitable for streak free freshens industrial and shine. even household use toilets and on mirrors helps prevent Supplied in a Suitable for lime scale build up 750ml use on baths, squeeze bottle tiles taps and mirrors PRODUCT INFORMATION **PRODUCT INFORMATION PRODUCT INFORMATION Product Shown** 315-03-46 **Product Shown** 315-03-66 **Product Shown** Washroom Mould & Mildew **One Shot Instant** Cleaner Remover **Drain Cleaner** - 750ml - 750ml - 1 Litre Targets difficult Powerful mould and 91% sulphuric mildew remover, acid drain problem areas in bathrooms killing unsightly cleaner, which spores & preventing works instantly regrowth Removes lime on clogged drains scale, soap scum Visible mould Dissolves grease, and tough stains removal in 2 rags, soap, paper towels and hair minutes Astonish in minutes Suitable for Astonish ceramic. For use on hard Can also be used as a preventative porcelain, surfaces only maintenance product on a regular plastic and monthly basis acrylic Meets EN13697 standard for Will keep pipes and drains clear, Works within surface disinfection meaning no need for expensive two minutes from mould and yeast professional help PRODUCT INFORMATION PRODUCT INFORMATION PRODUCT INFORMATION Product Shown Product Shown Product Shown 315-03-68 315-06-78 **Prochem Cistern Flush Blocks Diversey R6 Urine Neutraliser** Pack of 12 - Heavy Duty - 1 Litre **Toilet** Renovator Acidic - 750ml deodorant for neutralising and Thickened deodorising hydrochloric urine acid based toilet bowl Fresh descaler fragranced Toilet rim blocks which can formula rine Neutraliser be fitted to all toilets Not suitable that for chrome or neutralises Lavender scent stainless steel odour from urine Provides a long lasting freshness upon contact and a powerful sterilising action from each block PRODUCT OPTIONS Box of 16 PRODUCT INFORMATION **PRODUCT INFORMATION** Sinale 315-03-70 315-03-70B **Product Shown** 315-03-34 **Product Shown** 315-03-44

315-03-18

INSTANT DRAIN

CLEANER


315-06-69


R6

ALC: N




- CLEANING GENERA **SUPPLIES**






LEANIN(A A GENER S E S SUPPL

Air Freshening





Pledge Furniture Polish

Natural furniture polish provides

Supplied in a 250ml aerosol can

PRODUCT INFORMATION

long lasting protection with original

PRODUCT INFORMATION

Product Shown

- 250ml

scent

Product Shown

nselle

11

Pledg

315-03-21

315-03-22

cleaning products **PRODUCT INFORMATION** Product Shown

325-03-88

crofibre cloth

325-03-90

Micro Fibre Cloth

due to microfibre material Machine washable at 90°C

Highly absorbent cloth that cleans with exceptional ability

Cloth size, 390mm x 300mm

Sold individually

Window Cleaning









Eco Cleaning Range



FLOORCARE

hipu



•fij-

tar I



.

18

Numette

NISSAN

ne

MART DRG

About Floorcare

Throughout numerous industries the need to care for floors is apparent for many different reasons. Cleaning floors is a key way to prevent injury within the workplace due to slips and trips. Cleaning floors helps to remove stains and dirt from the working environment as well as wiping away sand and grit which will deteriorate the work surface, finally leaving the work environment sanitary.


HYGIENE COLOUR CODING

Numerous cleaning products are coded with different colours, the diagram below shows what each product should be used for and in what areas of the working environment.




NUMATIC CLEANING AND FLOORCARE


At Numatic only premium products are manufactured into an extensive range of domestic, commercial and industrial cleaning equipment.





Brushware







Manufactured from heavy gauge

Suitable for use with disinfectant

300-01-45

Dimensions - 70 x 30 x 30cm

Epoxy polyester powder coated finish Fitted with 3 nylon brush heads Fill with water for easier removal of stubborn dirt from sole and

mild steel

sides of footwear

(excluding handles) Weight (empty) - 13kg PRODUCT INFORMATION


Product Shown

Coco


Bannister Brush

Coco bristles





Wire Brush



NITORIAL SUPPLIES | FLOORCARE













Hygiene Range








Vacuum Cleaners







Cordless RucSac Dry Vacuum Cleaner - RSB140





- Cordless; allowing it to be used in numerous difficult situations
- Easy access "fly lead" on/off switch
- Comfort shoulder strap
- Complete with accessory kit
- Battery charge LCD display
- 205w motor
- 6 litre capacity
- Suction, 1000mm
- 36v lithium polymer battery with a run time of 30 minutes
- Charge time, 3.5 hrs
- Weight, 7.3kg
 - Dimensions, 250mm x 360mm x 550mm

PRODUCT INFORMATION	
Product Shown	

RucSac Dry Vacuum Cleaner - RVS130



345-06-19

CANTEEN EQUIPMENT

IESCAFÉ® is 19220 million Véláng coffee

to farmers

A. This is part ESCAFÉ: Plat

NESCAFE, GODD BLED



1.6% FAT

8

Dairy PRIDE

Semi-skimmed

UHT milk







About Canteen & Welfare

The law states that clients and contractors have responsibilities regarding welfare facilities on construction projects. Contractors must maintain the facilities throughout the life of the project.

Everyone who works on any site must have:

- Access to adequate toilet and washing facilities
- A Place for preparing and consuming refreshments
- Somewhere for storing and drying clothing and personal protective equipment

REST FACILITY REQUIREMENTS

Rest rooms or rest areas are required to be equipped with tables and seating (with backs) sufficient for the number of persons likely to use them at any one time.

There should be arrangements for meals to be prepared and eaten, plus means for boiling water. In cold weather, heating should be provided.

From 1 July 2007, it has been against the law to smoke in virtually all enclosed public places and workplaces in England, including most work vehicles. Similar legislation exists in Scotland and Wales.







Electrical Products

Double Sandwich Toaster Double Hot Plate PIFCO Easy clean non stick cooking plates Double hot plate with fully adjustable thermostat controls Effortlessly cuts, seals and cooks two rounds of sandwiches Integral overheat protection Cool touch handle with locking clip Twin cast iron hot plates (1500w/1000w) 240v Power on and ready indicator lights Sturdy white metal housing and non PRODUCT INFORMATION slip feet Product Shown 345-05-58 240v Mini Kitchen PRODUCT INFORMATION **Product Shown** 345-05-47 **Toaster - 4 Slice** Mini kitchen with two fully controllable hot plates and a single oven and grill Variable electronic browning control, Thermostatic controls allow for safe and reheat, defrost and cancel buttons precise control for cooking Slide out fixed crumb tray for easy clean Easy clean finish Non slip feet Capacity, 23 litre 240v 240v PRODUCT INFORMATION PRODUCT INFORMATION 345-05-48 345-05-59 **Product Shown Product Shown**

Refrigerator



Table Top Refrigerator

Product Shown



345-05-52



- Efficient freezer with fully adjustable temperature control
- Supplied with removable trays and ice cube tray
- Dimensions, (H) 84 x (W) 48 x (D) 50cm
- 240v

Freezer

- Capacity, 2.5 cu ft, 70 litre
- Contents not supplied

PRODUCT INFORMATION

oduct Shown	345-05-54



NITORIAL SUPPLIES CANTEEN EQUIPMEN





Cordless Electric Kettle



Electric Water Boiler





ANITORIAL SUPPLIES | CANTEEN EQUIPMEN




Canteen Supplies







Nescafé Coffee - 750g



Cadburys Hot Chocolate - 1kg





340-04-75

340-04-84

340-04-87

161117

- Perfect Cadburys instant hot chocolate
- Add 30 grams into a cup or mug for a perfect chocolate drink
- A fairtrade product







All purpose refined sugar for drinks and cereals

PRODUCT INFORMATION Product Shown

Tea Time Biscuits - 275gm



Jacobs teatime biscuit assortment

A tasty combination of chocolate and plain biscuits

Can be enjoyed with any drink at break time

PRODUCT INFORMATION Product Shown

Sugar Sachet Sticks - Pack of 1000



- Quick and convenient sugar sachet stick gives sweetness to tea and coffee
- Each sachet contains one teaspoon of sugar

PRODUCT INFORMATION Product Shown

Nestlé Coffee Mate - 1kg

340-04-85



Princes Gate Bottled Water - 1.5 Litre





PRODUCT INFORMATION
Product Shown

340-05-49



Long Life Milk 1/2 Pint - Pack of 12



Semi Skimmed Milk

Spring Water for Cooler Systems - 15 Litre



100% recyclable bottle

Fits most brands of dispensers



PRODUCT INFORMATION Product Shown

340-05-83

Water Container - 25 Litre



Spare Water Container Lid





Angel Springs Water Bottle – 18.9 Litre



Refill bottle to suit Angel Springs water cooler

PRODUCT INFORMATION
Product Shown 340-05-63

Water Dispensers

.....


Bottle fed water coolers are a great way to provide staff in your office or working environment with freshly chilled pure and fresh filtered water. Installation is quick and easy; just find your preferred location

For Hire & Sale


Call our sales team today








- SUPPLIES | CANTEEN EQUIPMEN **DRIAI**



JANITORIAL SUPPLIES | CANTEEN EQUIPMENT







- cable protector Hinged lid allowing cable insertion when ramps are in position
- Bolt holes provided for more permanent installations
- 3 generous cable channels (each 55H x 65Wmm) allow a variety of cables and hoses
- Robust design for heavy goods
- Traffic tested with axle loads up to 6000kg
- Suitable for traffic flow at 5-10 mph

PRODUCT INFORMATION

Product Shown

9

8

range of spaces

(not supplied)

PRODUCT INFORMATION

Dimensions.

Product Shown

Ideal for canteen and site

Requires 1 x AA battery

260mm × 260mm × 45mm

705-03-37



Clock - Analogue Face Door Stops - Pack of 2 12 11 10

Э

340-05-34

4 5 6



Quality rubber wedge ensures a good level of surface grip

340-05-37

Supplied in packs of 2

PRODUCT INFORMATION

Product Shown

Portable Door Chime - 50m Range





- SUPPLIES CANTEEN EQUIPMEN NITORIA

Stationary









- SUPPLIES | CANTEEN EQUIPMEN **JRIAI**

ENVIRONMENTAL CONTROL



新闻到





BENTLEY

Rubble and Refuse Bags



330-04-22

Larger size bags are favoured by the building industry

Product Shown

Dustbins and Wheelie Bins





General Waste Bins









About Safety Signage

Health and safety signage is an issue that effects every industry and is impossible to ignore as they play a vital role in communicating workplace information. They can minimise the risk of accidents occurring and inform workers about the relevant PPE that must be worn.

We provide a wide range of signs and graphics including; interior signs, exterior signs, vehicle graphics and partial vehicle wraps, PVC banners, window graphics, specialist window films, exhibition graphics and equipment. We also provide health and safety signs, labels and stickers. The majority of our signs are bespoke and made to order, but we also sell a range of "off the shelf" general safety signs.



MATERIAL INFORMATION

We have detailed some of the more common signage materials below to help you decide which is most suitable for your requirements.


PRODUCT MATERIAL	USES	BENEFITS
1mm Rigid Plastic	Posters, exhibitions, wall graphics, signs and ceiling signs.	Lightweight Compact & Rigid Good Durability Not Effected by Water
Foamex	Hoardings, posters, exhibitions, wall graphics, signs and ceiling signs.	Lightweight Easy to Clean Ideal for Most Climates Not Effected by Water
Aluminium Panel	Internal and external signs, high end corporate hoarding and safety signage, tray signs, hotels and exhibitions.	Lightweight and Strong 100% Recyclable Long Life Expectancy Indoor and Outdoor Use Excellent Printing Properties
Correx	Estate agents, sales boards, point of sale, events and lamp post signs.	Good Durability Impact Resistant Quick to Install Weatherproof 100% Recyclable
Self Adhesive Vinyl	Vehicle wraps, decals, health and safety, internal wallpapers, window vinyls, frosted detailing, exhibition, retail, corporate, contravision for one way glass detailing.	Adheres to Most Substrates Can Be Laminated Supplied Rolled (Increasing Print Area) Excellent White Properties Suitable for Temporary or Long Term Use
Zintec	Pedestrian signs and traffic signs.	Weather Resistant Robust Suitable for Permanent or Temporary Basis
Mesh and PVC Banner	Outdoor advertising, special events, vertical or horizontal advertising, building wraps, high impact advertising and wind resistant (mesh).	Can Be Backlit Durable and Lightweight Tear Resistant and Weatherproof Suitable for Long or Short Term Use

SIGNAGE SAFETY SIGNAGE




Bespoke Signage

The Tiger Supplies Sign Shop offers a complete design and manufacture service for bespoke signs, banners and hoardings. We work with our customers to produce signage and advertisements that have been developed using the latest design software.



Supplied in a wide range of base materials



Nationwide supply and fit service available


Rapid delivery

We have been making signage for over ten years and we are able to help you keep up to date with the latest Health and Safety legislation requirements.

WHY GO BESPOKE?

Bespoke signage offers many improvements over regular signage.

Bespoke signage is a valuable tool to:



Improve the professional appearance of your business


Increase corporate branding

Increase brand trust



Safe Condition Signs





Fire Exit Arrow Up - Photoluminescent Sign	Fire Exit Arrow Up Right - Photoluminescent Sign	Fire Exit Arrow Right - Photoluminescent Sign
Fire 🛐 🔶	Fire 🔀 🗾	Fire A ->
1mm Photoluminescent	1mm Photoluminescent	1mm Photoluminescent
PRODUCT OPTIONS 400mm x 150mm 600mm x 200mm 505-01-29 505-01-30	PRODUCT OPTIONS 400mm x 150mm 600mm x 200mm 505-01-31 505-01-32	PRODUCT OPTIONS 400mm x 150mm 600mm x 200mm 505-01-33 505-01-34
Fire Exit Arrow Left - Photoluminescent Sign	Fire Exit Arrow Down - Photoluminescent Sign	Fire Exit Arrow Down Right - Photoluminescent Sign
Fire exit	Fire S V	Fire S
1mm Photoluminescent	1mm Photoluminescent	1mm Photoluminescent
PRODUCT OPTIONS 400mm x 150mm 600mm x 200mm 505-01-35 505-01-36	PRODUCT OPTIONS 400mm x 150mm 600mm x 200mm 505-01-37 505-01-38	PRODUCT OPTIONS 400mm x 150mm 600mm x 200mm 505-01-39 505-01-40
Fire Exit Arrow Up Left - Photoluminescent Sign	Fire Exit Arrow Down Left - Photoluminescent Sign	Emergency Stairs - Photoluminescent Sign
Fire exit	Fire exit	Emergency stairs
1mm Photoluminescent	1mm Photoluminescent	1mm Photoluminescent
PRODUCT OPTIONS 400mm x 150mm 600mm x 200mm 505-01-41 505-01-42	PRODUCT OPTIONS 400mm x 150mm 600mm x 200mm 505-01-43 505-01-44	PRODUCT OPTIONS 400mm x 150mm 600mm x 200mm 505-01-45 505-01-46
Fire Assembly Point	Fire Exit Keep Clear	Emergency Eye Wash Emergency
Fire assembly	Fire exit Keep clear	200mm x 300mm
point	600mm x 200mm	
point	1mm Rigid Plastic	
600mm x 450mm	PRODUCT INFORMATION Product Shown 500-01-23	PRODUCT OPTIONS Imm Rigid Plastic Self Adhesive 500-01-31 500-01-31SA
1mm Rigid Plastic		
PRODUCT INFORMATION Product Shown 500-01-24	Diagonal Arrow	Straight Arrow
	1mm Rigid Plastic	1mm Rigid Plastic
	PRODUCT OPTIONS 150mm x 150mm 200mm x 200mm 500-01-19 500-01-20	PRODUCT OPTIONS 150mm x 150mm 200mm x 200mm 500-01-21 500-01-22






Fire Equipment Signs



Mandatory Signs






SIGNAGE SAFETY SIGNAGE


📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 🗷 sales@tiger-supplies.co.uk








SIGNAGE | SAFETY SIGNAGE







IGNAGE SAFETY SIGNAGE



Prohibition Signs






IGNAGE SAFETY SIGNAGE

No Parking	- Children Must Not Play On This Site	Do Not Use Scaffoldin Incomplete
No parking	Children must not play on this site	Do not use scaffolding incomplete
200mm x 300mm 1mm Rigid Plastic	200mm x 300mm	200mm x 300mm
PRODUCT INFORMATION	1mm Rigid Plastic	1mm Rigid Plastic
Product Shown 525-02-52	PRODUCT INFORMATION	PRODUCT INFORMATION
No Parking	Product Shown 525-02-53	Product Shown 525-0
\bigcirc	Children Must Not Play On This Site	Construction Traffic R Arrow Left
No Parking	Children must not play on this site	Constructi traffic rout
600mm x 450mm	PRODUCT OPTIONS	
1mm Rigid Plastic	600mm x 200mm 300mm x 100mm 1mm Rigid Plastic Self-Adhesive Vinyl	600mm x 200mm 1mm Rigid Plastic
PRODUCT INFORMATION	525-02-80 545-03-75	
Product Shown 525-02-77 No Parking	No Entry	PRODUCT INFORMATION Product Shown 525-0
Imm Rigid Plastic PRODUCT OPTIONS	600mm x 200mm 1mm Rigid Plastic PRODUCT INFORMATION	Arrow Right Construction traffic route
300mm x 100mm 600mm x 200mm 525-02-55 525-02-56	Product Shown 525-02-91	
Not Drinking Water	_ Do Not Use Mobile Phones	600mm x 200mm
		1mm Rigid Plastic
Not drinking water	Do not use mobile phones	PRODUCT INFORMATION Product Shown 525-0
600mm x 200mm	600mm x 200mm	In The Event Of Fire Do Not Use Lift
	1mm Rigid Plastic	
PRODUCT INFORMATION Product Shown 525-02-83	PRODUCT INFORMATION Product Shown 525-02-88	
Scaffolding Incomplete		
Do Not Use	– Plant Turning Area	
Scaffolding incomplete do not use	Plant turning area	In the event of fire do not use lift
600mm x 200mm	600mm x 200mm	200mm x 300mm
	600mm x 200mm 1mm Rigid Plastic	1mm Rigid Plastic

Hazard Signs











📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 🛛 sales@tiger-supplies.co.uk



Multi-Purpose Signs

Ţ



Add Your Logo	
HEALTH & SAFETY CHILDREN MUST NOT ENTER OR PLAY ON SITE building site regulations must be complied with and safety procedures must be observed.	
Wear a safety helmet No unauthorised entry All drivers and visitors must report to site office	
1200mm x 800mm	
3mm Foamex PRODUCT INFORMATION This sign can come with your company logo free of charge, please ask our sales team on how to order Product Shown	535-03-44



Think Safety



Site Safety Notice Boards



540-03-51

Site Safety Notice Board - Add Your Logo



2100mm x 1100mm

5mm Foamex

This sign can come with your company logo free of charge, please ask our sales team on how to order



Site Safety Board

PRODUCT INFORMATION

Product Shown



PRODUCT INFORMATION
Product Shown 540-03-52



Site Safety Board - Add Your Logo

1200mm x 800m

5mm Foamex


This sign can come with your company logo free of charge, please ask our sales team on how to order

PRODUCT INFORMATION	
Product Shown	540-03-53




564

Health And Safety Posters





Electric Shock



BEST SELLER

550-03-85

nem righ

SIGNAGE | SAFETY SIGNAGE

590mm x 420mm

Laminated Poster

Product Shown

PRODUCT INFORMATION

550-03-88

590mm x 420mm

Laminated Poster

Product Shown

PRODUCT INFORMATION

Health And Safety Publications

Reports of Thorough


Examination & Inspection

Equipment Regulations

(ROILOLER)

Lifting Operations & Lifting

Record of Personal Protective Equipment Issued (ROIPPE)



Reports of Inspection:

2005/Construction

Regulations 2007

(ROIF911)


Work at Height Regulations

SIGNAGE SAFETY SIGNAGE

Safety Documents Compendium Pack



HSE Protecting the Public - Your Next Move Book (HSG151)



Practical advice, especially for those designing, planning, maintaining or conducting on-site work, to prevent risks to those off-site

Covering the broad spectrum of pertinent issues, most notably legalities, perimeter and boundary matters and premises requiring special attention

PRODUCT INFORMATION	
Product Shown	555-03-99

HSE Managing Health & Safety in Construction Book (L144)

- Practical guidance on complying with new regulatory duties
- Reflects CDM 2007s key aims to embed health and safety
- Considers the spectrum of project aspects and roles embraced by CDM 2007s holistic approach

PRODUCT INFORMATION	
Product Shown	555-03-98



Protecting the public Your next move









Pages 561 & 564 for stock options. Bespoke signs available on request.






General Signs

Project Manager	Drying Room	Arrow Right
PROJECT MANAGER	DRYING ROOM	
300mm x 100mm	300mm x 100mm	300mm x 100mm
PRODUCT OPTIONS1mm Rigid Plastic 560-04-08Self-Adhesive Vinyl 560-04-09	PRODUCT OPTIONS 1mm Rigid Plastic Self-Adhesive Vinyl 560-04-16 560-04-17	PRODUCT OPTIONS1mm Rigid Plastic 560-04-24Self-Adhesive Viny 560-04-25
Materials Controller	Meeting Room	Toilet
MATERIALS CONTROLLER	MEETING ROOM	TOILET
300mm x 100mm	300mm x 100mm	300mm x 100mm
PRODUCT OPTIONS 1mm Rigid Plastic Self-Adhesive Vinyl 560-04-10 560-04-11	PRODUCT OPTIONS 1mm Rigid Plastic Self-Adhesive Vinyl 560-04-18 560-04-19	PRODUCT OPTIONS 1mm Rigid Plastic Self-Adhesive Viny 560-04-26 560-04-27
Site Manager	Canteen	Gents
SITE MANAGER	CANTEEN	† GENTS
300mm x 100mm	300mm x 100mm	300mm x 100mm
PRODUCT OPTIONSImm Rigid Plastic 560-04-12Self-Adhesive Vinyl 560-04-13	PRODUCT OPTIONS 1mm Rigid Plastic Self-Adhesive Vinyl 560-04-20 560-04-21	PRODUCT OPTIONS1mm Rigid Plastic 560-04-28Self-Adhesive Viny 560-04-29
Site Office	Stores	Ladies
SITE OFFICE	STORES	
300mm x 100mm	300mm x 100mm	300mm x 100mm
300mm x 100mm PRODUCT OPTIONS	300mm x 100mm PRODUCT OPTIONS	300mm x 100mm PRODUCT OPTIONS



📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 sales@tiger-supplies.co.uk

Peel Signs





SIGNAGE | SAFETY SIGNAGE



Recycling Signage


Plasterboard Only	Cardboard	Steel Cans & Tins
Imm Rigid Plastic PRODUCT OPTIONS	Vertical State Vertical State Vertical State Vertical State Nomm x 75mm Self-adhesive Vinyl 570-05-01 250mm x 300mm Imm Rigid Plastic 570-05-01 250mm x 300mm Imm Rigid Plastic 570-05-02	Image: Non-State State
600mm x 450mm 400mm x 300mm 570-04-72 570-04-73	1mm Rigid Plastic 570-05-03	1mm Rigid Plastic 570-05-12
Paper Waste	Glass Bottles & Jars	Clear Glass Bottles & Jars
Image: Colspan="2">Image: Colspan="2"Image: Colspan="2">Image: Colspan="2"Image: Colspan="2">Image: Colspan="2"Image: Colspan="2" <td< td=""><td>Image: Constraint of the second systemImage: Constra</td><td>Image: constraint of the second stateImage: constraint of the second state<tr< td=""></tr<></td></td<>	Image: Constraint of the second systemImage: Constra	Image: constraint of the second stateImage: constraint of the second state <tr< td=""></tr<>
Plastic Bottles & Cans	Non Recyclable Waste	Brown Glass Bottles & Jars
Image: Non-State State	Non recyclable waste PRODUCT OPTIONS 100mm x 75mm self-adhesive Vinyl 250mm x 300mm imm Rigid Plastic	PRODUCT OPTIONS 100mm x 75mm 250mm x 300mm
Self-adhesive Vinyl 1mm Rigid Plastic 570-04-97 570-04-98	Self-adhesive Vinyl 1mm Rigid Plastic 570-05-07 570-05-08	Self-adhesive Vinyl 1mm Rigid Plastic 570-05-16 570-05-17 450mm x 600mm


General Waste	Timber Waste Only	Paper Waste Only	G
General waste	Timber waste only	Paper waste only	
1mm Rigid Plastic	1mm Rigid Plastic	1mm Rigid Plastic	
PRODUCT OPTIONS 600mm x 450mm 400mm x 300mm 570-04-70 570-04-71	PRODUCT OPTIONS 600mm x 450mm 400mm x 300mm 570-04-80 570-04-81	PRODUCT OPTIONS 600mm x 450mm 400mm x 300mm 570-04-88 570-04-89	
Brick Waste Only	Metal Waste Only	House & Garden Waste Only	
Brick waste only	Metal waste only	Household & garden waste only	
1mm Rigid Plastic	1mm Rigid Plastic	1mm Rigid Plastic	
PRODUCT OPTIONS 600mm x 450mm 400mm x 300mm 570-04-74 570-04-75	PRODUCT OPTIONS 600mm x 450mm 400mm x 300mm 570-04-82 570-04-83	PRODUCT OPTIONS 600mm x 450mm 400mm x 300mm 570-04-90 570-04-91	
Scrap Metal Waste Only	Plastic Waste Only	Recycling Area	Ш
Scrap metal waste only	Plastic waste only	600mm x 200mm	SIGNAG
1mm Rigid Plastic	1mm Rigid Plastic		
PRODUCT OPTIONS 600mm x 450mm 400mm x 300mm 570-04-76 570-04-77	PRODUCT OPTIONS 600mm x 450mm 400mm x 300mm 570-04-84 570-04-85	Product Shown 570-04-92	Г Ш
		Save Energy Switch Off	
Building Waste Only Building waste only	Cardboard Only Cardboard only	Save energy Switch off	NAGE SA
1mm Rigid Plastic	1mm Rigid Plastic	100mm x 75mm Self-Adheisve Vinyl	Z
PRODUCT OPTIONS	PRODUCT OPTIONS	PRODUCT INFORMATION	U
600mm x 450mm 400mm x 300mm 570-04-78 570-04-79	600mm x 450mm 570-04-86 570-04-87	Product Shown 570-04-93	S





Temporary Traffic Signs















SIGNAGE SAFETY SIGNAGE



CLASS REF 2 PREMIER GRADE & CLASS REF 1 REFLECTIVE TRAFFIC & WORKS SAFETY SIGNS

Tiger Supplies can manufacture both Class Ref 2 & Class Ref 1 reflective traffic signs.

Manufactured from 3mm aluminium with either a premier grade Class Ref 2 reflective face, or with a durable Class Ref 1 reflective face.

Class Ref 2 material has at least 3 times the reflective properties of Class Ref 1, making it an ideal choice for high risk areas.

All our traffic signs are made to order and comply with the latest standards.

Choose from wall or post-fix (post-fix signs are fitted with channelling for use with the fixings shown below).

Channel Clip

PRODUCT OPTIONS 50mm 75mm 114mm 585-05-80 585-05-81 585-05-82 Channel Adaptor Image: Channel of the state of t



Product Shown 585-05-83





PRODUCT OPTIONS 75mm 114mm 585-05-86 585-05-87






SIGNAGE SAFETY SIGNAGE

585-05-96

Base plate

SIGNAGE SAFETY SIGNAGE

Sign Fixings



Scafftag Range of Products



Scafftags - Box of 10



Tagging system to help prevent working at height hazards and efficiently manage inspection procedures of scaffolding

Helps you to comply with legislative requirements and good practices of: Inspecting and maintaining equipment at suitable

periods as deemed appropriate by a risk assessment Ensuring employees are informed if equipment is not safe to use

- Material, Nylon 6 (Holder), Polypropylene (Insert)
- Dimensions, 356mm x 91mm (Holder), 208mm x 85mm (Insert)

Scafftag[®]

590-05-82

- Contents, 10 Scafftag Holders, 10 Scafftag Inserts, 1 Marker Pen
- Flxing Options: hung or cable tie

PRODUCT INFORMATION Product Shown

Product Shown



Laddertags - Box of 10



Helps you to comply with legislative requirements and good practices of:

Completing a pre-work inspection before each use of the equipment and ensuring this is recorded Inspecting and maintaining equipment at suitable periods as deemed appropriate by a risk assessment Ensuring employees are informed if equipment is not safe to use

- Material: Polycarbonate (Holder), Polypropylene (Insert)
- Dimensions: 210mm x 55mm (Holder), 164mm x 50mm (Insert)
- Contents, 10 Laddertag Holders, 10 Laddertag Inserts, 1 Marker Pen
- Fixing Options: cable tie, screw, rivet, magnetic or adhesive








Microtag (Holders) - Box of 20



Nanotag (Holders) - Box of 20




- Designed to operate with Nanotag insert systems ensures the latest status is instantly visible at the point of use
- Impervious to dust, oil and water etc
- Weatherproof, UV protected and durable to withstand the toughest industrial environments
- Helps you to comply with The Safety Signs and Signals Regulations
- Material, Nylon 6 (Holder)
- Dimensions, 54mm x 26mm (Holder)
- Contents, 20 Nanotag Holders, 40 Cable Ties (150mm), 1 Marker Pen

Scafftag[®]

Flxing Options: cable ties, crew, rivet or adhesive


PRODUCT INFORMATION	
Product Shown	590-05-88

Nanotag Insert



Unitag (Holders) - Box of 20	Podiumtags - Box of 10
	<section-header></section-header>
UNH UNH	 Purpose designed status tagging system for podiums to control inspections, maintenance and identification Contains a handy, quick-reference podium inspection checklist to run through each time before using a podium
Extremely robust permanent locking holder and insert system to help ensure security in terms of attachment	Helps you to comply with legislative requirements and
Once the two parts of the holder are locked together, it can only be removed with the use of wire cutters or pliers	good practices of: Inspecting and maintaining equipment at suitable periods as deemed appropriate by a risk assessment Ensuring employees are informed if equipment is not safe to use
Designed to operate with the Unitag insert systems and other control procedures employed on site	Material, Polycarbonate (Holder), Polypropylene (Insert)
Material, Nylon 6 (Holders)	Dimensions, 210mm x 55mm (Holder), 164mm x 50mm (Insert)
Dimensions, 50mm (Dia) (Holders)	Contents: 10 Multitag Holders, 10 Podium Tag Inserts,
Contents, 20 Unitag Holders, 20 Nylon Strops, 1 Marker Pen	1 Marker Pen
Flxing Options: Strop	Flxing Options: cable tie, screw, rivet, magnetic or adhesive
PRODUCT INFORMATION	PRODUCT INFORMATION
Product Shown 590-05-91	Product Shown 590-06-02

Unitag Insert



- Pack of 10	Pens I.C.E. Hard Hat Safety ID Tag
edding 141 F edding 141 F	nt
Easy to use, waterproof permane marking pens designed for use w Scafftag range of inserts and tag	ith
Sold in packs of 10	afftag [®] In Case of Emergency (ICE) stickers
PRODUCT INFORMATION Product Shown	590-06-03 Essential for accident victims, gives t on-site medical team member or atte
SCAFFOLDING	
INSPECTION REPORTS BAFETY MANAGEMENT SYSTEM	I.C.E. Hard Hat Safety - With Window
INSPECTION REPORTS BAFETY MANAGEMENT SYSTEM	o manage
Holds all the elements required to	o manage
INSPECTION DEFY MANAGEMENT SYSTEM Image: Contains legislative, risk and inspection	ection and b manage ection and b Essential for accident victims, gives to on-site medical team member or atter
Image: New York and General System Image: New York and General System Image: New York and General System Image: New York and New Yor	ection - With Window In Case of Emergency (ICE) stickers and Essential for accident victims, gives t

EN Standards



HEAD PROTECTION	
EN 397	Industrial safety helmets Size or size range (cm) (on both shell and harness) year and quarter (or month) of manufacture informative label with specified wording shell material, eg ABS, PC, HDPE etc Optional requirements -20° C or -30° C - tested at very low temperature +150° C - tested at high temperature 440 V a.c tested for electrical insulation LD - tested for lateral deformation MM - resists molten metal splash
EN 50365	Electrically insulating helmets for use on low voltage installations
EN 812	Industrial bump caps
EN 14052	High performance industrial helmets
EYE PROTECTION	
EN 166 1 F T B 9 3 8	Personal eye-protection - Specifications Optical Class Low Energy Impact Resistance to high speed particles at extreme temperature Medium Energy Impact Non adherence of molten metal and resistance to penetration of solids Protection against liquid droplets/splashes Protection against Short Circuit Electric Arc
EN 169	Personal eye-protection - Filters for welding and related techniques - Transmittance requirements and
EN 172	recommended use Personal eye protection - Sunglare filters for industrial use
EN 170	Personal eye protection - Ultraviolet filters - Transmittance requirements and recommended use
EN 175	Personal protection - Equipment for eye and face protection during welding and allied processes
HEARING PROTECTIO	N
EN352-3	Hearing protectors - General requirements - Part 3: Ear-muffs attached to an industrial safety helmet Hearing protectors with similar features to Ear Defender, although they can also be attached to hard hats for combined usage. Many mounted ear defenders provide a parked position for when they are not in use.
EN352-2 EN352-1	Hearing protectors - General requirements - Part 2: Ear-plugs Hearing protectors which are generally small foam objects used to insert into the entrance of the ear canal. Hearing protectors - General requirements - Part 1: Ear-Muffs Hearing protectors which comprise of two cups covering the ears, filled with foam or liquid. The cups are
RESPIRATORY PROTE	held in place by a wire or band.
EN 12941/A2	Respiratory protective devices - Powered filtering devices incorporating a helmet or a hood - Requirements, testing, marking
EN 1827+A1	Respiratory protective devices - Half masks without inhalation valves and with separable filters to protect against gases or gases and particles or particles only - Requirements, testing, marking
EN 12941	Respiratory protective devices - Powered filtering devices incorporating a helmet or a hood - Requirements, testing, marking
EN 12942	Respiratory protective devices - Power assisted filtering devices incorporating full face masks, half masks or quarter masks - Requirements, testing, marking
EN 140	Respiratory protective devices - Half masks and quarter masks - Requirements, testing, marking Respiratory equipment - Self-contained re-breathing diving apparatus
EN 143 EN 136	Respiratory protective devices - Full face masks - Requirements, testing, marking
EN 14387	Respiratory protective devices - Gas filter(s) and combined filter(s) - Requirements, testing, marking
EN 149	Respiratory protective devices - Filtering half masks to protect against particles - Requirements, testing, marking
EN 405	Respiratory protective devices - Valved filtering half masks to protect against gases or gases and particles - Requirements, testing, marking
HAND PROTECTION	
EN 388	Protective gloves against mechanical risks Protection against mechanical risks is expressed by a pictogram followed by four numbers (performance levels), each representing test performance against a specific hazard and will be scored accordingly. Resistance to abrasion (scored out of 4) Blade cut resistance (scored out of 5) Tear resistance (scored out of 4) Puncture resistance (scored out of 4)
EN 407	Protective gloves against thermal risks (heat and/or fire)
EN 12477 EN 420	Protective gloves for welders Protective gloves - General requirements and test methods
EN 10819	ISO 10819:2013 specifies a method for the laboratory measurement, data analysis, and reporting of the vibration transmissibility of a glove
EN 374-1	Protective gloves against chemicals and micro-organisms - Part 1: Terminology and performance requirements
EN 374-2	Protective gloves against chemicals and micro-organisms - Part 2: Determination of resistance to penetration
EN 374-3	Protective gloves against chemicals and micro-organisms - Part 3: Determination of resistance to permeation by chemicals
EN 374-4	Protective gloves against chemicals and micro-organisms - Part 4: Determination of resistance to degradation by chemicals
EN 511	Protective gloves against cold



FOOT PROTECTION

	EN ISO 20349	Personal protective equipment - Footwear protecting against thermal risks and molten metal splashes as found in foundries and welding - Requirements and test method (ISO 20349) Personal protective equipment - Safety footwear (ISO 20345). For ease of selection safety footwear normally carries a simple two or three letter code which defines the basic safety standards for that particular product.
	EN ISO 20345	SB Safety basic, 200 joules Toe Protection, Oil Resistant outer sole. (Minimum Requirement) SBP As SB plus Mid-Sole for penetration resistance. S1 As SB plus Anti-Static properties and fully enclosed Energy Absorbing heel area. S1P As S1 plus Anti-Static properties and fully enclosed Energy Absorbing heel area. S2 As S1 plus resistance to Water Penetration and absorption S3 As S2 plus Mid-Sole for penetration resistance and cleated outsole S4 200 joules Toe Protection. All rubber or polymer construction (waterproof). Anti-Static properties, Energy Absorbing heel area. S5 As S4 plus Mid-Sole for penetration resistance and cleated outsole.
		P - penetration resistance C - conductive A - antistatic HI - insulating against heat CI - insulating against cold E - energy absorbing seat region WRU - uppers resistant to water penetration / absorption HRO - outsole resistant to hot contact
		Slip resistance rating - one of: SRA - on ceramic surface with "soap" SRB - on steel with glycerol SRC - both of the above
	FALL PROTECTION	
	EN 361	Personal protective equipment against falls from a height - Full body harnesses
	EN 358	Personal protective equipment for work positioning and prevention of falls from a height - Belts for work positioning and restraint and work positioning lanyards
	EN 355	Personal protective equipment against falls from a height - Energy absorbers
	EN 363 EN 364	Personal fall protection equipment - Personal fall protection systems Personal protective equipment against falls from a height - Test methods
	EN 365	Personal protective equipment against falls from a height - General requirements for instructions for use,
S I	EN 205	maintenance, periodic examination, repair, marking and packaging
\mathbf{O}	EN 795 EN 354	Protection against falls from a height - Anchor devices - Requirements and testing Personal fall protection equipment - Lanyards
	EN 360	Personal protective equipment against falls from a height - Retractable type fall arresters
	EN 362	Personal protective equipment against falls from a height - Connectors
L L	EN ISO 20471	High visibility clothing - Test methods and requirements (ISO 20471) Hi visibility clothing is assigned a class between 1 and 3
ND		Class 3 (Highest level of conspicuousness) Minimum background material 0.80m ² Minimum retro-reflective material 0.20m ²
STANDARDS		Class 2 (Intermediate protection) Minimum background material 0.50m ² Minimum retro-reflective material 0.13m ²
7		Class 1 (Low level protection) Minimum background material 0.14m ² Minimum retro-reflective material 0.10m ²
Ш	GO/RT 3279 (RIS-3279-TOM)	Specification for high visibility warning clothing in the rail industry GO/RT 3279 is the specification to quality as worthy for use as rail PPE, which defines the minimum requirements in terms of the wearers level of conspicuousness when on the lineside, on the line or near the line.
	CLOTHING & WORKW	
	EN ISO 14116	Protective clothing - Protection against heat and flame - Limited flame spread materials, material assemblies and clothing (ISO 14116)
	EN 1150	Protective clothing - Visibility clothing for non-professional use - Test methods and requirements
	EN 343	Protective clothing - Breathability and protection against rain
A		Class 3 The highest level of foul weather protection and breathability Class 2
		An intermediate foul weather protection and breathability Class 1
	EN 14786	The lowest level of foul weather protection and breathability Protective clothing - Determination of resistance to penetration by sprayed liquid chemicals, emulsions
		and dispersions - Atomizer test
U	EN 14605	Protective clothing against liquid chemicals - performance requirements for clothing with liquid-tight (Type 3) or spray-tight (Type 4) connections, including items providing protection to parts of the body only (Types PB [3] and PB [4])
	EN ISO 11612	Protective clothing - Clothing to protect against heat and flame (ISO 11612)
7	EN ISO 11611 EN 13034	Protective clothing for use in welding and allied processes (ISO 11611) Protective clothing against liquid chemicals - Performance requirements for chemical protective clothing
	EN 13034	offering limited protective performance against liquid chemicals (Type 6 and Type PB [6] equipment)
T	EN 1073-2	Protective clothing against radioactive contamination - Part 2: Requirements and test methods for non-ventilated protective clothing against particulate radioactive contamination
TECHNICAL DATA	EN ISO 13982-1	Protective clothing for use against solid particulates - Part 1: Performance requirements for chemical protective clothing providing protection to the full body against airborne solid particulates (type 5 clothing) (ISO 13982-1)
ш	EN 14126	Protective clothing - Performance requirements and tests methods for protective clothing against
	EN1149-5	infective agents Protective clothing - Electrostatic properties - Part 5: Material performance and design requirements

Product Index

Α

Access Equipment	326-333
Accident Book	223
Acoustic Shield	404
Adhesive Tapes	312-316, 394-395
Adhesives	305-306, 308
Adjustable Spanners	441
A-Frame Sign	505
Agricultural	356-373
Air Fresheners	494
Alarms, Fire	230, -234-236
All Steel Shovels	414-417
Anemometer	347
Anti Slip Tapes	316
Asbestos Bags	368
Asphalt Rakes	419
Aviation Tin Snips	433
Axes	421

В

B1 & B2 Expanding F	
Ball Pein Hammers	429
Bandages	222
Banded Ear Plugs	66
Bar Barrier	247
Barrier Fencing	269
Barrier Systems	247-257
Barrier Tape	270
Barriers, Pedestrian	247-248, 406
Barriers, Road	249-254, 256-257
Bassine Brooms	500
Bathroom Cleaners	490-491
Batteries	235, 346
PP9	235
Rechargeable	346
6v	346
Beacons, Vehicle	355
Beaded Hand Gel	476
Beanie	21
Bench	529
Bench, Saw	463
Bib & Brace	193
Bib & Brace, Rail Hi	Vis 178
Bin Bags	537, 540
Biscuits	523
Blanket, Fire	233
Bleach	491
Blouses	210
Body Fluid Kits	214
Body Warmers, Rail	Hi Vis 174, 180
Boiler Suit	90, 193-195
Bolle Goggles	46
Bolle Lens Cleaning	Station 51
Bolle Spectacles	37-41
Bolt Cutters	433
Bomber Jackets, Hi	Vis 165-166
Bomber Jackets, Ra	il Hi Vis 177, 179
Boot Bag	189
-	

Boot Scraper502Boots124-133, 138-140Boot Washer502	
Bow Saw 436	
Boxes 396	
Break Glass Key Box 236	
Breather-Poly 377	
Brick Bolsters 430	
Brick Chipping Hammer 429 Brick Cleaner 496	
Brick Jointer 446	
Brick Trowel 444	
Broom Handles 501	
Brooms 500-502	2
Brushware 500-504, 508-509	
BS8599 First Aid Kits 217	·
Bubble Lined Bags 397	·
Bubble Wrap 386	
Bucket Trowel 446	
Buckets 233, 320, 367, 506	
Builders 367 Fire 233	
Fire 233 Galvanised 367	
Plastic 320, 506	
Pour & Scoop 367	
Rubbatex 367	
Builders Bag, 1 Tonne 368	:
Building Paper 379	
Building Supplies 304-325	;
Bulbs 285	
Bump Caps 33	
Bungee Ties 388	
Burns Dressing 222	
Burns Kit 214	
C	
Cabinets, Fire Extinguisher 232	:
Cabinets, Key 342	:
Cable Ties 389	
Canteen Equipment 516-531	
Canteen Form 529	
Canteen Table 529	
Carabiners 151	
Carborundum Block 447	
Cargo Straps 333, 354 Carpet Cleaner 488	
Carpet Protection Film 376	
Carpet Safe 377	
Carriers, Helmet 18, 30	
Caution Tapes 316	
CCTV Kits 343	;
Centrefeed Dispensers 481-482	:
Centrefeed Hand Towels 481-482	:
Centurion Helmet Accessories 29-31, 60-61	
Centurion Safety Helmets 23-28	
C-Fold Dispensers 481-482	
C-Fold Hand Towels 481-482	
Chain 339	

Chalk Line	271
Chalk Refill	271
Chamois Cloth	495
Channel Cubes	491
Chemical Resistant Glove	es 110
Chemical Spill Control	298
Chest Waders	203
Chin & Browguard Face S	
Chinstraps	20, 31
	430, 434, 459
Cigarette Bin	541 454
Circular Saws Circular Saw Blade	454 457
Claw Hammers	457 425, 428
Cleaning Chemicals	423, 428
Clock	530
Cloth Tape	312, 315, 394
Club Hammers	425, 429
Coat Hooks	531
Coco Brooms	501
Coffee	522
Coffee Mate	523
Cold Chisels	430
Cold Protection Gloves	112-113
Colour Coded Gloves	94-108
Combat Trousers 17	76, 181, 191-192
Combination Ladders	331
Combination Pliers	425, 432
Composter	365
Compressor Hose	458
Concrete Testing	324-325
Cones, Road	260
Container Lock	340
Containment Trays	299
Contractors Tools	410-421
Convector Heater	520
Corded Ear Plugs	64-66
Cordless Drills	453
Cordless Kettle	518
Corner Protection	385
Corporate Clothing	210-211
Correx	375 386
Corrugated Paper Cotton Liners	116
Coveralls	193-195
Coveralls, Hi Vis	169
Coveralls, Rail Hi Vis	176
Covers, Fire Extinguisher	
CR2 Reflective Stickers	22
Craftsmans Knife	434
Cream Cleaner	493
Crockery	526-527
Crowbars	440
Cut Level 1 Gloves	94-102
Cut Level 3 Gloves	103-105
Cut Level 5 Gloves	106-108
Cutlery 526-528	
Cutlery Tray	527
Cutting Discs	456-458
Cutting Pliers	432-433







INDEX	
PRODUCT	
- DATA	
ECHNICAL	

D		
Damp Detector	347	1
Dealer Boots	132-133	1
Deb Products	466-474	1
Cradle System	471	1
Heavy Duty Cleanse	469	
Light Duty Cleanse	468	
Protect	467	
Restore	470	
Sanitisers	473	
Washroom	472	
Debris Netting	389	
Decorating Supplies	318-322	
Decorators Caulk	307	
Degreasers	311, 492	
Dehumidifier	287	'
De-Icer	242	
Demarcation	267-271	
Desk Fans	286	'
Detector, 3 in 1	347	
Detergent	492, 497	
Diamond Cutting Discs	456-457	
Dish Cloths	486	
Dishwasher Tablets	493	
Disinfectants	489, 491	
Disposable Clothing	206-207	
Coveralls	206-207	
Gloves	207	
Overshoes	206	
Disposable Masks	75-85	
Document Enclosed Wallets	397	
Door Chime	530	
Door Lock	340	
Door Mats	381	
Door Sleeves	382	
Door Stops	530	
Drain Cleaner	490	
Drain Equipment	370-372	
Drain Spill Protection	301	
Dressings	222	
Drill Bits	459-461	
Drinking Glasses	527	
Drip Trays	299	
Dry Wipe Board	532	
Dry Wipe Marker Pens	532	
Dust Sheets	385	
Dust Suppression Tank	458	
Dustbeater	507	
Dustbins	538	
Dusters	486	
Dustpan & Brush	504	
Dustpans, Hygiene	508	
E		
Ear Defenders	56-57	
Ear Defenders, Helmet Mount		
Ear Plugs	62-66	

Electricians Knife Elite Cable Holder End Cutting Pliers Environmental Control	434 277 433 537-541
Expanding Foams	309
Extension Ladder	329-330
Extension Leads	282-283
Extinguishers, Fire	228-229
Eye Care	219-220
Eye Protection	47-53
Eye Shield, Safety Helmet	18
Eye Wash 214	, 219-220
Dispensers	219-220
Kit	214, 220
Solution	219-220
Vials	219
Eyewear Accessories	51-53
_	
	05
Face Fit Testing Kit	85
Face Screen, Safety Helmet	18, 30
Face Shield, Welders	87
Fall Arrest Protection	144-151
Fall Arresters	150
Fan Heaters	289
Fans	519
Fencing Panels & Accessories	400-405
Fencing Pins	269, 424
Festoons	277
Fibreglass Shovels	410
Fibron Tape	452
Fillers	07, 309
Filling Knife	318
Filter Sock	301
Filters, Respiratory	73-74
Re-Usable Masks	72-75
Filterspec	75
Fire Brigade Padlocks	237
Fire Safety Equipment	228-237
Blanket	233
Bucket	233
Cabinets	232
Commissioning	227
Covers	232
Detector	236
Extinguishers	228-229
Hose	233
Howlers / Alarms	234-235
Nozzle	233
Trolleys	230-231
Stands	230-232
First Aid Equipment	214-223
First Aid Essentials	221-223
First Aid Kits	214-218
First Response Kit	218
Flag Bunting	270
Flame Retardant Clothing	
Coveralls	194-195
Jackets	
	162
Jerkins	162 160
Jerkins Trousers	
	160
Trousers	160 168
Trousers Waist Coats	160 168 158
Trousers Waist Coats Flashing Lamps	160 168 158 261
Trousers Waist Coats Flashing Lamps Fleeces	160 168 158 261 188-189

Floats	446
Floor Anchor	341
Floor Card	379
Floor Cleaning Chemicals	488-489
u u	5-276, 279
Floor Polish	488
Floor Scrapers	447
Floorcare	500-513
Flooring Trowels	444-445
Fluorescent Light	275-276
Flush Block	490
Foam Corner Protection	385
Foam Cups	528
Foam Ear Plugs	62-66
Foam Hand Rail Protection	383
Foam Jamb Guard	382
Foams, Expanding	309
Fog Horn	236
Foil Blanket	239
Fold Flat Disposable Masks	82-84
Foot Protection	120-141
Footwear Accessories	139
Force 8/10 Reusable Masks	72
Formal Shirts	210
Formal Trousers	211
Foundry Boots	89
Framing Square	452
Freezer	517
Fridge	517
Frog Tape	315
Funnels	354, 362

G

Galvanised Mop Buckets	506
Galvanised Steel Chain	339
Garden Rakes	419
Gauging Trowels	444-445
Gauntlet, Welders	87
General Cleaning	486-497
General Footwear	138-139
General Gloves	114-116
Glass Cleaner	495
Glass Lifter	333
Glass Water Jug	527
Glasses Case	51
Glasses Cord	53
Glasses, Safety	37-45
Gloves	94-117
Glue	306, 308
Goggles, Safety	46-50
Goodyear Welted Boots 120,	, 126-128, 133
Gorilla Bars	440
Gorilla Glue	308
Gorilla Tape	315
Graffiti Remover	496
Grass Seed	363
Grease	311
Grit Bins	241
GRP Ladders	329
Grubbing Mattock Head	421
Hacksaws	437
Halogen Heaters	287

Banded

Corded

Dispensers

Ear Protection

Edging Trowel Elasticated Bungee Ties

Eco Cleaning Range

Electric Water Boilers

66

64-66

62-65

56-67

497 444-445

388

Halogen Lights	274
Hammer Drills	453
	5, 428-431
Hand Brush	502, 508
Hand Cleaners 468-474	1, 476-477
Hand Protection	94-117
Hand Rail Protection	383
Hand Sanitisers	473
Hand Tools	428-452
Hand Towels	481-482
Hand Wipes	475
Hard Hat Accessories 18	-22, 29-33
Hard Hats	10-33
Hard Point Saws	436
Harnesses	144-146
Hasp & Staple	340
Hatchet	421
Hazard Tape	270
Head Lamp	344
Head Protection	10-33
Heat Guns	455
Heaters	287-289
Heel & Point Crowbar	440
Height Restriction Kit	440 255
Height Restriction Kit Helmet Mounted Ear Defend	
Helmet Warmers	21, 33
Hepa-Flo Vacuum Bags	510-511
Hessian	243
High Visibility Clothing	154-171
Bomber Jackets	165-166
Coveralls	169
Jackets	161-164
Jerkins	159-160
Polo Shirts	170
Trousers	167-168
T-Shirts	170
Waist Coats	155-158
High Visibility Rail Clothing	174-181
Hiker Boots	129-131
Holdalls	189
Hose	
Accessories	358-361
Compressor	458
Fire	233
Garden	358
Layflat	358
Reinforced	358
Hot Chocolate	523
Hot Plate	516
HSS Drill Bits	460-461
Hygiene Range	508-509
	500 505

I.C.E Hard Hat ID Tag	588
Ice Melt	242
Ice Scrapers	242
Impact Drills	453
Industrial Fans	286
Industrial Skin Care	466-477
Insect Killer	519
Insulated Shovels	422-423
Insulated Tooling	422-425
Insulation Knife	434
Internal Hoarding	407

- 1		-

J	
Jackets	190
Jackets, Hi Vis	161-164
Jackets, Rail Hi Vis	174, 177-178
Jackets, Wet Suit	199-202
Jay Cloths	486
Jerkins, Hi Vis	159-160
Jerry Can Spout	354
Jerry Cans	354
Jigsaws	454
Joinery Protector	383
JSP Goggles	47-48
JSP Helmet Accessories	18-22, 58-59
JSP Safety Helmets	10-17
JSP Spectacles	42-43
Jubilee Clip	359
Jumbo Forecourt Rolls	483

Κ

Kentucky Mop Handle	505
Kentucky Mop Head	505
Kerb Ramps	259
Kettles	518
Key Cabinets	342
Key Tags	342
Kit Bags	189
Kitchen Towels	483
Knee Pads	191-192, 463
Knives, Retractable	434

L

Ladder Tags	332
Ladders	328-332
Lanyards	147-151
Latex Disposable Gloves	117
LED Festoons	277
LED Lighting	276-279
Lens Cleaning Stations	51-53
Life Jacket	239
Lifting Straps	333
Limescale Remover	490
Line Marking	267-271
Litter Pickers	538
Lockers	353
Long Nose Pliers	425, 432
Long Tapes	451
Lubricants	310-311
Lunch Bags	528
Lute	503

Μ

Mallets
Manhole Cover
Manhole Keys
Manyard
Marine Safety
Marking Paint
Masks, Disposable
Mastic
Mattock Head
Maul
Maxilite

Measuring Jug	354
Measuring Wheel	452
Mesh Lockers	353
Metal Cutting Discs	458
Metro Block	255
Mezzo First Aid Kits	214-215
Micro Fibre Cloths	487
Microlite	261
Microwave	517
Milk	524
Mini Kitchen	516
Mitre Saws	454
Mixed Rags	487
Mobile Mopping Unit	508
Mop Bucket	506, 508
Mopping	505-509
Mortar Tub	325
Mould Cleaner	490
Moulded Disposable Masks	75-85
Mug	527
Multi Purpose Cleaners	489
Multi Use Red	391
Multi Wipe Rolls	483
Mutton Cloth	487
N	
Ν	
Nail Bar	440
Nail Brush	502
Hail Brash	002

Needle Resistant Gloves

Nitrile Disposable Gloves

Noise Reduction Tarpaulin

Notice Boards, Lockable

No Waiting Cone

Nozzle, Fire Hose

Odd Job Platform

Oil Filled Radiator

Containment

Eco Friendly Spill Kits

One Piece Wet Suits

Office Chair

Oil Spill

Kits

Pads

Rolls

Socks

Overalls

Pad Saw

Padlocks

Disc

Armoured

Combination

ERA Insurance

Fire Brigade

Keyed Alike

Laminated

Ρ

Overshoes

Oven Cleaner

Booms

Granules

0

431

390

359

151

239

267

421

420

261

75-85

304-305



109

117

260

404

531

233

332

529

288

295

297

295

294

295

294

199

496

206

437

336

337

336

336

338

338

337

336-339

88, 193-195

299-300

294, 296-297

📞 0844 848 3444 🛛 🖵 www.tiger-supplies.co.uk 🛛 🖾 sales@tiger-supplies.co.uk



Long Shackle	337
Shrouded	336
Paint Brushes	322
Paint Kettle	321
Pallet Truck	333
Pallet Wrap	386
Paper Products	479-483
Pedestal Fan Pedestrian Barriers	519
Pedestrian Barriers Pein Hammers	247-248 429
Pencils	532
Perry Buoy	239
Pick Axe Handle	421
Pick Heads	421
Pin Boards	532
Plasterers Bath	325
Plastering Derby	447
Plastering Hawk	446
Plastic Stacking Chair	529
Plates	526, 528
Pliers	425, 432-433
Plug Blanking	284
Plugs	284
Plumb Bob	271
Pointing Trowel	444-446
Polish	494
Polo Shirts	186
Polo Shirts, Hi Vis	170
Polo Shirts, Rail Hi Vis	175, 180
Polyfibre Shovels	412-413
Polypropylene Rope	268
Polythene Sheeting	384
Polyurethane Glue	308
Post Hole Digger	420
Power Distribution	280-283
Power Planers	455
Power Tools Powerstation	453-455 353
Press to Check Filters	73
Pressure Washer	357
Profile Board	268
Protecta	200
Board	375
Carpet	376-377
Cover	384
Door	382
Fleece	380
Floor	378
Grip	378
Mats	381
Shield	377
Stair	383
Wall Film	384
Window	387
Printed Mesh Tarps	405
Prybars	440
Pulsarail Garments	174-177
PVA Wood Glue	308
PVC Tapes	312
Q	
Quickprops 392	
· · · · · · · · · · · · · · · · · · ·	

R

Radio, Two Way 347

Rail Hi Vis Garments	
Bib & Brace	178
Body Warmers	174, 180
Bomber Jackets	177, 179
Coveralls	176, 178
Fleeces	175, 180
Jackets	174, 177-178
Polo Shirts	175, 180
Trousers	176, 181
Sweatshirts	180
Waist Coats	175, 179
Rail High Visibility Clothi	ng 174-181
Rakes	419
Rammers	420, 424
Ramps, Speed	266
Ratchet Head	442
RCD Breaker	284
Recycling Bins	541
Recyclo Card	379
Redlam Panic Bolt	237
Refrigerators	517
Refuse Sacks	537
Respiratory Protection	72-85
Resuscitator Mouth Piece	e 222
Retractable Knives	435
Re-Useable Masks	72-75
Reuse-A-Wall	407
	0-415, 418-425
Rigger Boots	120-123
Rigger Gloves	116
Road Barriers	249-254
Road Cones	260
Road Pins	269
Road Plates	259
Road Signs	262-265
Road Signs Rock Salt	262-265 241
Road Signs Rock Salt Roller Frames, Trays & Sl	262-265 241 eeves 320-321
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards	262-265 241 eeves 320-321 148-149
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene	262-265 241 eeves 320-321 148-149 268
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pumj	262-265 241 eeves 320-321 148-149 268 o 299
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell	262-265 241 eeves 320-321 148-149 268 0 299 236
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pumj	262-265 241 eeves 320-321 148-149 268 o 299
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell	262-265 241 eeves 320-321 148-149 268 0 299 236
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell	262-265 241 eeves 320-321 148-149 268 0 299 236
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks	262-265 241 eeves 320-321 148-149 268 0 299 236 537
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks Sack Truck	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S Sack Truck Safety Helmets	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks Sack Truck Safety Helmets Accessories	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks Sack Truck Safety Helmets Accessories Carriers	262-265 241 eeves 320-321 148-149 268 0 299 236 537 236 537 333 10-33 18-22, 29-33 18, 30
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks Sack Truck Safety Helmets Accessories Carriers Ear Defenders	262-265 241 eeves 320-321 148-149 268 0 299 236 537 236 537 333 10-33 18-22, 29-33 18, 30 56-59
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18, 30 56-59 18, 30
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18, 30 56-59 18, 30 20, 31
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands Visors	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18, 30 56-59 18, 30 20, 31 18, 30
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands Visors Warmers	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18-22, 29-33 18, 30 56-59 18, 30 20, 31 18, 30 21, 31
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands Visors Warmers Safety Signage	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18, 30 56-59 18, 30 20, 31 18, 30 21, 31 545-588
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands Visors Warmers	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18, 30 56-59 18, 30 20, 31 18, 30 21, 31
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands Visors Warmers Safety Signage	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18, 30 56-59 18, 30 20, 31 18, 30 21, 31 545-588
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands Visors Warmers Safety Signage Safety Station Salt Spreader Sandbags	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18, 30 20, 31 18, 30 21, 31 545-588 231 241 368
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands Visors Warmers Safety Signage Safety Station Salt Spreader	262-265 241 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18-22, 29-33 18, 30 20, 31 18, 30 20, 31 18, 30 21, 31 545-588 231 241
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands Visors Warmers Safety Signage Safety Station Salt Spreader Sandbags	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18, 30 20, 31 18, 30 21, 31 545-588 231 241 368
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands Visors Warmers Safety Station Salt Spreader Sandbags Sanders	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18, 30 20, 31 18, 30 21, 31 545-588 231 241 368 455
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands Visors Warmers Safety Signage Safety Station Salt Spreader Sandbags Sanders Sandpaper	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18, 30 20, 31 18, 30 20, 31 18, 30 20, 31 18, 30 21, 31 545-588 231 241 368 455 318 516 436-37, 461
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands Visors Warmers Safety Signage Safety Station Salt Spreader Sandbags Sanders Sandpaper Sandwich Toaster	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18, 30 20, 31 18, 30 20, 31 18, 30 20, 31 18, 30 21, 31 545-588 231 241 368 455 318
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands Visors Warmers Safety Signage Safety Station Salt Spreader Sandbags Sanders Sandpaper Sandwich Toaster Saw Blades	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18, 30 20, 31 18, 30 20, 31 18, 30 21, 31 545-588 231 241 368 435 318
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands Visors Warmers Safety Station Salt Spreader Sandbags Sanders Sandpaper Sandwich Toaster Saw Blades Saws	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18, 30 56-59 18, 30 20, 31 18, 30 20, 31 18, 30 20, 31 18, 30 21, 31 545-588 231 241 368 455 318 6436-37, 461 436-437
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands Visors Warmers Safety Station Salt Spreader Sandbags Sanders Sandpaper Sandwich Toaster Saw Blades Saws Scaffold Hook Scaffold Sheeting Scaffolders Kit	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18, 30 56-59 18, 30 20, 31 18, 30 20, 31 18, 30 20, 31 18, 30 21, 31 545-588 231 241 368 435 318 241 545-588 231 241 368 435 318
Road Signs Rock Salt Roller Frames, Trays & Sl Rope Lanyards Rope, Polypropylene Rotary Diesel Hand Pump Rotary Hand Bell Rubble Sacks S S Sack Truck Safety Helmets Accessories Carriers Ear Defenders Eye Shields Sweatbands Visors Warmers Safety Station Salt Spreader Sandbags Sanders Sandpaper Sandwich Toaster Saw Blades Saws Scaffold Hook Scaffold Hook	262-265 241 eeves 320-321 148-149 268 0 299 236 537 333 10-33 18-22, 29-33 18, 30 56-59 18, 30 20, 31 18, 30 20, 31 18, 30 20, 31 18, 30 21, 31 545-588 231 241 368 435 318 241 368 435 318

Scafftags	585-588
Scaling Hammers	429
Scissors, First Aid	222
Scott Safety Helmet Acces	sories 32, 61
Scott Safety Helmets	32
Scourers	486
Scrapers	
Boot	502
DIY	318
Floor	503
Window	319
Screen Wash	355
Screening Material	392-393
Screwdrivers	438-439
	438-439
Scrubbing Hand Brush	
Scutch Chisel	430
Scutch Hammer	430
SDS Tools	459-460
Sealant Guns	307
Sealants	304-305
Security Mirror	341
Security Products	336-355
Self Grip Pliers	432
Setting Out Pegs	268
Sharps Kit	223
Shelving Rack	463
Shirts	210
Shoes, Safety	136
Shovels, Contractor	410-418
Side Cutters	
	425, 432
Signage	544-588
Bespoke	544
Fire Equipment	548
Fixed Road	583
Fixings	584
General	570-571
Hazard	557-560
Mandatory	549-553
Multi-Purpose	561-562
Peel	572-573
Posters, Health & Safety	565-566
Prohibition	554-556
Publications, Health & Saf	ety 567-569
Recycling	574-575
Safe Condition	545-547
Site Safety Notice Boards	563-564
Silicone	304-305
Sill Protection	387
Sink Plunger	496
Site Lighting	274-279
	274-279
Site Lighting and Power	
Site Mat	293
Site Security Products	336-355
Site Storage	348-353
Skin Safety Centres	466-467
Sledge Hammers	424, 431
Smoke Detectors	236
Snow Shovel	242
Socket Heads	442-443
Socket Mop Head	505, 509
Socket Testers	284
Sockets, Plug	284
Socks	139
Sound Level Meter	347
	02, 441-442
Spazzles	420
Specialist Gloves	109-111
Spectacles, Safety	37-45
spectacios, carety	5, 45

Speed Ramps	266
Spider Ball Splitter Box	280
Spill Containment	299-300
Spill Control	292-301
Spirit Levels	448-449
Splitter Box	280
Sponge Mop	506
Sponge Scourers	486
Sponges	486
Spray Bottle	362
Spray Gun	361
Spray Lance	361
Spray Paint	267
Sprinkler, Oscillating	361
Sprinkler, Rotary	361
Squash	524
Squeegee, Floor	503, 509
Squeegee, Window	495
Stair Square Nosing	383
Stand Pipes	359
Stands, Fire Extinguisher	230-232
Staple Gun	317
Staples	317
Stationary	532-535
Steel Road Sign Frames	265
Step Ladders	328-329
Stillson Wrench	441
Stone Cutting Disc	458
Stop / Go Sign	265
Storage Box	348-352, 463
Sugar	523
Sugar Soap	319
Sun Cream	467
Sun Protection Board	467
Super Glue	308
Surface Protection	391
Surfacing Trowel	444-446
Surveillance Kits	343
Survey Spray Paint	267
Surveyors Tape	452
Swarfega Products	474
Sweatbands, Safety Helm	
Sweatshirts	187 187
	187
Sweatshirts, Rail Hi Vis	
Swing Bin	540

т

Table Top Refrigerator	517
Table, Canteen	529
Tack Mats	381
Tape Measures	450-452
Tapes	312-316
Applicator	316
Aluminium Foil Tapes	314
Barrier Tapes	270
Cloth Tapes	312
Double Sided Tapes	313
Hazard Tapes	314
Masking Tapes	314
Packaging Tapes	314
PVC Tapes	312
Tar Brush	322
Tarmac Rake	419
Tarpaulins	390
Теа	521
Tee Hinge	340

Telescopic Ladder	330
Temporary Down Pipe	390
Temporary Fencing	400-407
Temporary Protection	375-395
Temporary Screening	392-3893
Temporary Traffic Signs	262-265
Test Cube Moulds	324
Thermal Clothing	197
Thermal Gloves	112-113
Thermal Hat	197
Thermometer	325, 347
Thermoplastic Road Mar	kings 267
Thick Bleach	491
Tin Opener	527
Tin Snips	433
Titan Barrier	248
Toasters	516
Toilet Brush	496
Toilet Cleaners	490-491
Toilet Roll Dispenser	480
Toilet Roll Holder	479
Toilet Rolls	479-480
Toolbag	462
Toolboxes	462
Tooling & Equipment	410-463
Tool Lanyard	151
Torches	344-345
TPS Polythene	384
Traffic Film Remover	355
Traffic Management	247-271
Traffic Sign Frames	265
Traffic Signs	262-265
Traffic Wand	355
Trainers, Safety	134-135
Transformers	281
Trench Covers	258-259
T-Rex Tape	315
Trousers	191-192
Trousers, Hi Vis	167-168
Trousers, Rail Hi Vis	176, 181
	199-200, 202
Trousers, Wet Suit Trowels	444-446
T-Shirts	444-446
T-Shirts, Hi Vis Tubular Steel Shovels	170
	414-415, 417
Tuff Tub	367
Tweezers, First Aid	222
Two Piece Wet Suits	201
Two Stroke Oil	458
Two Way Radio	347
Tyre Pressure Gauge	355

U

Uplights	275-276
Uvex Lens Cleaning Station	52
Uvex Spectacles	44

V

V Sweeper	507
Vacuum Cleaners	510-513
Vacuum Flask	518
Van & Truck First Aid Kit	218
Van Vaults	348
VDE Approved Tools	425

Vehicle Support	354-355
Vinyl Disposable Gloves	117
Visors, Safety Helmet	18, 30

W

Waist Coats, Hi Vis	155-158
Waist Coats, Rail Hi Vis	175, 179
Wall Anchor	341
Wall Film	384
Warmers, Helmet	21, 31
Warning Lamps	261
Washing Up Bowl	527
Washing Up Brush	527
Washing Up Gloves	117
Washing Up Liquid	492
Washroom Cleaning	
Chemicals	490-491
Washroom Hand Cleaners	472-473
Waste Paper Bin	540
Water Boiler	518
Water Butts & Accessories	364-365
Water Container	525
Water Pump Pliers	432
Water, Bottled	523
Watering Cans	362
Wax Crayons	268
Weed Killer	363
Welding Equipment	87-89
Wellington Boots, Safety	137
Wet Suits	199-202
Wet Weather Clothing	198-203
Wheelbarrows	426-427
Wheelie Bin Liners	537
Wheelie Bins	539
Whipcheck Leads	458
Whistle	347
White Spirit	319
Window Cleaning	495
Window Protection Film	387
Winter Care	241-243
Wire Brush	502
Wire Wool	318
Wonder Wipes	475
Wooden, Broom Handle 501	, 503, 505
Work Boots	124-128
Work Lights	274-279
Work Trousers	191-192
Working Hands Cream	470
Workwear, General	185-195
Wraparound Safety Spectacl	es 45
Wrecking Bar	440
Υ	



247

481

Ζ

Yard Broom Head

Zeus Barrier Z-Fold Hand Towels



CHNICAL DATA | PRODUCT INDEX Ш



Fire point

•••

~∛

Tiger Supplies Ltd Head Office, 3 Driberg Way Braintree, Essex, CM7 1NB

0844 848 3444



sales@tiger-supplies.co.uk

www.tiger-supplies.co.uk



Company Reg. No. 4532349 E&OE. Registered Office: Leytonstone House, Leytonstone, London, E11 1GA.

CAUTION

*

WET

