

SAFETY DATA SHEET

750ml SUPER MPC WITH BLEACH

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name 750ml SUPER MPC WITH BLEACH
Product number 800-277-0006
Container size 750 ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent. Disinfecting and cleaning.

1.3. Details of the supplier of the safety data sheet

Supplier

Contact person

1.4. Emergency telephone number

Emergency telephone +

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified
Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319
Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Warning

Hazard statements
H315 Causes skin irritation.
H319 Causes serious eye irritation.

750ml SUPER MPC WITH BLEACH

| | |
|---------------------------------|--|
| Precautionary statements | <p>P280 Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P332+P313 If skin irritation occurs: Get medical advice/attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P337+P313 If eye irritation persists: Get medical advice/attention.</p> |
| Detergent labelling | < 5% anionic surfactants, < 5% chlorine-based bleaching agents, < 5% perfumes, < 5% phosphates |

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | | | |
|---|----------------------|---|---------------|
| SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE | | | <1% |
| CAS number: 7681-52-9 | EC number: 231-668-3 | REACH registration number: 01-2119488154-34-XXXX | |
| M factor (Acute) = 10 | | | |
| Classification Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 | | Classification (67/548/EEC or 1999/45/EC) C;R34 R31 N;R50 | |

| | | | |
|---|----------------------|---|---------------|
| SODIUM HYDROXIDE | | | <1% |
| CAS number: 1310-73-2 | EC number: 215-185-5 | REACH registration number: 01-2119457892-27-XXXX | |
| Classification Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318 | | Classification (67/548/EEC or 1999/45/EC) C;R35 | |

| | | | |
|---|--|--|---------------|
| AMINES, C12-14 (EVEN NUMBERED) -ALKYLDIMETHYL, N-OXIDES | | | <1% |
| CAS number: 308062-28-4 | REACH registration number: 01-2119490061-47-XXXX | | |
| M factor (Acute) = 1 | | | |
| Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 | | Classification (67/548/EEC or 1999/45/EC) Xn;R22. Xi;R38,R41. N;R50. | |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

750ml SUPER MPC WITH BLEACH

4.1. Description of first aid measures

| | |
|---------------------|---|
| Inhalation | Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues. |
| Ingestion | Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues. |
| Skin contact | Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing. |
| Eye contact | Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------|---|
| Skin contact | Prolonged contact may cause redness, irritation and dry skin. |
| Eye contact | Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-----------------------------|------------------------------|
| Notes for the doctor | No specific recommendations. |
|-----------------------------|------------------------------|

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|-------------------------------------|---|
| Suitable extinguishing media | The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder. |
|-------------------------------------|---|

5.2. Special hazards arising from the substance or mixture

| | |
|--------------------------------------|--|
| Hazardous combustion products | Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. |
|--------------------------------------|--|

5.3. Advice for firefighters

| | |
|--|---|
| Protective actions during firefighting | Control run-off water by containing and keeping it out of sewers and watercourses. |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|--|
| Personal precautions | For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces. |
|-----------------------------|--|

6.2. Environmental precautions

| | |
|----------------------------------|--|
| Environmental precautions | Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. |
|----------------------------------|--|

6.3. Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for cleaning up | Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. |
|--------------------------------|---|

6.4. Reference to other sections

750ml SUPER MPC WITH BLEACH

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Avoid contact with acids and other cleaning agents. Wear protective clothing as described in Section 8 of this safety data sheet.

Advice on general occupational hygiene Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Use appropriate skin cream to prevent drying of skin.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

STPP (CAS: 7758-29-4)

DNEL

- Workers - Inhalation; Long term systemic effects: 17.632 mg/m³
- Workers - Dermal; Long term systemic effects: 10 mg/kg/day
- Workers - Inhalation; Long term systemic effects: 4.348 mg/m³
- General population - Dermal; Long term systemic effects: 5 mg/kg/day
- General population - Oral; Long term systemic effects: 2.5 mg/kg/day

SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE (CAS: 7681-52-9)

DNEL

- Industry - Inhalation; Long term local effects: 1.55 mg/m³
- Industry - Inhalation; Long term systemic effects: 1.55 mg/m³
- Industry - Inhalation; Short term local effects: 3.1 mg/m³
- Industry - Inhalation; Short term systemic effects: 3.1 mg/m³
- Consumer - Inhalation; Long term local effects: 1.55 mg/m³
- Consumer - Inhalation; Long term systemic effects: 1.55 mg/m³
- Consumer - Inhalation; Short term local effects: 3.1 mg/m³
- Consumer - Inhalation; Short term systemic effects: 3.1 mg/m³
- Consumer - Oral; Long term systemic effects: 0.26 mg/kg/day

PNEC

- Fresh water; 0.00021 mg/l
- Marine water; 0.000042 mg/l
- Intermittent release; 0.00026 mg/l
- STP; 0.03 mg/l

ALCOHOLS, C12-14, ETHOXYLATED < 2.5 EO, SULFATES, SODIUM SALTS (CAS: 68891-38-3)

750ml SUPER MPC WITH BLEACH

DNEL

Workers - Dermal; Long term systemic effects: 2750 mg/kg/day
 Workers - Inhalation; Long term systemic effects: 175 mg/m³
 Consumer - Oral; Long term systemic effects: 15 mg/kg/day
 Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 52 mg/m³

PNEC

- Fresh water; 0.24 mg/l
 - Marine water; 0.024 mg/l
 - Intermittent release; 0.071 mg/l
 - Sediment, Fresh water; 5.45 mg/kg
 - Sediment, Marine water; 0.545 mg/kg
 - Soil; 0.946 mg/kg
 - STP; 10,000 mg/l

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL

Industry - Inhalation; Long term local effects: 1.0 mg/m³
 Consumer - Inhalation; Long term local effects: 1.0 mg/m³

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. EN 166

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Simple Design for minimal risk.

Other skin and body protection

Use barrier creams to prevent skin contact. Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures

When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

Respiratory protection

Respiratory protection not required.

Environmental exposure controls

Avoid release to the environment. Users should be aware of environmental considerations and their duties under the environmental protection act. Further information may be found on Government websites: www.dti.gov.uk/access/index/htm and www.envirowise.gov.uk.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

| | |
|------------|----------------------|
| Appearance | Liquid. |
| Colour | Colourless. |
| Odour | Faintly of chlorine. |

750ml SUPER MPC WITH BLEACH

| | |
|---------------------------------|---|
| Odour threshold | Not applicable. |
| pH | pH (concentrated solution): 12.0 typically |
| Melting point | Not applicable. |
| Initial boiling point and range | Not applicable. |
| Flash point | Not applicable. |
| Evaporation rate | Not determined. |
| Evaporation factor | Not applicable. |
| Vapour pressure | Not determined. |
| Vapour density | Not determined. |
| Relative density | 1.020 typically @ 20°C |
| Bulk density | Not applicable. |
| Solubility(ies) | Soluble in water. |
| Auto-ignition temperature | Not applicable. |
| Decomposition Temperature | Not applicable. |
| Viscosity | Not determined. |
| Explosive properties | Not applicable |
| Oxidising properties | Not applicable. |
| Comments | Information given is applicable to the product as supplied. |

9.2. Other information

| | |
|-------------------|---------------|
| Other information | Not relevant. |
|-------------------|---------------|

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|------------|---|
| Reactivity | There are no known reactivity hazards associated with this product. |
|------------|---|

10.2. Chemical stability

| | |
|-----------|--|
| Stability | Stable at normal ambient temperatures. |
|-----------|--|

10.3. Possibility of hazardous reactions

| | |
|------------------------------------|--|
| Possibility of hazardous reactions | Contact with acids liberates toxic chlorine gas. |
|------------------------------------|--|

10.4. Conditions to avoid

| | |
|---------------------|---|
| Conditions to avoid | Avoid exposure to high temperatures or direct sunlight. |
|---------------------|---|

10.5. Incompatible materials

| | |
|--------------------|--------|
| Materials to avoid | Acids. |
|--------------------|--------|

10.6. Hazardous decomposition products

| | |
|----------------------------------|--|
| Hazardous decomposition products | Chlorine. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. |
|----------------------------------|--|

SECTION 11: Toxicological information

750ml SUPER MPC WITH BLEACH

11.1. Information on toxicological effects

| | |
|-----------------------------|---|
| Other health effects | There is no evidence that the product can cause cancer. |
| General information | This product has low toxicity. |
| Ingestion | May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea. |
| Skin contact | Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking. |
| Eye contact | May cause temporary eye irritation. |

SECTION 12: Ecological Information

| | |
|--------------------|--|
| Ecotoxicity | There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment. |
|--------------------|--|

12.1. Toxicity

| | |
|-----------------|-------------------------------|
| Toxicity | Not considered toxic to fish. |
|-----------------|-------------------------------|

12.2. Persistence and degradability

| | |
|--------------------------------------|--|
| Persistence and degradability | There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer. |
|--------------------------------------|--|

12.3. Bioaccumulative potential

| | |
|----------------------------------|--|
| Bioaccumulative potential | No data available on bioaccumulation. Low potential for bioaccumulation. |
|----------------------------------|--|

12.4. Mobility in soil

| | |
|-----------------|---|
| Mobility | The product is water-soluble and may spread in water systems. |
|-----------------|---|

12.5. Results of PBT and vPvB assessment

| | |
|---|---|
| Results of PBT and vPvB assessment | This product does not contain any substances classified as PBT or vPvB. |
|---|---|

12.6. Other adverse effects

| | |
|------------------------------|-------------|
| Other adverse effects | None known. |
|------------------------------|-------------|

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|----------------------------|--|
| General information | Do not discharge into drains or watercourses or onto the ground. |
| Disposal methods | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Packaging is recyclable. Wash out containers with water before disposal. |

SECTION 14: Transport information

| | |
|-----------------------------|-----------------|
| Road transport notes | Not classified. |
| Rail transport notes | Not classified. |
| Sea transport notes | Not classified. |

750ml SUPER MPC WITH BLEACH

Air transport notes Not classified.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not relevant.

Annex II of MARPOL 73/78
and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
Workplace Exposure Limits EH40.

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Guidance COSHH Essentials.
ECHA Guidance on the Application of the CLP Criteria.
ECHA Guidance on the compilation of safety data sheets.

15.2. Chemical safety assessment

A Chemical Safety Assessment (CSA) has been completed for Sodium hydroxide. and Sodium hypochlorite.

SECTION 16: Other information

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 21/03/2016

Revision 2

Supersedes date 13/05/2015

SDS number 20632

Risk phrases in full Not classified.
R31 Contact with acids liberates toxic gas.
R34 Causes burns.
R35 Causes severe burns.
R50 Very toxic to aquatic organisms.

750ml SUPER MPC WITH BLEACH

Hazard statements in full

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.